



INDUSTRY & HANDICRAFT

Promotion valid from 03/03/2025 to 29/08/2025
Prices do not include V.A.T.


1/2

Beta

RECOGO 2.0



**Configure
your workshop
in 3D online**



WORKSHOP EQUIPMENT

2÷5



CONTAINERS

6÷11



ASSORTMENT AND THERMOFORMED TRAYS

12÷15



WORKBENCHES

16÷18



TROLLEYS AND TOOL BOXES

19÷21



TOOL BAGS

22÷24



WRENCHES

25÷29



COLOR CODE

30



SCREWDRIVERS

31-32



SOCKETS

33÷36



TORQUE WRENCHES

37÷39



PLIERS

40÷42



DRILLING AND THREADING TOOLS

43-44



MEASURING TOOLS

45÷47



HAMMERS AND CHISELS

48



EXTRACTORS

49



PLUMBING TOOLS

50



LIGHTING

51÷55



GENERAL MAINTENANCE

56



BM

57



CUTTING TOOLS

58-59



REELS

60-61



1000V INSULATED TOOLS

62



INOX

63



BETA CHEMICALS

64÷65



AUTOMOTIVE

66-68



ROBUR

69÷72



PNEUMATIC TOOLS

73÷78



SAFETY FOOTWEAR

80÷87



WORKWEAR

88÷95



BETA COLLECTION


96




Blister pack support

RSC50 2.0

NEW!



**100%
MADE
By
Beta**



The workshop equipment combination, RSC50, has been upgraded into the new, **revolutionary RSC50 2.0**, with a **NEW 70-CM-DEEP WORKTOP**, for a large, convenient, functional work surface. It can be fitted with a vice, thereby allowing heavy-duty jobs to be carried out.

COMBINATION RSC50 2.0 D

RSC50 2.0 D/224UT

050001090 276 kg

Workshop equipment combination RSC50 2.0 with 224 tools

Combination comprising the following:

- 1 worktop, 1,495x**700 mm** (RSC50 2.0 NPG/2-1.5MT)
- 1 fixed module with 7 drawers (RSC50 2.0 M7)
- 1 fixed two-door module (RSC50 2.0 MA)
- 2 wall-mounted cabinets (RSC50 2.0 PM)
- 2 upper perforated tool panels (RSC50 2.0 PFS)
- 2 lower perforated tool panels (RSC50 2.0 PFI)
- 2 pairs of right/left uprights (RSC50 2.0 P/2MDX-SX)
- 1 single-door tool cabinet (RSC50 2.0 A1)

~~9.980,00 €~~
3.790,00 €


+ Included in the price assortment of 224 TOOLS Beta

net value

1.429,00 €



M391



M392



M394



M395

14"
12"



GET A NEW LOOK!

RENOVATE YOUR WORKSHOP
PURCHASE THE RSC50 2.0 D
OR RSC50 2.0 F COMBINATION

...**Beta** WILL TAKE CARE OF THE TOOLS!

COMBINATION RSC50 2.0 F

RSC50 2.0 F/411UT

050001095 / 411 kg

Workshop equipment combination RSC50 2.0
with 411 tools

Combination comprising the following:

- 1 worktop, 2,240x700 mm (RSC50 2.0 NPG/3-2.2MT)
- 1 fixed module with 7 drawers (RSC50 2.0 M7)
- 1 mobile roller cab with 7 drawers (RSC50 2.0 C7)
- 1 fixed service module with 2 drawers (RSC50 2.0 MS-2C)
- 3 wall-mounted cabinets (RSC50 2.0 PM)
- 3 upper perforated tool panels (RSC50 2.0 PFS)
- 3 lower perforated tool panels (RSC50 2.0 PFI)
- 3 pairs of right/left uprights (RSC50 2.0 P/2MDX-SX)
- 1 two-door tool cabinet (RSC50 2.0 A2)



Included in the price
assortment of

411

TOOLS **Beta**

net value

2.199,00 €



~~16.940,00 €~~
5.999,00 €

2000 mm
760 mm
3155 mm



M25



M105



M169



M229



M238



M320

14"
38"
12"

The only soft foam
tray with the new
**IMPACT
DRILL 20V**
supplied with
accessories and
2 batteries 4Ah

C45PRO 2.0

NEW!



C45PRO 2.0 D

Workshop equipment combination C45PRO 2.0 comprising:

- 1 fixed module with 7 drawers (C45PRO 2.0 M7)
- 1 mobile roller cab with 7 drawers (C45PRO 2.0 C7)
- 1 fixed service module (C45PRO 2.0 MS)
- 1 fixed module with 5 drawers (C45PRO 2.0 M5)
- 1 fixed two-door module (C45PRO 2.0 MA)
- 5 perforated tool panels (C45PRO 2.0 PF)
- 5 wall-mounted cupboards (C45PRO 2.0 PM)
- 7 wall brackets, wide type (C45PRO 2.0 SL)
- 2 wall brackets, narrow type (C45PRO 2.0 SS)
- 2 single-door cabinets (C45PRO 2.0 AS1)



2000 mm
645 mm
3718/3038 mm

C45PRO 2.0 DX

11.570,00 €

5.929,00 €

045002031

640 kg

- 1 stainless steel coated MDF worktop, dimensions 2,040x615 mm (C45PRO 2.0 PXE/3-2.0MT)
- 1 stainless steel coated MDF worktop, dimensions 1,360x615 mm (C45PRO 2.0 PXE/2-1.3MT)
- 1 self-supporting complete corner with stainless steel coated MDF worktop (C45PRO 2.0 CORNER/X)



C45PRO 2.0 DW

11.280,00 €

5.929,00 €

045002032

606 kg

- 1 multi-ply wood worktop, dimensions 2,040x615 mm (C45PRO 2.0 PWE/3-2.0MT)
- 1 multi-ply wood worktop, dimensions 1,360x615 mm (C45PRO 2.0 PWE/2-1.3MT)
- 1 self-supporting complete corner with multi-ply wood worktop (C45PRO 2.0 CORNER/W)



C45PRO 2.0 A

Workshop equipment combination C45PRO 2.0

- Fixed service module (C45PRO 2.0 MS)
- Fixed module with 7 drawers (C45PRO 2.0 M7)
- Fixed two-door module (C45PRO 2.0 MA)
- 3 wall-mounted cabinets (C45PRO 2.0 PM)
- 3 perforated tool panels (C45PRO 2.0 PF)
- 2 wall brackets, narrow type (C45PRO 2.0 SS)
- 2 wall brackets, wide type (C45PRO 2.0 SL)

2000 mm
645 mm
2040 mm

C45PRO 2.0 AX

4.040,00 €

2.079,00 €

045002003

234,5 kg

- Stainless steel coated MDF worktop, dimensions 2,040x615 mm (C45PRO 2.0 PXE/3-2.0MT)



C45PRO 2.0 AW

3.930,00 €

2.079,00 €

045002004

219 kg

- Multi-ply wood worktop, dimensions 2,040x615 mm (C45PRO 2.0 PWE/3-2.0MT)



NEW!

The workshop equipment system, C45PRO 2.0, has been upgraded into the C45PRO 2.0 system, an even more convenient one, **BASED ON THE NEW 61.5-CM DEEP WORKTOP** to answer the most demanding professionals' requirements.


61,5cm

CONVENIENT AND PROFESSIONAL

C45PRO 2.0

Workshop equipment combination C45PRO 2.0

- Fixed module with 7 drawers (C45PRO 2.0 M7)
- Mobile roller cab with 7 drawers (C45PRO 2.0 C7)
- Fixed service module (C45PRO 2.0 MS)
- 3 perforated tool panels (C45PRO 2.0 PF)
- 3 wall-mounted cabinets (C45PRO 2.0 PM)
- 3 wall brackets, wide type (C45PRO 2.0 SL)
- 1 wall bracket, narrow type (C45PRO 2.0 SS)
- Two-door cabinet (C45PRO 2.0 AS2)



C45PRO 2.0 X

045002001

5.760,00 €

3.069,00 €

334 kg



- Stainless steel coated MDF worktop, dimensions 2,040x**615** mm (C45PRO 2.0 PXE/3-2.0MT)

C45PRO 2.0 W

045002002

5.650,00 €

3.069,00 €

318 kg




- Multi-ply wood worktop, dimensions 2.040x**615** mm (C45PRO 2.0 PWE/3-2,0MT)

C45PRO 2.0 B

Workshop equipment combination C45PRO 2.0

- Fixed module with 5 drawers (C45PRO 2.0 M5)
- Fixed two-door module (C45PRO 2.0 MA)
- 2 wall-mounted cabinets (C45PRO 2.0 PM)
- 2 perforated tool panels (C45PRO 2.0 PF)
- 2 wall brackets, wide type (C45PRO 2.0 SL)
- 1 wall bracket, narrow type (C45PRO 2.0 SS)
- Single-door cabinet (C45PRO 2.0 AS1)



C45PRO 2.0 BX

045002021

3.620,00 €

1.859,00 €

206 kg



- Stainless steel coated MDF worktop, dimensions 1,360x**615** mm (C45PRO 2.0 PXE/2-1.3MT)

C45PRO 2.0 BW

045002022

3.510,00 €

1.859,00 €

196 kg



- Multi-ply wood worktop, dimensions 1,360x**615** mm (C45PRO 2.0 PWE/2-1.3MT)



DISCOVER THE RSC RANGE!

THE EVOLUTION OF PERFECTION!



The **RSC range** has been designed to satisfy all professionals' requirements and ensure reliability as well as high operation performance. The innovative design, inspired by the racing world, provides these mobile roller cabs and trolleys with a captivating, unique style: the 7 colours and its finish make the RSC range synonymous with one-of-a-kind products in the market. The sturdy frameworks and the materials result in high quality and remarkable durability, thereby effectively supporting the daily work of industrial production departments, mechanics, car body repairers and general maintenance service providers. What is more, most RSC roller cabs are TÜV certified. This prestigious certification - which is the name for safety and guaranteed quality - is obtained upon successful completion of severe tests under the EK5/TA5 protocol.




RSC24

Mobile Roller cab

- ABS reinforced worktop
- Multi-purpose top with anti-fall edges and eight holes for accommodating screwdrivers
- Drawer bases protected by foamed rubber mats
- 4 castors Ø 125 mm: 2 fixed and 2 steering (one with brake)
- Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays
- Front centralized safety lock
- Static load capacity: 800 kg
- Built-in bottle holder (can be applied on both sides).

The following accessories can be added:

- Wood worktop 2400 RSC24/PL
- Perforated tool panel 2400 RSC24/PF
- Folding shelf 2400 RSC24/MP
- Document holder 2400 RSC24/PD
- Paper roll holder 2400 RSC24/PC
- Computer wall bracket 2400 RSC24/SPC




	Ral 2011	Ral 2011 Ral 7016	Ral 9006 Ral 7016	Ral 3000 Ral 7016	Ral 5015 Ral 7016	Ral 7016	Ral 9005	kg	€
RSC24/5	024004050	024004051	024004052	024004053	024004056	024004057	024004059	60	1.044,00 € 571,00 €
RSC24/6	024004060	024004061	024004062	024004063	024004066	024004067	024004069	62	1.124,00 € 637,00 €
RSC24/7	024004070	024004071	024004072	024004073	024004076	024004077	024004079	63	1.210,00 € 681,00 €
RSC24/8	024004080	024004081	024004082	024004083	024004086	024004087	024004089	66	1.305,00 € 736,00 €

RSC24/5		
n°	Max	Max
2	70 mm	25 kg
2	140 mm	30 kg
1	280 mm	35 kg

RSC24/6		
n°	Max	Max
4	70 mm	25 kg
1	140 mm	30 kg
1	280 mm	35 kg

RSC24/7		
n°	Max	Max
5	70 mm	25 kg
1	140 mm	30 kg
1	210 mm	30 kg

RSC24/8		
n°	Max	Max
6	70 mm	25 kg
2	140 mm	30 kg



THE MOST COMPLETE **Beta**
ASSORTMENT EVER
AND THE ROLLER CAB RSC24
IS INCLUDED IN THE PRICE!

Save up to
3.800,00 €

2400 RSC24/7-VIS

024004037

~~3.420,00 €~~

ASSORTMENT OF 224 TOOLS FOR INDUSTRIAL MAINTENANCE



M391



M392



M394



M395

1.429,00 €

INDUSTRIAL MAINTENANCE **14" 12"**
Medium version



INCLUDED:
Mobile
roller cab with
RSC24/7-F0

- 7 removable drawers (588x367 mm), with ball bearing slides
- 5 drawers, 70 mm high
- 1 drawer, 140 mm high
- 1 drawer, 210 mm high

Promotion valid only with RSC24 FULL ORANGE

2400 RSC24A/8-VIL

024004008

~~6.000,00 €~~

ASSORTMENT OF 411 TOOLS FOR INDUSTRIAL MAINTENANCE



M25



M105



M169



M229



M238



M320

The only soft foam tray with the new
IMPACT DRILL 20V supplied with
accessories and **2 batteries 4Ah**

2.199,00 €

INDUSTRIAL MAINTENANCE **14" 38" 12"**
Extra large version

**THE MOST COMPLETE
BETA ASSORTMENT EVER**



INCLUDED:
Mobile
roller cab with
anti-tilt system
RSC24A/8-0

- 8 removable drawers (588x367 mm), with ball bearing slides
- 6 drawers, 70 mm high
- 2 drawers, 140 mm high

Promotion valid only with RSC24 ORANGE

RSC24AXLP/7

105 Kg


Mobile roller cab with 7 drawers, with wood worktop and ANTI-TILT SYSTEM, long model

- Long model with 7 fully removable drawers (882x367 mm), with ball bearing slides
- Multi-ply wood worktop with holes for a vice 1599F/100 or 1599GI/100 (to be ordered separately)
- Sturdy nylon front, with built-in label holder
- Drawer bases protected by foamed rubber mats
- 4 castors, Ø 125 mm: 2 fixed and 2 steering (one with brake)
- Front centralized safety lock
- Built-in side bottle holder (can be applied on both sides)
- Built-in paper roll holder
- Each drawer can accommodate up to **6 EVA foam or ABS thermoformed trays**





Ral 2011	Ral 3000	Ral 7016
Ral 7016	Ral 7016	Ral 7016
024004571	024004573	024004577

1.955,00 €
1.099,00 €



n°	Max
5	70 mm
1	140 mm
1	210 mm



RSC24L-CAB

82 Kg

Mobile roller cab with 7 drawers and tool cabinet



- 7 drawers (588x367 mm) with ball bearing slides:
 - 5 drawers, 70 mm high
 - 1 drawer, 140 mm high
 - 1 drawer, 210 mm high.
- Drawer bases protected by foamed rubber mats.
- 4 castors, Ø 125 mm: 2 fixed and 2 steering with brakes.
- Front centralized lock.
- **Side tool cabinet with lockable door and vertically adjustable interior shelf.**
- Static load capacity: 1.100 kg.
- Multi-ply wood worktop with holes for a vice (1599F/100, to be ordered separately).
- Built-in paper roll holder.
- Double rear bottle holder.
- Built-in side bottle holder



Ral 2011	Ral 3000	Ral 7016
Ral 7016	Ral 7016	Ral 7016
024004471	024004473	024004477

1.908,00 €
1.066,00 €

n°	Max
5	70 mm
1	140 mm
1	210 mm




RSC24AXL

Mobile roller cab, WITH ANTI-TILT SYSTEM, long model


- New ABS reinforced worktop with anti-fall edges, eight holes for accommodating screwdrivers and 6 tote trays
- Sturdy nylon front, with built-in label holder.
- Drawer bases protected by foamed rubber mats
- 4 castors, Ø 125 mm: 2 fixed and 2 steering (one with brake)
- Front centralized safety lock
- Built-in side bottle holder (can be applied on both sides)
- Each drawer can accommodate up to 6 EVA foam or ABS thermoformed trays

Following accessories can be added:

- Wood worktop 2400 RSC24/PL
- Document holder 2400 RSC24/PD-A
- Paper roll holder 2400 RSC24/PC-A



	Ral 2011 Ral 7016	Ral 3000 Ral 7016	Ral 7016	n° max	kg	€
RSC24AXL/7	024004271	024004273	024004277	5 70 mm 30 kg 1 140 mm 35 kg 1 210 mm 35 kg	84	1.700,00 € 967,00 €
RSC24AXL/8	024004281	024004283	024004287	6 70 mm 30 kg 2 140 mm 35 kg	88	1.820,00 € 1.033,00 €
RSC24AXL/9	024004291	024004293	024004297	8 70 mm 30 kg 1 140 mm 35 kg	90	1.935,00 € 1.099,00 €



RSC24AXXL

131 kg

2.420,00 €
1.379,00 €

NEW!



Mobile roller cab with 8 drawers and anti-tilt system, long model

- 1 fully removable drawer (1,176x367 mm), with ball bearing slides
- 7 fully removable drawers (882x367 mm), with ball bearing slides:
6 drawers 70 mm high
1 drawer 140 mm high
- Worktop made from stainless steel coated MDF, with holes for vice item 1599F/125 or 1599GI/125 (to be ordered separately) and 6 tote trays
- Sturdy nylon fronts, with built-in label holders
- Drawer bases protected by foamed rubber mats
- Removable side compartment, with ball bearing slides, with shelf and lock
- 4 castors, Ø 150 mm: 2 fixed and 2 steering with brakes
- 3 safety locks
- Built-in paper roll holder
- Built-in bottle holder
- Static load capacity: 1,100 kg
- Following trays can be added:
up to 8 EVA foam or ABS thermoformed trays in drawer 1,176x367 mm
up to 6 EVA foam or ABS thermoformed trays in drawer 882x367 mm



n°	Max
1 70 mm (1.176x367 mm)	40 kg
6 70 mm (882x367 mm)	30 kg
1 140 mm (882x367 mm)	35 kg

Ral 2011 Ral 7016	Ral 3000 Ral 7016	Ral 7016
024004781	024004783	024004787



RSC28

130 Kg


SuperTank trolley with wood worktop and 10 drawers

- 10 drawers (588x367 mm) with ball bearing slides
- Quick, safe system for opening and closing drawers, with nylon and fibreglass front
- **5 side drawers:**
 - 4 drawers, 70 mm high
 - 1 drawer, 210 mm high
- **5 front drawers:**
 - 4 drawers, 70 mm high
 - 1 drawer, 210 mm high
- Drawer bases protected by foamed rubber mats.
- 4 high-capacity castors, Ø 150 mm: 2 fixed and 2 steering with brakes
- 2 centralized safety locks
- 3 front tool drawers
- Multi-ply wood worktop with holes for a vice (1599F/150 - 1599GI/150, to be ordered separately)
- Built-in tool compartment




Ral 2011	Ral 3000	Ral 7016
Ral 7016	Ral 7016	Ral 7016
028003001	028003003	028003007

3.330,00 €
1.847,00 €



n°	h	Max
8	70 mm	25 kg
2	210 mm	30 kg



- Side compartment with foldaway door with lock
- Built-in bottle holders
- 135-mm-high storage compartment with plastic-covered base





C30M

200 kg

5.320,00 €
2.199,00 €

MaxiTank mobile workbench

- 5 front drawers with ball bearing slides:
 - 3 drawers (367x610 mm), 90 mm high
 - 1 drawer (588x610 mm), 90 mm high
 - 1 drawer (588x610 mm), 180 mm high.
- Quick opening system with aluminium front.
- Drawer bases protected by foamed rubber mats.
- Can be fitted with thermoformed trays.
- One hydraulic jack, designed to lift front part effortlessly, thus allowing easy transportation.
- 4 high-capacity castors: 2 steering, front, Ø 150 mm² fixed, rear, Ø 170 mm.
- Oil-proof, rubber-coated worktop, 1300x800 mm, with drain hole for fluid collection in a small tank.
- Storage compartment, 720x250x1300 mm, with PVC-coated worktop and front sliding panels.
- Centralized lock for drawers and panels.
- 3 built-in side bottle holders.
- Built-in paper roll holder
- Static load capacity: 1.800 kg.
- Can accommodate a multi-ply wood worktop (3000M/PLM), to be ordered separately
- Can accommodate vice 1599F/150 or 1599GI/150 (to be ordered separately).



h	max
90 mm	30 kg
180 mm	35 kg



MOBILE ROLLER CAB + ASSORTIMENT 181 TOOLS Beta

3900 07/5M

039000371  71 Kg

5.210,00 €

2.529,00 €

Mobile roller cab C39 with 7 drawers



+ 181 TOOLS

3700 07/5M

037000371  61 Kg

4.470,00 €

2.079,00 €

Mobile roller cab C37 with 7 drawers



+ 181 TOOLS

+ 181 TOOLS


M01

 4,5 Kg



22



42 6-7-8-9-10-11-12-13-14
15-16-17-18-19-20-21-22
24-27-30-32-36 mm

M60

 1,9 Kg



23



○ 96T 2-2,5-3-4-5-6-7-8-10 mm
○ 97BTX/SC8 T9-T10-T15-T20
T25-T27-T30-T40
○ 944BX 5-6-7-8-10-13 mm

M213

 1,8 Kg



25



- 1201E 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm
- 1201EN 4x30 mm
- 1202E PH0x60-PH1x80-PH2x100-PH3x150 mm
- 1202EN PH1x30 mm
- 1207E/TX T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45
- 1253 3,5x100 mm

M129

 3,4 Kg



13



- | | | |
|---------------|---------------|-----------------|
| ○ 1032 180 mm | 1052 240 mm | 1150BM 180 mm |
| ○ 1034 170 mm | 1082BM 160 mm | ● 1166BM 160 mm |
| ● 1036 175 mm | 1098 220 mm | ● 1168BM 160 mm |
| ● 1038 175 mm | 1112 250 mm | |
| 1048N 250 mm | 1128BM | |

M100

 6,7 Kg



98

895/1 - 895/3 - 895/6

- 900 4,4-5-5,5-5,6-7-8-9-10-11-12-13-14 mm
- 900L 5-6-7-8-9-10-11-12-13 mm
- 900ME 3-4-5-6-7 mm
- 900LP 0,8x4-1x5,5-1,2x6,5-1,2x8 mm
- 900PH PH1-PH2-PH3-PH4
- 900TX T10-T15-T20-T25-T27-T30-T40

900/20 50 mm - 900/20L 100 mm

- 900/21 150 mm
- 900/25
- 900BG/30
- 900/42
- 900/55
- 920A 8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm

- 920/15 - 920/25
- 920AN/125 125 mm
- 920AN/250 250 mm
- 920/42
- 920/55
- 920FTX 10-12-14-16-18-20-22-24 mm
- 920AL 10-12-13-14-15-16-17-18-19-21-22 mm



1/4"

1/2"

5988VU/M

3.520,00 €

1.969,00 €

059880356

30 Kg

SOFT
MODULE
SYSTEM


1/4" 12"

Assortment of 214 tools in soft foam tray

Recommended with: RSC24 - RSC24A - RSC24AXL - RSC24AXLP/7 - RSC24AXXL - C37 - C39 - C39SM - C39MD - C58BC - RSC28 - C59 - RSC55 - RSC50 2.0

Quantity/Description

Beta N.	TR
22 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17	42 M01
18-19-20-21-22-24-27-30-32-36 mm	
11 double open end wrenches 6x7-8x9-10x11-12x13-14x15	55 M30
16x17-18x19-20x22-21x23-24x27-30x32 mm	
11 double ended offset ring wrenches 6x7-8x9-10x11-12x13-14x15-16x17-	90 M30
18x19-20x22-21x23-24x27-30x32 mm	
9 ball head offset hexagon key wrenches $\odot$ 1,5+10 mm	96BPC/SC9 M30
1 socket holder	895/1 M100
1 socket holder	895/3 M100
1 socket holder	895/6 M100
13 1/4" hexagon sockets $\odot$ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm	900E M100
9 hexagon hand sockets, long series $\odot$ 5-6-7-8-9-10-11-12-13 mm	900LP M100
5 1/4" socket drivers for hexagon screws $\odot$ 3-4-5-6-7 mm	900PH M100
4 socket drivers for slotted head screws $\bullet$ 0,8x4-1x5,5-1,2x6,5-1,2x8 mm	900TX M100
4 socket drivers for cross head Phillips® screws $\bullet$ PH1-PH2-PH3-PH4	900TG M100
7 socket drivers for Torx® head screws $\bullet$ T10-T15-T20-T25-T27-T30-T40	900/20 M100
1 1/4" drive extension bar 50 mm	900/20L M100
1 1/4" drive extension bar 100 mm	900/21 M100
1 1/4" drive extension bar 150 mm	900/25 M100
1 1/4" drive universal joint	900BG/30 M100
1 1/4" drive spinner handle	900/42 M100
1 1/4" drive swivel T-handle	900/55 M100
1 1/4" reversible ratchet $\oplus$	920A M100
21 1/2" square drive hexagon sockets $\odot$ 8-10-11-12-13-14-15-16-17-18-19-	
20-21-22-23-24-26-27-28-30-32 mm	
1 adaptor, 1/2" female and 3/8" male drives 125 mm	920/15 M100
1 1/2" drive universal joint 250 mm	920/25 M100
1 1/2" wobble extension bar 125 mm	920AN/125 M100
1 1/2" wobble extension bar 250 mm	920AN/250 M100
1 1/2" drive sliding T-handle 305 mm	920/42 M100
1 1/2" drive reversible ratchet $\oplus$	920/55 M100
8 1/2" sockets for Torx® head screws $\bullet$ 10-12-14-16-18-20-22-24 mm	920FTX M100
11 hexagon hand sockets $\odot$ 10-12-13-14-15-16-17-18-19-21-22 mm	920AL M100
1 circlip pliers straight, internal $\odot$ 180 mm	1032 M129
1 circlip pliers bent, internal $\odot$ 170 mm	1034 M129
1 circlip pliers straight, external $\bullet$ 175 mm	1036 M129
1 circlip pliers bent, external $\bullet$ 175 mm	1038 M129
1 slip joint pliers 250 mm	1048N M129
1 self - locking pliers 240 mm	1052 M129
1 Diagonal cutting nippers $\nless$ 160 mm	1082BM M129
1 construction worker's pincers 220 mm	1098 M129
1 tin snips 250 mm	1112 M129
1 electrician's scissors, straight blades	1128BM M129
1 half-round needle combi plier $\equiv$ 180 mm	1150BM M129
1 Extra-long needle nose pliers $\bullet$ 160 mm	1166BM M129
1 Extra-long bent needle nose pliers $\bullet$ 160 mm	1168BM M129
6 screwdriver for slotted head screws	1201E M213
$\bullet$ 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm	
1 screwdriver for slotted head screws, extra-short series $\bullet$ 4x30 mm	1201EN M213
4 screwdriver for cross head Phillips® screws	1202E M213
$\bullet$ PH0,60-PH1x80-PH2x100-PH3x150 mm	

**M01****M30****M25****M230****M129****M100**

- | | | |
|--|-------------|------|
| 1 screwdriver for cross head Phillips® screws, extra-short series $\bullet$ PH1x30 mm | 1202EN | M213 |
| 12 screwdrivers for Torx® head screws, with handles $\bullet$ T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45" | 1207E/TX | M213 |
| 1 mains testing screwdriver $\bullet$ | 1253 | M213 |
| 3 drift punches 2-3-4 mm | 30 | M230 |
| 1 pin punches 2-3-4-5-6-8 | 31 | M230 |
| 1 centre punch $\varnothing$ 4 mm | 32 | M230 |
| 1 flat chisels 150 mm | 34 | M230 |
| 2 flat chisels, ribbed type 200-250 mm | 35 | M230 |
| 1 cape chisels, standard type 125 mm | 36 | M230 |
| 1 engineer's hammer 500 g | 1370 | M230 |
| 1 soft face hammer $\varnothing$ 35 mm | 1390 | M230 |
| 1 measuring tape 3 m | 1692 | M230 |
| 1 telescopic magnet with flexible head | 1712TF | M230 |
| 1 second-cut square files 200 mm | 1719BMA...Q | M230 |
| 1 second-cut triangular files 200 mm | 1719BMA...T | M230 |
| 1 second-cut flat files 200 mm | 1719BMA...P | M230 |
| 1 second-cut half-round files 200 mm | 1719BMA...M | M230 |
| 1 second-cut round files 200 mm | 1719BMA...R | M230 |
| 1 steel wire brush | 1737NX | M230 |
| 1 snap - off blade utility knife 18 mm | 1771 | M230 |

5904VU/1M

1.585,00 €

824,00 €

059041201

12 Kg

SOFT
MODULE
SYSTEM

12"

Assortment of 90 tools in soft foam tray

Recommended with: RSC23T - RSC24 - RSC24A - RSC24AXL - RSC24AXLP/7 - RSC24AXXL - RSC24L/7 - RSC24L-CAB - RSC28 - C37 - C39 - C39T - C39SM - C39MD - RSC51 - RSC55 - RSC50 2.0 - C59 - C58BC

Quantity/Description

Beta N.	TR
16 combination wrenches 6+21 mm	42 M05
8 double open end wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm	55 M33
9 offset hexagon key wrenches $\odot$ 1,5-2-2,5-3-4-5-6-8-10 mm	96/SC9 M33
6 drivers for Torx® head screws $\bullet$ T8-T10-T15-T20-T25-T30	1267TX M204
3 screwdrivers for slotted head screws $\bullet$ 3x75-4x100-6,5x150 mm	1260 M201
3 screwdrivers for cross head Phillips® screws $\bullet$ PH0x60-PH1x80-PH2x100 mm	1262 M201
8 offset hexagon key wrenches $\odot$ 2-2,5-3-4-5-6-7-8 mm	96T M50
1 1/2" wobble extension bar 125 mm	920AN/125 M83
1 1/2" wobble extension bar 250 mm	920AN/250 M83
1 1/2" drive universal joint	920/25 M83
1 1/2" drive sliding T-handle	920/42 M83
1 1/2" drive reversible ratchet $\oplus$	920/55 M83
19 1/2" square drive hexagon sockets $\odot$ 10+24-26-27-30-32 mm	920A M83
1 Heavy-duty diagonal cutting nippers $\nless$ 160 mm	1084 M137
1 combination pliers bright chrome-plated $\equiv$ 180 mm	1150 M137
1 Extra-long needle nose pliers $\bullet$ 160 mm	1166 M137
1 slip joint pliers, slip-proof PVC coated handles 250 mm	1048N M153
1 self - locking pliers 240 mm	1052 M153
2 flat chisels, ribbed type 100 - 200 mm	35 M234
1 engineer's hammer 300 g	1370 M234
1 soft face hammer $\varnothing$ 35 mm	1390 M234
1 circlip pliers straight, internal $\odot$ 180 mm	1032 M145
1 circlip pliers bent, internal $\odot$ 170 mm	1034 M145
1 circlip pliers straight, external $\bullet$ 175 mm	1036 M145
1 circlip pliers bent, external $\bullet$ 175 mm	1038 M145

**M05****M33****M204****M201****M50****M83****M137****M153****M234****M145****NEW ONLINE
CONFIGURATOR**

Create your own roller cab with your favourite tools and accessories



M01

024500001

4,5 Kg


~~497,00 €~~
289,00 €
22

42 6-7-8-9-10-11-12-13-14-15-16-17-18
19-20-21-22-24-27-30-32-36 mm

M25

024500025

5,1 Kg

~~799,00 €~~
438,00 €
40

42 6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22-24-27 mm
90 6x7-8x9-10x11-12x13-14x15-16x17-18x19 mm
123Q1/4
123Q3/8
123Q1/2
142 8-9-10-11-12-13-14-15-16-17-18-19 mm

M30

024500030

4,2 Kg

~~463,00 €~~
268,00 €
31

55 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm
90 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm
96BPC/SC9 1,5-2-2,5-3-4-5-6-8-10 mm

M60

024500060

1,9 Kg

~~426,00 €~~
246,00 €
23

○ 96T 2-2,5-3-4-5-6-7-8-10 mm
○ 97BTX/SC8 T9-T10-T15-T20-T25-T27-T30-T40 mm
○ 944BX 5-6-7-8-10-13 mm

**M63**

024500063

3,4 Kg

~~387,00 €~~
227,00 €
8

○ 952 7-8-10-12-13-14-17-19 mm

M100

024500100

6,7 Kg

~~1.350,00 €~~
659,00 €
98

895/1 - 895/3 - 895/6	○ 900	4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm	○ 900/55	8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm
○ 900L	5-6-7-8-9-10-11-12-13 mm	○ 920A		
○ 900ME	3-4-5-6-7 mm	920/15 - 920/25		
○ 900LP	0,8x4-1x5,5-1,2x6,5-1,2x8 mm	920AN/125	125 mm	
○ 900PH	PH1-PH2-PH3-PH4	920AN/250	250 mm	
○ 900TX	T10-T15-T20-T25-T27-T30-T40	920/42		
900/20 50 mm - 900/20L 100 mm		○ 920/55		
900/21 150 mm		○ 920FTX	10-12-14-16-18-20-22-24 mm	
900/25		○ 920AL	10-12-13-14-15-16-17-18-19-21-22 mm	
900BG/30				
900/42				

M105

024500871 7,7 Kg 1.478,00€ 714,00 €



116

14" 38" 12"

- 900 4-4,5-5-5,5-6-7-8-9-10
- 900L 5-6-7-8-9-10-11-12-13 mm
- 96BPC/SC9 1,5-2-2,5-3-4-5-6-8-10 mm
- 895/1 - 895/3 - 895/6
- 900ME 3-4-5-6-7 mm
- 900LP 0,8x4-1x5,5-1,2x6,5-1,2x8 mm
- 900PH PH1-PH2-PH3-PH4
- 900TX T10-T15-T20-T25-T27-T30-T40
- 900/16 □ 1/4 - ■ 3/8
- 900/... 50-100-150 mm
- 900/25 - 900BG/30 - 900/42
- 900/55
- 910A 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm
- 910/15 □ 3/8 - ■ 1/4
- 910/16 □ 3/8 - ■ 1/2
- 910/21 125 mm
- 910/22 250 mm
- 910/25 - 910/42
- 910/55
- 920A 8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm
- 920/15 □ 1/2 - ■ 3/8
- 920/25 125 - 250 mm
- 920AN
- 920/42
- 920/55
- 956E 16-17-8-20,8 mm

M118

024500118 8 Kg 1.113,00€ 549,00 €

FOR 140 mm DRAWERS



33

12"



75

- 1927P 1750 Nm
- 720L ○ 13-17-19-21-22-24 mm
- 720ME ○ 5-6-8-10-12-14-17-19 mm
- 720 ○ 10-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm
- 720LC ○ 17-19-21 mm

M120

024500120 6,9 Kg 1.440,00€ 714,00 €



75

12"

- 920A 10-11-12-13-14-15-16-17-18-19-20-21-22-24-26-27-30-32 mm
- 920AN/125 125 mm
- 920AN/250 250 mm
- 920/25 - 920/42
- 920AL 10-12-13-14-15-16-17-18-19-22-24-27-30-32 mm
- 920FTX 10-12-14-16-18-20-22-24 mm
- 920/55
- 920PE 5-5L-6-6L-7-7L-8-8L-10-10L-12-12L-14-14L
- 920TX T20-T25-T27-T30-T40-T45-T50-T55-T60-T20L-T25L-T27L-T30L-T40L-T45L-T50L

M129

024500129 3,4 Kg 494,00€ 296,00 €



13

- 1032 180 mm
- 1034 170 mm
- 1036 175 mm
- 1038 175 mm
- 1048N 250 mm
- 1052 240 mm
- 1082BM 160 mm
- 1098 220 mm
- 1112 250 mm
- 1128BM 145 mm
- 1150BM 180 mm
- 1166BM 160 mm
- 1168BM 160 mm

M213

024500213 1,8 Kg 245,00€ 142,00 €



25

Beta evorx

- 1201E 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm
- 1201EN 4x30 mm
- 1202E PH0x60-PH1x80-PH2x100-PH3x150 mm
- 1202EN PH1X30 mm
- 1207E/TX T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45
- 1253 3,5x100 mm

M230

024500230 3,2 Kg 467,00€ 270,00 €



25

- 30 Ø 2-3-4 mm
- 31 Ø 2-3-4-5-6-8 mm
- 32 Ø 4 mm
- 34 150 mm
- 35 200-250 mm
- 36 125 mm
- 1370 500 g
- 1390 Ø 35 mm
- 1692 3 m
- 1712TF
- 1719BMA/Q 200 mm
- ▲ 1719BMA/T 200 mm
- 1719BMA/P 200 mm
- ▶ 1719BMA/M 200 mm
- 1719BMA/R 200 mm
- 1737NX
- 1771 170 mm

M320

024500320 5 Kg 990,00€ 494,00 € NEW!

FOR 140 mm DRAWERS



146



- 410MIX/SEL19
- 861/C100
- 862F/A7
- 862XP/A16
- 1972/K20V-13BMC

T01 ^{302,00 €}
176,00 €
024240001



42 6-7-8-10-11-12-13-14-16-17-18-19-21-22-24-27-30 mm

T05 ^{230,00 €}
134,00 €
024240005



42 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21 mm

T06 ^{162,50 €}
96,00 €
024240006




42 22-24-27-30-32 mm

T31 ^{247,50 €}
145,00 €
024240031



31 Ø 2-3-4-5-6 mm 32 Ø 4 mm
55 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x26-27x29-30x32 mm
○ 96N/SC9 1,5÷10 mm

T45 ^{348,00 €}
202,00 €
024240045



142 8-9-10-11-12-13-14-15-16-17-18-19 mm

T50 ^{196,50 €}
114,00 €
024240050



○ 96T 2-2,5-3-3,5-4-4,5-5-6-7-8-10 mm

T63 ^{377,00 €}
219,00 €
024240063



○ 952 7-8-10-12-13-14-17-19 mm

T68 ^{160,50 €}
91,00 €
024240068



○ 951 2,5-3-4-5-6-8 mm

T80 ^{463,00 €}
219,00 €
024240080



○ 920A 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-30-32 mm
○ 920ME 5-6-8-10-12 mm
920/21 125 mm 920/22 255 mm
920/25 - 920/42 305 mm @ 920/55

T91 ^{248,50 €}
109,00 €
024240091



○ 900 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
○ 900ME 2,5-3-4-5-6-8 mm
900/20 50 mm 900/21 150 mm
900/25 - 900BG/30 - 900/42 115 mm @ 900/55

T92 ^{284,00 €}
120,00 €
024240092




○ 910A 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm
910/21 125 mm 910/42 210 mm
910/22 250 mm @ 910/55
910/25

T137 ^{128,50 €}
74,00 €
024240137



1084BM 160 mm
1150BM 180 mm
1166BM 160 mm

T145 ^{143,00 €}
84,00 €
024240145



○ 1032 180 mm
○ 1034 170 mm
● 1036 175 mm
● 1038 175 mm

T221 ^{50,50 €}
30,00 €
024240221



● 1201E 3x75-4x100-5,5x150-6,5x150 mm
● 1202E PH0x60-PH1x80-PH2x100 mm

T234 ^{110,00 €}
65,00 €
024240234



35 100-200 mm
1370 300 g
1390 ø 35 mm

T236 ^{109,00 €}
64,00 €
024240236



■ 1719BMA/Q 200 mm
▲ 1719BMA/T 200 mm
■ 1719BMA/P 200 mm
▶ 1719BMA/M 200 mm
● 1719BMA/R 200 mm

MODULAR

NEW RANGE OF WORKBENCHES

NEW!

Beta has launched the new range of workbenches, MODULAR, designed to make it possible for professionals to configure their workplaces from scratch, adapting them to their individual needs.

The range comes in a wide choice of preassembled combinations; alternatively, you can fully customize your configuration, including the worktops, legs, mobile roller cabs and tool chests, tool wall systems and accessories.



ROLLER CABS




WALL SYSTEM



LEGS



WORKTOP



The 75-cm-deep worktop means having a large, convenient, functional work surface available. It can be fitted with a vice, thereby allowing heavy-duty jobs to be carried out.

The new MODULAR range, designed according to the latest ergonomics studies, is enhanced by Beta's well-known sturdiness and quality, thereby standing out as an essential work partner.



CONFIGURE YOUR **WORKSHOP ONLINE**
go to **www.beta-tools.com**

DISCOVER THE ONLINE CONFIGURATOR



C58BC-W2,1+SVR

- **Worktop (2,100x750 mm) made from multi-ply wood, 38 mm thick**
- Front centralized lock
- Steel frame with 4 supporting legs
- Holes for a vice (1599F/150 - 1599GI/150, to be ordered separately)
- 2 lower half-shelves for objects, 1,788x335 mm; thickness: 40 mm
- Static load capacity: 800 kg, evenly distributed
- Can be fixed to floor

Kit with 4 perforated tool panels, comprising the following:

- 3 supporting brackets
- 6 400-mm uprights
- 2 1,015-mm supports; can accommodate 1 19" rack multi-socket (not included)
- 4 perforated tool panels, 1,015x25x400 mm



C58BC-W2,1 4C+SVR

 146 Kg

NEW!

Workbench, 2.1 m long, with wood worktop, with 4 drawers

- 4 drawers (367x588 mm) with ball bearing slides:
 - 2 drawers 70 mm high
 - 2 drawers 140 mm high.
- Drawer bases protected by foamed rubber mats

- Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays



Ral 2011	Ral 7016
Ral 7016	
058000723	058000727

2.045,00 €
1.099,00 €



 800

1860 mm
750 mm
2100 mm

C58BC-W2,1 4CA+SVR

 161 Kg

NEW!

Workbench, 2.1 m long, with wood worktop, 4 drawers and door module

- 1 module with door and lock
- 4 drawers (367x588 mm) with ball bearing slides:
 - 2 drawers 70 mm high
 - 2 drawers 140 mm high.
- Drawer bases protected by foamed rubber mats

- Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays



Ral 2011	Ral 7016
Ral 7016	
058000733	058000738

2.275,00 €
1.219,00 €



 800

1860 mm
750 mm
2100 mm


C56PL 0

056000021 18,5 kg

~~415,00 €~~
239,00 €

Folding workbench lightweight reliable

- Lightweight, easy to carry.
- Worktop (800x500mm) made of galvanized sheet iron, for use on one side, protected by an anti-oil and anti-petrol rubber cover.
- Handle with rubber cover, for easy transportation.
- An additional sturdy, reliable worktop, always within reach


EVEN LIGHTER!
ONLY 18.5 KG

C56BLP

056000005 11,4 kg

~~369,00 €~~
189,00 €
NEW!

Multi-purpose folding workbench

- Worktop (820x630 mm) made from polypropylene, with graduation in millimetres and inches
- Handle for easy transportation
- Lower shelf for objects
- Telescopic aluminium legs (550-820 mm)
- Can be used as a stand
- Non-slip feet

ONLY 11,4 KG!

READY FOR USE IN JUST A FEW SECONDS,
EASY TO CARRY AND STORE IN SMALL SPACES.

FIXED ACCESSORIES INCLUDED:

- SLIDING CLAMPS (2 PCS)
- FIXED CLAMPS (2 PCS)
- SHEET METAL SUPPORT (2 PCS)



3068

030680000

61 kg

~~924,00 €~~
429,00 €
**Manual pallet truck with low forks****Features:**

- 2 steering wheels, 200x50 mm, made of PU
- Double front rollers, 80x70 mm, made of PU
- Pallet access entry and exit rollers
- Depth stop notch
- Lowering speed control valve
- Safety overload valve

Technical data:

- Maximum capacity: 2500 kg
- Overall length: 1200 mm
- Fork length: 800 mm
- Fork width: 540 mm
- Individual fork width: 160 mm
- Lever height: 1230 mm
- Max. lifting height: 115 mm


~~869,00 €~~
389,00 €
3069

69,5 kg

030690000

Manual pallet truck**Features:**

- 2 steering wheels, 200x50 mm, made of PU
- Double front rollers, 80x70 mm, made of PU
- Pallet access entry and exit rollers
- Depth stop notch
- Lowering speed control valve
- Safety overload valve
- **3-position operating lever**

Technical data:

- Maximum capacity: 2500 kg
- Overall length: 1550 mm
- Fork length: 1150 mm
- Fork width: 540 mm
- Individual fork width: 160 mm
- Lever height: 1230 mm
- Max. lifting height: 115 mm
- Pallet storage corridor: 800x1200 lengthwise: 1805 mm
- Turning radius: 1347 mm

**C48M**

048000230

140 kg


~~3.290,00 €~~
1.850,00 €
Electric platform cart, with panels

- Motorized platform, with 24V - 400W motor with 2x12V 33Ah battery supply and Curtis control card
- Loading floor made from sturdy steel, coated with non-slip rubber, with round tubular panels preventing objects from falling during transport
- The panels can be removed, to cater to individual transportation requirements
- Fitted with 2 pneumatic traction wheels (Ø 260 mm) and 2 swivelling rubber wheels (Ø 150mm), electromagnetic brake and differential gear
- Supplied with an external battery charger, 220V/50Hz - V/A 24/12


**FUNCTIONAL SPECIFICATIONS**

- Carrying capacity: 400 kg
- Driving speed: 4-6 km/h (adjustable)
- Battery life: 4 hours
- Maximum permitted slope with a full load: 6%
- Maximum permitted slope with 100 kg load: 18%

TECHNICAL SPECIFICATIONS

- Overall dimensions: 1280x630x1100h mm
- Useful dimensions of loading platform with panels: 1180x580 mm
- Useful dimensions of loading platform without panels: 1260x620 mm
- Height of loading platform from floor: 320 mm
- Height of battery compartment from floor: 65 mm
- Weight with batteries: 140 kg

SAFETY DEVICES:

- Electronic brake
- Buzzer
- Anti-crushing guard
- Battery charge indicator
- Curtis control cart

C41H

21 kg

Two-module tool trolley

- Sheet metal frame and plastic tops, synonymous with remarkable sturdiness and reduced weight
- 2 detachable modules:
 - 1 upper tool box,
 - 1 module with 2 drawers 95 mm in height,
 - 1 pull-out case made of plastic, 66 mm high,
 - and 1 drawer 295 mm in height
- Oversized castors (160 mm), built into frame for easy transport - for example, on steps
- Side centralized lock for closing drawers of lower module
- Drawers with ball bearing slides and double closing hook
- Telescopic aluminium handle
- Small tool holder built into upper tool box
- Lower drawer with double ballbearing slide

	041000002		041000021
	041000024		041000006
	041000012		041000008
	041000010		041000005

~~684,00 €~~
375,00 €



C41H W
RAL 9016

C41H Y
RAL 1023

C41H R
RAL 3000

C41H V
RAL 6016

C41H B
RAL 5002

C41H G
RAL 7016

C41H N
RAL 9005



920 mm
335 mm
536 mm

C19

021190001

3,4 kg

~~66,00 €~~
38,00 €

Three-section cantilever tool box, made from sheet metal, empty



160 mm
200 mm
450 mm

C20L

021200002

5,4 kg

~~102,00 €~~
58,00 €

Five-section cantilever tool box, made from sheet metal, empty



210 mm
200 mm
550 mm

CP15

021150201

2 kg

~~56,50 €~~
32,00 €

Tool box, made from plastic, removable tote-tray and tool trays, empty

- 1 tool tray built into cover
- 2 removable tool trays with adjustable partitions
- 1 interior tote-tray with adjustable partitions
- Carrying capacity: 30 kg



250 mm
240 mm
445 mm

Tool trunk, made of sheet metal, empty

C22B-0

022000150

13 kg

~~264,00 €~~
151,00 €

720x320x310 mm

C22BM-0

022000160

20 kg

~~304,00 €~~
175,00 €

850x360x350 mm

C22BL-0

022000170

26 kg

~~405,00 €~~
234,00 €

1010x410x400 mm



2700S/VU**NEW!**

20 kg

Folding tool trolley for outdoor jobs, with 100 tools

**PATENTED!**
 995 mm
 395 mm
 765 mm

~~1.270,00 €~~
499,00 €

- Sheet metal frame.
- Registered model. 2 drawers, 588x277 mm, with ball bearing slides, for two-way opening.
- Large lower storage compartment, 588x277x220 mm.
- 2 fixed castors, Ø 160 mm, and 2 steering castors with brake, Ø 100 mm
- Thermoplastic worktop with 6 built-in tote trays.
- Centralized lock.
- Can accommodate drawer partitions and MC foam tool trolleys.



Ral 2011	Ral 7016	Ral 3000
027000231	027000232	027000233

n°	Max
2	70 mm
	20 kg

+100 TOOLS **Beta**
 Included in the price
 net value
€ 220,00

**Quantity/Description**

7	combination wrenches 6-7-8-10-13-17-19 mm	Beta N. 42
9	offset hexagon key wrenches Ø 1,5-2-2,5-3-4-5-6-8-10 mm	BW 96N/SC9
1	Adjustable wrench 150 mm	111E
61	Set of 60 bits with magnetic bit holder, in pocket-size case	BW 861/C61
1	diagonal cutting nippers, slip-proof double layer PVC coated handles, industrial finish 160 mm	1082G
1	electrician's scissors, straight blades	1128BMX
1	heavy duty combination pliers, slip-proof double layer PVC coated handles, industrial finish 180 mm	1150G
3	screwdrivers for slotted head screws 3,5x100-5,5x150-6,5x150	1290
3	screwdrivers for cross head Phillips® screws PH0x100-PH1x120-PH2x150	1292
1	engineer's hammer 300g	1370
1	measuring tape 3m	1692
1	snap - off blade utility knife 18 mm	1771
10	18 mm snap-off spare blades (10 pieces) for utility knives 1771, 1771BM, 1771HD 1771RL	

- Folding tool trolley; pillars can swing down for space saving transport.

**C51**

21 kg

Trolley

- 3 tops covered in antislip ribbed rubber
- Two fixing options for central worktop
- Four castors Ø 100 mm:
2 fixed and 2 steering (1 with brake)



Ral 2011	Ral 7016	Ral 3000
051000001	051000002	051000003

~~344,00 €~~
193,00 €

 900 mm
 450 mm
 800 mm


2080/V12

020800000 1,8 kg

~~70,80 €~~
40,00 €
Organizer tool case with 12 removable tote-trays

Removable, folding clear tote-trays, for immediate recognition of contents



300x330x145 mm


2080/V17

020800200 750 g

~~26,50 €~~
15,00 €
Organizer tool case with 17 removable tote trays

A must-have for accommodating and carrying smallwares tidily and accurately.



335x285x65 mm


2080/DS

020800210 760 g

~~24,20 €~~
14,00 €
SMALL organizer tool case, with 15 compartments and 10 removable partitions

The perfect solution for carrying smallwares, including screws, nuts, washers, rivets and dowels.



Can be put on top, and hooked to, each other


375x315x65 mm


~~28,50 €~~
16,50 €
2080/DL

020800211 970 g

LARGE organizer tool case, with 15 compartments and 8 removable partitions


440x330x75 mm



Can be put on top, and hooked to, each other

2036/TV

020360000 7,5 kg

~~615,00 €~~
329,00 €
Tool trolley, made of thick polypropylene, aluminium edged, empty

- 2 tool panels
- Telescopic handle
- Ball bearing castors

480x267x408 mm



- 2 tool panels

C5

021050000

2,8 kg

~~180,50 €~~
103,00 €

Rucksack, empty

- Removable interior tool panel
- Six exterior pockets and two interior pockets
- Waterproof plastic base
- Double safety lace for fixing rucksack to shoulders
- Ergonomic padded back



400x200x500 mm

C6T

021060010

4,9 kg

~~256,00 €~~
150,00 €

Rucksack with castors, empty

- Telescopic handle for easy transport
- Built-in castors with practical dustproof cover for use as a rucksack
- Two removable tool panels
- Interior PC pocket and five exterior pockets
- Waterproof plastic base



360x200x480 mm

Technical fabric tool box, empty

- Hard frame
- Double bottom
- Tilting handle for easier access to tools
- Elastic tool bands and interior and exterior pockets
- Cover
- Tool tray included in double bottom
- Can be used with trolley C8

C10S

021100001

2,9 kg

~~144,00 €~~
84,00 €

420x220x250 mm

C10

021100000

3,3 kg

~~183,00 €~~
109,00 €

520x220x250 mm



(C10S - 420 mm) (C10 - 520 mm)

C11

021110000

1,8 kg

~~106,50 €~~
63,00 €

Technical fabric tool box, empty

- Hard water resistant plastic base
- Elastic tool bands and interior and exterior tool pockets
- Document holders built into double bottom of cover



410x230x250 mm

C7AT

021070010

2,8 kg

~~143,00 €~~
81,00 €

Servicing tool bag made from technical fabric, empty

- Made from super durable technical fabric
- Reinforced base with rubber feet
- Dual top handle for a safe, balanced hold
- Large front document pocket with zip closure and additional compartment with dual strap + clip closure
- dual side pocket with strap closure
- Capacious interior compartment with additional document pocket
- Supplied complete with adjustable padded shoulder strap



470x200x340 mm

Front zipper opening on both bag sides for quick access to tools:

- 29 compartments and 13 elastic tool bands on front side
- 33 tool compartments on rear side

- PC and tablet compartment with protective interior padding (PC size up to L=370 mm, H=250 mm)



C9DA

021090005

2,4 kg

115,50 €
67,00 €

Tool bag with large opening, empty

- Made from super durable technical fabric
- Hard plastic base, water-resistant
- Reinforced top handle for a safe hold
- Dual side pocket with strap closure
- Supplied complete with adjustable padded shoulder strap
- **Two side tool compartments with large openings**, for quick access to and perfect visibility of contents
 - 22 tool pockets and additional compartment with zip closure on front side
 - 14 tool pockets and additional zipped compartment on rear side



420x220x310 mm

C3

021030000

917 g

75,00 €
43,00 €

Mini tool bag, made from technical fabric

- 1 exterior front pocket with zip closure
- 2 side pockets with tote trays
- 1 convenient rear pocket with Velcro closure
- 1 removable interior tool panel, with elastic bands on both sides
- Complete with shoulder strap



230x110x320 mm



- USB interface for charging mobile devices



2001/BZ27 VU

020010157

3,9 kg

322,00 €
186,00 €

Folding tool case with assortment of 27 tools, for universal use



380x290x60 mm



27

Quantity/Description

- 1 electrician's scissors, straight blades
- 1 combination pliers bright chrome-plated 180 mm
- 6 combination wrenches 7-8-10-13-17-19 mm
- 3 screwdriver for slotted head screws 3x75-4x100-5,5x150 mm
- 3 screwdriver for cross head Phillips® screws PH0x60 - PH1x80 - PH2x100 mm
- 9 offset hexagon key wrenches 1,5-2-2,5-3-4-5-6-8-10 mm
- 1 engineer's hammer 300 g
- 1 Slip joint pliers boxed joints 250 mm
- 1 measuring tape 5 m
- 1 snap - off blade utility knife 18 mm

Beta N.

- 1128BMX
1150
42
1201E
1202E
96/SC9
1370
1048N
1692/5
1771

42

BETA'S ICONIC WRENCH



A stylish, slim shape enhanced by a slender profile, lighter to the touch.

The strength, resilience and ergonomic design of the Beta wrench reach even higher values, to provide users with the best possible tool.

The manufacturing process is carried out in our factories in Sovico and Sulmona, on the basis of state-of-the-art automation technology and the best trained workers.



POWERFUL

Torque values more than doubled compared to the requirements to be satisfied under ISO 1711.

STRENGTH

Remarkable strength: in case of improper use, the wrench buckles, without breaking suddenly and dangerously.

ERGONOMIC

The offset ring has a 15 degree angle to protect the hand. The shape is obtained from a die; it is not bent later.

42/SP15

000421078

~~217,00 €~~
120,00 €

Set of 15 combination wrenches with holder



6-7-8-9-10-11-12-13-
14-15-16-17-19-22-24 mm

42/SP25

000421085

~~536,00 €~~
307,00 €

Set of 25 combination wrenches with holder



6-7-8-9-10-11-12-13-14-15-16-17-18-19-20
21-22-23-24-25-26-27-28-30-32 mm

55/B12N

000550164

~~168,00 €~~
98,00 €

Set of 12 double open end wrenches



6x7-8x9-10x11-12x13
14x15-16x17-18x19
20x22-21x23-24x26
25x28-30x32 mm

**42/SC9I**

000421087

~~122,00 €~~
70,00 €

Set of 9 combination wrenches with compact support

- Compact, practical, easy-to-carry support
- Quickly identified wrench size
- Wrench safely locked in support

8-10-11-12-13-14-15-17-19 mm



141/B6

001410066

Set of 6 ratcheting combination wrenches, straight series, in cloth wallet

8-10-13-14-17-19 mm



~~149,00 €~~
76,00 €



142SN/SC9

001420259

Set of 9 swivel end ratcheting combination wrenches, with compact support

8-10-11-12-13-14-15-17-19 mm



~~293,00 €~~
168,00 €

142/SC9I

001420087

Set of 9 reversible ratcheting combination wrenches, with compact support

8-10-11-12-13-14-15-17-19 mm



~~244,00 €~~
140,00 €

192/S2


001920070

Set of 2 reversible ratcheting offset bi-hex ring wrenches



~~74,00 €~~
43,00 €

8 SIZES IN 2 WRENCHES



186 8-32



001860008

Self-locking wrench with automatic take-up device for hexagons, 8 to 32 mm
Ideal for hexagon, Spline, square and Torx® head screws, including damaged screws



L 260 mm

~~55,50 €~~
32,00 €



111

THE ADJUSTABLE WRENCHES WITH SCALES



Beta 111 allow differently sized nuts and bolts to be tightened and loosened through the sliding jaws, which can be adjusted through the central rolls.

Head angled at 15°, allowing hardly accessible spaces to be reached, as is the case with our iconic combination wrenches, "42"

15°

Made from high-performance alloy steel for increased mechanical torsional strength

Hole on handle for hanging wrench

Double laser marking in mm/inches

Compact head with completely open jaw

Special heat treatment for excellent wear resistance

Based on the new ergonomic properties, weight has been **reduced by 20%**

111E



Adjustable wrenches with scales, **chrome-plated**

- right-hand rotation of pin

A max

	L mm	L "	A max mm		€
111E 100	100	4	15	001110110	28,50 € 17,00 €
111E 150	150	6	24	001110115	29,50 € 17,00 €
111E 200	200	8	29	001110120	36,50 € 21,00 €
111E 250	250	10	34	001110125	44,00 € 26,00 €
111E 300	300	12	40	001110130	58,50 € 34,00 €
111E 380	380	15	45	001110138	114,50 € 67,00 €
111E 450	450	18	54	001110145	198,50 € 111,00 €
111E 600	600	24	62	001110160	263,00 € 153,00 €

111E/D3

001110163

~~110,00 €~~
58,00 €

NEW!

Set of 3 adjustable wrenches with scales, **chrome-plated**

111E 150

111E 200

111E 250

111EN



Adjustable wrenches with scales, **phosphated**

- left-hand rotation of pin

A max

111CM



Wide opening adjustable wrenches, **chrome-plated**, short series

- right-hand rotation of pin

A max

	L mm	L "	A max mm		€
111CM 170	170	6	32	001110770	43,50 € 25,00 €
111CM 220	220	8	38	001110722	53,00 € 31,00 €
111CM 270	270	10	46	001110727	70,00 € 41,00 €

	L mm	L "	A max mm		€
111EN 100	100	4	15	001110410	26,00 € 15,00 €
111EN 150	150	6	24	001110415	27,50 € 16,00 €
111EN 200	200	8	29	001110420	32,00 € 18,00 €
111EN 250	250	10	34	001110425	39,50 € 23,00 €
111EN 300	300	12	40	001110430	53,50 € 31,00 €
111EN 380	380	15	45	001110438	105,50 € 62,00 €
111EN 450	450	18	54	001110445	188,00 € 105,00 €

96/SC9

000960374

~~23,90 €~~
13,00 €


Set of 9 offset hexagon key wrenches

Ø mm	L mm
1,5	45
2	50
2,5	57
3	64
4	72
5	83
6	94
8	105
10	119


96BPC/SC9

000960354

~~50,00 €~~
25,00 €


Set of 9 ball head offset hexagon key wrenches

Ø mm	L mm
1,5	79
2	84
2,5	89
3	99
4	108
5	126
6	148
8	168
10	187


97BTX/SC8

000970164

~~89,50 €~~
48,00 €


Set of 8 ball head offset key wrenches, long model, for Torx® head screws

Ø mm	L mm
T9	62
T10	71
T15	81
T20	92
T25	94
T27	105
T30	114
T40	129


97BTXL/SC8

000970364

~~103,50 €~~
54,00 €


Set of 8 ball head offset key wrenches, long model, for Torx® head screws

Ø mm	L mm
T9	80
T10	86
T15	100
T20	110
T25	126
T27	140
T30	160
T40	176



**EXTRA LONG
VERSION +25%**



97BRTL/SC8

000970464

~~104,50 €~~
50,00 €


Set of 8 ball head offset key wrenches, long model, for Tamper Resistant Torx® head screws

Ø mm	L mm
T9	80
T10	86
T15	100
T20	110
T25	126
T27	140
T30	160
T40	176



**EXTRA LONG
VERSION +25%**



96LP/SC9

000961354

~~58,50 €~~
32,00 €


Set of 9 ball head offset hexagon key wrenches

Ø mm	L mm
1,5	90
2	100
2,5	112
3	127
4	144
5	163
6	184
8	204
10	230



**EXTRA LONG
VERSION
+30%**


96BP-HO/SC9

000961254

~~54,00 €~~
26,00 €
NEW!


Set of 9 ball head offset hexagon key wrenches, with screw holding system

Ø mm	L mm
1,5	79
2	84
2,5	89
3	99
4	100
5	126
6	148
8	168
10	187


953/S5



009530305

~~194,50 €~~
109,00 €

Set of 5 T-handle wrenches with swivelling hexagon male ends



Ø 3-4-5-6-8 mm



96T/S5P

000960946

~~72,00 €~~
41,00 €

Set of 5 offset hexagon key wrenches with handles

○ 2,5-3-4-5-6 mm



97TTX/S6

000970791

~~102,50 €~~
54,00 €

Set of 6 ball head offset key wrenches for Torx® head screws with handles

○ T10-T15-T20
T25-T30-T40



951

THE ORIGINAL ONE

When this wrench was launched, back in 1980, it was a revolution. Designed to work on high-resistance screws, it is the name for quick handling, accurate fit and flexible use. The hexagon T handle can be adjusted as required. The hexagon ends are designed to transmit the maximum possible torque to the screw. The rod length allows remarkable torques to be effortlessly applied to the screws. Ongoing production improvements have translated, for example, into sandblasted finishes and sharp-edged hexagon ends which allow a better fit onto any screws, including damaged ones. Laser marking results in a sturdier rod.

951/S6

009510687

~~145,50 €~~
82,00 €

Set of 6 T-handle wrenches with three hexagon male ends

○ 2,5-3-4-5-6-8 mm



952

THE RELIABLE ONE

Reliable, precise pre-positioning is the secret for the success of this wrench. The articulated joint maintains its function over the years, no adjustment being required. Socket rotation angle: 50°. Can be used at 90° in fixed position. Sliding T-handle, can be stopped in the required position throughout its length. Triple size marking on head.


952/D7

009520079

~~282,00 €~~
164,00 €

Set of 7 T-handle wrenches with swivelling hexagon sockets

○ 7-8-10-12-13-14-17 mm



950/D6

009500096

~~193,00 €~~
109,00 €

Set of 6 T-handle hexagon socket wrenches

○ 7-8-10-13-17-19 mm




96BP-CL/SC9

000961619

~~61,00 €~~
33,00 €


Set of 9 ball head offset key wrenches, coloured, with compact support

Ø mm	L mm
1,5	91
2	102
2,5	113
3	128
4	143
5	163
6	185
8	206
10	231


97BTX-C/SC8

000971658

~~99,00 €~~
54,00 €


Set of 8 coloured ball head offset key wrenches, for Torx® head screws, with compact support

Ø mm	L mm
T9	80
T10	86
T15	90
T20	95
T25	100
T27	105
T30	114
T40	124


142MC/SC9I

001422087

~~255,00 €~~
146,00 €

Set of 9 reversible ratcheting combination wrenches, coloured, with compact support

Ø mm	L mm
8x8	136
10x10	159
11x11	168
12x12	174
13x13	180
14x14	190
15x15	200
17x17	233
19x19	248



**EXTRA LONG
VERSION +30%**

860/C27

008600880

~~103,00 €~~
58,00 €

Set of 25 bits, 1 connector and 1 reversible ratchet in plastic case

- 860LP 0,5x3-1,0x5,5-1,2x6,5 mm
- 860PE 2-2,5-3-4-5-6 mm
- 860PH PH1-PH2(x2)-PH3
- 860TX T6-T8-T10-T15-T20-T25-T30-T40
- 860PZ PZ1-PZ2(2x)-PZ3
- 860/55 100 mm
- 892/0 1/4 1/4


860/C38P

008600878

~~223,00 €~~
109,00 €

Set of 1 reversible ratchet bit holder with articulated handle, 27 bits, 8 hexagon sockets and 2 accessories



- 860LP 0,6x4,5-0,8x5,5-1,0x5,5-1,2x6,5 mm
- 860PE 2-2,5-3-4(x2)-5(x2)mm
- 860PH PH1(x2)-PH2(x2)-PH3
- 860TX T10-T15-T20-T25-T30-T40
- 860PZ PZ1(x2)-PZ2(x2)-PZ3
- 900 5-5,5-6-7-8-9-10-13 mm
- 892/0 1/4 1/4
- 892/3 1/4 1/4
- 855P 240 mm

1263MC/D8

012632008

~~73,50 €~~
42,00 €

Set of 8 coloured screwdrivers

- 1260MC 2,5x50-3x75-4x100-5,5x125 6,5x150 mm
- 1262MC PH0x60-PH1x80 PH2x100 mm


1257LPH/S8

012570210

~~77,00 €~~
44,00 €

Set of 8 micro-screwdrivers for slotted head screws and Phillips® screws in hard case

- 1257PH PH00-PH0-PH1
- 1257LP 0,4x2-0,4x2,5-0,5x3 0,6x3,5-0,8x4 mm



180x120x50 mm

THE FUNCTIONAL, ERGONOMIC BETA EVOX SCREWDRIVER

Beta

IS ALSO ELECTRICAL NOW!


1/4

Life: you can tighten up in up to 1,000 screws with one charging cycle

Versatility: this item caters to all needs; it is supplied with a belt case, complete with 6 50-mm bits with mixed heads. In addition, it can be used with all bits with 1/4" hexagon drives.

Convenience: the reduced dimensions and front LEDs make it perfect for use in small, poorly lit spaces.

Flawless grip: it fits your hand and allows a firm, comfortable hold, during both electrical and manual operation, resulting in reduced hand and wrist fatigue.



6 50mm-LONG MIXED BITS INCLUDED



1210E/GE

012100701

Evox-E electric screwdriver

~~193,50 €~~
109,00 €



1211E/GE

012110701

Evox-E electric screwdriver

1000 V



Technical data:

- 3.7V 2300mAh lithium battery
- Maximum torque in electric mode: 1.2 Nm
- Over 1,000 screw fastenings at 1.2 Nm per charging cycle
- Speed: 250 rpm
- Outstanding static resistance (up to 12 Nm, manual tightening)
- Outstanding mechanical resistance
- 1/4" magnetic bit holder
- Compatible with all standardized bits
- Rechargeable via USB-C cable (included)
- USB-C port protected with screw cap
- Front ring LEDs for improved visibility of working area
- When charging, steady LEDs indicate that charging is complete
- Ergonomic nylon handle inspired by Evox screwdriver
- Built-in and sealed operation buttons
- Convenient belt pouch with bit pockets (6 mixed bits included)

1203E/D5

012031001

~~35,00 €~~

20,00 €



Set of 5 screwdrivers

1201E 3,5x100-5,5x150-6,5x150 mm
1202E PH1x80-PH2x100 mm

1203E/D8P

012031018

~~49,00 €~~

28,00 €



Set of 8 screwdrivers

1201E 2,5x50-3x75-4x100-5,5x100-6,5x150 mm
1202E PH0x60-PH1x80-PH2x100 mm

1203E/D10N

012031019

~~62,50 €~~

36,00 €



Set of 10 screwdrivers

1201E 2,5x50-3x75-4x100-5,5x150-6,5x150 mm
1202E PH0x60-PH1x80-PH2x100 mm
1201EN 4x30 mm
1202EN PH1x30 mm

1207E/TX-D7

012071207

~~63,50 €~~

36,00 €



Set of 7 screwdrivers

1207E/TX T6-T8-T10-T15-T20-T25-T30

1263/D8

012630008

~~69,00 €~~

39,00 €



Set of 8 screwdrivers

1260 2,5x50-3x75-4x100-5,5x125-6,5x150 mm
1262 PH0x60-PH1x80-PH2x100 mm

1263/D10

012630010

~~87,50 €~~

50,00 €



Set of 10 screwdrivers

1260 3x75-3,5x100-4x125-5,5x150-6,5x150 mm
1262 PH0x60-PH1x80-PH2x100 mm
1260N 4x30 mm
1262N PH1x30 mm

1267TX/D7

012670307

~~86,50 €~~

49,00 €



Set of 7 screwdrivers

1267TX T6-T8-T10-T15-T20-T25-T30

1293/S12

012930203

~~149,50 €~~
54,00 €


Set of 12 screwdrivers

1290 0,5x3x75-0,8x4x125-1x5,5x150
1,2x6,5x150-1,2x8x200 mm
1290N 0,8x4x30 mm
1292 PH0x3x60-PH1x4,5x80
PH2x6x100-PH3x8x150 mm
1292N PH1x4,5x30-PH2x6x30 mm

1243/D7

012430017

~~116,50 €~~
67,00 €


Set of 7 screwdrivers with steel heads

1241 5,5x100-6,5x125-1,2x150-1,6x200 mm
1242 PH1x100-PH2x100-PH3x150 mm

Beta *evolution*
**THE EVOLUTION OF
THE SCREWDRIVER!**



Set of 10 bits with magnetic bit holder, in pocket case

1/4

NEW!

861MIX/A10

008610800

34,50 €

11,00 €

861LP 0,5x3-1x5,5-1,2x6,5 mm

861PH PH1-PH2(x2)-PH3

861PZ PZ1-PZ2-PZ3

882M1 1/4

1/4



861PE/A10

008610820

36,50 €

11,00 €

861PE 2-2,5-3(x2)

4(x2)-5(x2)

6-8 mm

882M1 1/4

1/4



861PHZ/A10

008610810

34,50 €

11,00 €

861PH PH1-PH2(x3)-PH3

861PZ PZ1-PZ2(x3)-PZ3

882M1 1/4

1/4



861TX/A10

008610870

37,50 €

11,00 €

861TX T7-T8-T9-T10

T15-T20-T25

T27-T30-T40

882M1 1/4

1/4



867/C52

008670901

2,1 kg

157,50 €

87,00 €

Set of 52 hexagon bits,
10 mm and
2 accessories

10 mm

52x

250x170x70 mm



862F/A7

008620950

58,50 €

34,00 €

Set of 7 magnetic bits,
hexagon sockets,
in plastic case

5,5-6-7-8-10-12-13 mm

7x



862XP/A16

008620960

78,00 €

41,00 €

Set of 16 impact bits
in pocket-size case

Bits

PH2(x2)-PH3

PZ2(x2)-PZ3

T20-T25(x2)

T30(x2)-T40(x2)

4-5-6 mm

16x



50 mm

1256/C36-2

012560100

200 g

80,00 €

47,00 €

Bi-material microscrowdriver with 36 interchangeable 4-mm bits
and magnetic extension

1256TX T3-T4-T5-T6-T7-T8-T9-T10-T15

1256RTX T6-T7-T8-T9-T10

1256LP 0,8-1,2-1,5-1,8-2-2,5-3-3,5-4 mm

1256PE 0,7-0,9-1,3-1,5-2 mm

1256PH PH000-PH00-PH0-PH1

1256PZ PZ000-PZ00-PZ0-PZ1

1256/20

1256/30

1256TX	T3-T4-T5-T6-T7-T8-T9-T10-T15
1256RTX	T6-T7-T8-T9-T10
1256LP	0,8-1,2-1,5-1,8-2-2,5-3-3,5-4 mm
1256PE	0,7-0,9-1,3-1,5-2 mm
1256PH	PH000-PH00-PH0-PH1
1256PZ	PZ000-PZ00-PZ0-PZ1
1256/20	
1256/30	



130x60x35 mm

1600Q 10

43,50 €
25,00 €

016000010

1/4" Eight-way wrench, with articulated joint, for control panel operators

- Eight-way wrench, can be rotated to easily select the head to use.
- Magnetic articulated joint for increased force.
- 1/4" male drive for use of sockets.



Wrench for maintenance in numerous sectors, including electrical industry, plumbing, ventilation and gas.



861/C100


109,00 €
50,00 €

008616998

1/4" Set of 98 bits with 2 bit holders, in case

- For manual, electric and pneumatic screwdrivers

155x117x37 mm



100x

- 861LP 3-4-4,5-5,5(x3)-6,5(x2)-8(x2) mm
- ⊕ 861PH PH0(x2)-PH1(x3)-PH2(x3)-PH3(x2)-PH4
- ⊕ 861PZ PZ1(x3)-PZ2(x3)-PZ3(x2)-PZ4
- 861PE 2-2,5(x2)-3(x2)-4(x2)-5(x2)-6(x2)-8-10 mm
- ⊗ 861TX T6-T7-T8-T9-T10(x2)-T15-T20(x2)-T25(x2)-T27-T30(x2)-T40(x2)
- ⊗ 861RTX T6-T7-T8-T10-T15-T20-T25-T27-T30-T40
- ⊗ 861XZN M5-M6-M8
- ⊕ 861TQS 0-1-2-3-4-5-6-8-10
- ⊕ 861TRW 1-2-3-4-5-6
- ⊕ 861SP 4-6-8-10-12
- 861SQ 0-1(x2)-2(x2)-3

155x117x37 mm : 1/4" (x2)

900/C39N

232,50 €
131,00 €

009000947

1/4" Assortment of 11 hexagon sockets, 21 bits and 7 accessories, in plastic case



39x

150x97x53 mm

	900		5-5,5-6-7-8-9-10-11-12-13-14 mm	11
	900/20		50 mm	1
	900/20L		100 mm	1
	900/25		128 mm	1
	900BG/30C		128 mm	1
	892/0		■ 1/4 - ● 1/4	1
	895/1		○ 1/4 - □ 1/4	1
	861LP		● 0,6x4,5-1,2x6,5-1,2x8 mm	3
	861PH		⊕ PH1-PH2-PH3	3
	861PZ		⊕ PZ1-PZ2-PZ3	3
	861PE		○ 2,5-3-4-5-6 mm	5
	861RTX		⊗ T10-T15-T20-T25-T27-T30-T40	7
	900/55Z		⊗ 126 mm	1



900/C39U

235,00 €
131,00 €

009001947

1/4" Assortment of 11 gear lock sockets, 21 bits and 7 accessories, in plastic case



39x

150x97x53 mm



	900U	mm	5-5,5-6-7-8-9-10-11-12-13-14 mm	11
		"	13/64-7/32-1/4-9/32-5/16-11/32-3/8-7/16-15/32-1/2-9/16	
		XZN	M6-M8-M10-M12-M14-M16-M18	
		FTX	E7-E8-E10-E12-E14-E16-E18	
	900/20		50 mm	1
	900/20L		100 mm	1
	900/25		128 mm	1
	900BG/30C		128 mm	1
	892/0		■ 1/4 - ● 1/4	1
	895/1		○ 1/4 - □ 1/4	1
	861LP		● 0,6x4,5-1,2x6,5-1,2x8 mm	3
	861PH		⊕ PH1-PH2-PH3	3
	861PZ		⊕ PZ1-PZ2-PZ3	3
	861PE		○ 2,5-3-4-5-6 mm	5
	861RTX		⊗ T10-T15-T20-T25-T27-T30-T40	7
	900/55Z		⊗ 126 mm	1

BETA'S RANGE OF RATCHETS

NEW!

NEW DESIGN

**100%
MADE
By
Beta**

Ratchet with up to **72 teeth**:
take-up angle of 5° for jobs in small areas

Phosphated
square drive

Minimum head size

INNOVATIVE MATERIALS FOR TOP PERFORMANCE

Ergonomic
bi-material
handle

Hanging hole
on handle




- Designed and manufactured in the company's Italian-based factories, has been restyled.
- Hand pressing on head does not cause any reversal and allows for free lever return
- One-handed reversal

The versions with 1/2" and 3/4" square drives allow for reduced weight, thus resulting in a product synonymous with optimal handiness, superior ease of use as well as uncompromising sturdiness and performance.



	L mm	Ø mm	A mm	■	Teeth		€
900/55	127	25	29	1/4"		009001155	53,00 € 30,00 €
910/55	207	31	33	3/8"		009101155	57,00 € 32,00 €
920/55	271	40	41	1/2"		009201155	69,50 € 39,00 €
928/55	504	58	59	3/4"		009281155	182,50 € 105,00 €



900/C11

009000971 1,2 kg

~~254,00 €~~
146,00 €

**11 hexagon sockets,
20 bits and 8 accessories, in metal case**

	861LP		0,5x3-0,8x5,5-1x5,5-1,2x6,5 mm
	861PE		3-4-5-6-8 mm
	861PH		PH0-PH1-PH2-PH3
	861TX		T8-T10-T15-T20-T25-T30-T40
	895/1		1/4" - 1/4"
	900		5-5,5-6-7-8-9-10-11-12-13-14 mm
	900/16		1/4" - 3/8"
	900/20		50 mm
	900/21		150 mm
	900/25		
	900/42		
	900BG/30		
	900/55		

1/4"
1/4"

39x

270x120x45 mm

902A/C22

009020807 3,5 kg

~~408,00 €~~
232,00 €

Assortment of 22 hexagon sockets
and 6 accessories, in metal case

1/4"		900	5-5,5-6-7-8-9-10-11-12-13 mm
		900/20	50 mm
		900/25	
		900/55	
1/2"		920A	10-13-14-15-17-18-19-22-24-27-30-32 mm
		920/21	125 mm
		920/25	
		920/55	

420x185x60 mm



910A/C16

009100936 2,4 kg

~~296,00 €~~
169,00 €

Assortment of 16 hexagon sockets
and 5 accessories in foam tray,
in metal case

	910A	6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22 mm
	910/21	125 mm
	910/22	250 mm
	910/25	
	910/42	210 mm
	910/55	

3/8"

335x145x60 mm



920A/C17M

009200924 5 kg

~~364,00 €~~
208,00 €

Assortment of 17 hexagon sockets
and 5 accessories in foam tray, in metal case

	920A	10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm
	920/21	125 mm
	920/22	255 mm
	920/25	
	920/42	305 mm
	920/55	

1/2"

420x185x60 mm

SOFT
MODULE
SYSTEM


928A/C12

009280955 13 kg

~~962,00 €~~
549,00 €

Assortment of 12 hexagon hand sockets
and 5 accessories, in metal case

	928A	22-24-27-30-32-34-36-38-41-46-50-55 mm
	928/21	200 mm
	928/22	380 mm
	928/25	
	928/42	450 mm
	928/55	

3/4"

530x220x80 mm



TORQUE WRENCH ZERO-RESET

THE TORQUE WRENCH THAT DOES NOT REQUIRE RELEASING TENSION



Even if tension is not released, the number of cycles, durability and tightening accuracy as required by reference standards are guaranteed.

In order to confirm these parameters, Beta Utensili's Research & Development Department performed numerous durability tests at the in-house laboratories as at hundreds of end users.

This result has been obtained through:

- the use of the best-performing currently available materials;
- special heat treatments on interior parts.



The Zero-Reset torque wrench was entirely designed and developed in-house and is manufactured at Beta Utensili's factories in Italy, using 100% Italian-made parts.

ZERO-RESET TECHNOLOGY

Based on higher-performance materials and improved heat treatment of both the spring and the component parts of the adjustment system, the wrench no longer requires releasing tension after use.

EASY SETTINGS:

The graduated vernier scale allows minimum interval fractions to be set up (in tenths of Nm).



IMPROVED VISIBILITY:

Double graduation in Nm for clearer, simpler torque visibility.

666

ZERO-RESET click-type torque wrenches with reversible ratchets, for right-hand tightening, torque accuracy: $\pm 3\%$

UNI EN ISO 6789

1/4" 3/8" 1/2"



	Nm	■		L (mm)	g		€
666/2	5÷25	1/4"	0,05	273	395	006660702	303,00 € 174,00 €
666/2X	5÷25	3/8"	0,05	273	405	006660703	303,00 € 174,00 €
666/5	10÷50	3/8"	0,25	342	680	006660705	275,00 € 157,00 €
666/10	20÷100	3/8"	0,25	385	760	006660710	277,00 € 158,00 €
666/10X	20÷100	1/2"	0,25	385	770	006660711	283,00 € 162,00 €
666/20	40÷200	1/2"	0,5	471	1020	006660720	301,00 € 171,00 €
666/30	60÷300	1/2"	1	600	1271	006660730	342,00 € 196,00 €

667

ZERO-RESET click-type torque wrenches with push-through ratchets, for right-/left-hand tightening, torque accuracy: $\pm 3\%$

UNI EN ISO 6789

1/2" 3/4"



	Nm	■		L (mm)	g		€
667/20	40÷200	1/2"	0,5	471	1035	006670720	296,00 € 168,00 €
667/30	60÷300	1/2"	1	600	1285	006670730	330,00 € 186,00 €
667/40	80÷400	3/4"	1	710	2220	006670740	793,00 € 450,00 €

599DGT-AW

NEW!

Electronic torque wrench, torque and angle readout, with reversible ratchet and wireless data transmission, right-hand (accuracy: $\pm 2\%$) and left-hand (accuracy: $\pm 3\%$) tightening

UNI EN 26789 ISO 6789


1/4" 3/8" 1/2"

- Tightening types: torque, angle, torque + angle
- Dual measurement mode: peak hold and track
- Light indicators, an intermittent sound and tactile feedback inform user that preset torque or angle has been reached
- Last 999 peak torque and/or angle readings can be stored and displayed
- 9 "Preset" modes can be saved and preset
- Key safety lockout
- Wrench can be associated with a certain user via software
- Tightening data traceability. Software allows date and time, tool serial number, set tightening value and reached value to be stored and associated with user ID
- Nonslip bi-material handle
- Wrench + software in 9 languages
- Included: 3 AA - 1.5V batteries, wireless USB key and software USB key



- Bi-directional wireless data transmission, from wrench to software and vice versa, in mass a posteriori or in real time



- Customized data processing software with immediate, easy-to-read OK/NG result and real time display of charts



599DGT-AW/30 1.166,00 €
675,00 €
 005990702

Nm	Kgfm	lbf.ft	■	L (mm)	
6÷30	0,6÷3	4,5÷22	1/4"	410	0,1

599DGT-AW/135 1.188,00 €
685,00 €
 005990713

Nm	Kgfm	lbf.ft	■	L (mm)	
27÷135	2,7÷13,5	20÷100	3/8"	445	1,0

599DGT-AW/340 1.265,00 €
719,00 €
 005990734

Nm	Kgfm	lbf.ft	■	L (mm)	
68÷340	6,8÷34	50÷250	1/2"	615	1,0

605DGT/2

006050302 175 g


297,00 €
171,00 €


Electronic torque wrench with reversible ratchet for right-/left-hand tightening torque accuracy $\pm 3\%$ (right-hand) $\pm 4\%$ (left-hand)

UNI EN ISO 6789

1/4"

- Dual measurement mode: peak hold and track
- Power supply: 1 1.5V AAA battery (included)



- Light indicators and an intermittent sound inform user that preset torque has been reached

Nm	Kgfm	lbf.in	■	L (mm)	
4÷20	0,4÷2	35÷177	1/4"	210	0,01

677/C



677/C800

UNI EN ISO 6789

3/4"

Break-back torque wrenches with push-through ratchets, for right-hand and left-hand tightening, torque accuracy: $\pm 4\%$ in case

The break-back torque wrench, Beta 677, is particularly suitable for heavy-duty use at high torques. The break-back mechanism informs the user that the set torque has been reached through the bending of the wrench at the joint by approximately 20° .



- Wrench composed of two parts: lever with ratchet and break-back system with torque adjustment



	Nm	kgfm	lbf.ft	■	L (mm)		kg		€
677/C600	120÷600	12÷60	100÷450	3/4"	1059	10	6,0	006770607	1.210,00 € 699,00 €
677/C800	200÷800	20÷80	150÷600	3/4"	1319	10	6,7	006770612	1.260,00 € 725,00 €
677/C1000	300÷1000	30÷100	200÷750	3/4"	1554	20	7,4	006770616	1.335,00 € 769,00 €

605E

Click-type torque wrenches with reversible ratchets for right-hand and left-hand tightening torque accuracy: $\pm 6\%$



UNI EN ISO 6789

1/4"

	Nm	kgfm	lbf.in	■	L (mm)		g		€
605E/5	1÷5	0,1÷0,5	10÷45	1/4"	190	0,05	180	006050105	248,00 € 142,00 €
605E/10	2÷10	0,2÷1,0	18÷90	1/4"	190	0,1	180	006050110	259,00 € 149,00 €

680

Electronic digital torque meter for testing calibration

- For testing calibration of screwdrivers and torque wrenches, clockwise/anticlockwise operation
- Accuracy: $\pm 1\%$ of read value
- Colour LCD display, 4 digits
- 3 units of measurement: Nm - lbf.ft. - lbf.in
- Operating modes: Click, Dial, Track
- Enables setting of 15 different control parameters
- With USB/Micro-USB cable for PC connection and data transmission
- Power supply with EU, UK, US & AU adaptors
- Software for issuing TEST REPORTS



680/350



680/2100



680/3

680/30



680/3	3.210,00 €
006800000	1.814,00 €
1,4 kg	Nm 0,1÷3

680/30	3.170,00 €
006800003	1.814,00 €
1,4 kg	Nm 1,5÷30

680/350	3.180,00 €
006800035	1.814,00 €
2,6 kg	Nm 10÷350

680/2100	4.730,00 €
006800210	2.690,00 €
3,5 kg	Nm 200÷2100



1150HPC

Heavy duty universal pliers with cutting edges made of sintered steel

- Perfect alignment of the nose and the thin profile allow the pliers to be used in very small areas.
- The body of the pliers is made of a reliable molybdenum steel which has been heat treated in order to be flexible and resistant so as to guarantee a safe grip in any moment.



1150HPC

011500618

~~76,00 €~~
42,00 €



Shearing stress - static test =	-73%
Average life of cutting edges = (test ISO 5744)	+127%
Hardness of M2 steel cutting edges =	65HRC

PATENTED
ABSOLUTELY
GROUNDBREAKING
REMARKABLE CUTTING
CAPACITY

THE DECENTRALIZED PIN ALLOWS THE FULCRUM TO BE CLOSER TO THE CUTTING POINT, THEREBY RESULTING IN AN IMPROVED LEVER EFFECT

1169BM/D3

011690133

~~113,50 €~~
65,00 €



Set of 1 combination pliers,
1 long needle nose pliers and
1 diagonal cutting nippers



1082BM 160 mm

1150BM 180 mm

1166BM 160 mm

1169GBM/D2

011690272

~~69,00 €~~
39,00 €

Set of 1 combination pliers,
1 diagonal cutting nippers,
bi-material handles, industrial finishing



1082GBM 160 mm

1150GBM 180 mm

1048N

SLIP JOINT PLIERS, BOXED JOINTS, OUTSTANDING GRIP AND AMAZING HANDLING



**Slip joint pliers,
slip-proof
PVC coated handles**

**New tooth geometry for effective,
safe grip on hexagonal and
cylindrical profiles**




**Induction hardened
teeth for longer
durability**

**Up to eight adjustment
options**

**Extraordinary
handling and
comfort thanks to the
large contact surface
of the handle**

- Triangular section grip for a more comfortable contact surface
- Tapered head allowing access to small spaces
- Case-hardened nail for improved wear resistance
- The handles coated with innovative slip-proof PVC ensure a secure grip.
- Phosphated finish
- Made from chrome-vanadium steel



DIN ISO 8976

1048N/D3

010480923

~~131,50 €~~
75,00 €



**Set of 3 slip joint
pliers**



1048N

	L mm	A Max mm	L1 mm	S mm	g		€
1048N 175	175	36	31	11	189	010480910	36,00 € 21,00 €
1048N 250	250	46	38	13	354	010480915	38,50 € 23,00 €
1048N 300	300	60	44	14,8	554	010480920	57,00 € 33,00 €
1048N 400	400	96	81	19	1180	010480940	89,00 € 52,00 €

1048VN

**Slip joint pliers, boxed joints,
with orange lacquered finish**



	L mm	A Max mm	L1 mm	S mm	g		€
1048VN 175	175	36	31	11	189	010480111	30,50 € 17,00 €
1048VN 250	250	46	38	13	354	010480116	34,50 € 20,00 €
1048VN 300	300	60	44	14,8	554	010480121	50,50 € 29,00 €

1044N 250

010440025

~~33,50 €~~
19,00 €

**Slip joint pliers, phosphated, overlapping joint,
non-slip PVC-coated handles**

L mm	A Max mm	L1 mm	S mm	g	
250	46	48	8,5	330	010440025



1169N/D4

011690024

Set of 1 heavy-duty combination pliers, 1 long needle nose pliers, 1 cutting nippers, chrome-plated, and 1 slip joint pliers with boxed joints, phosphated



~~129,00 €~~
75,00 €

1031/S4

010310000

Set of 4 circlip pliers



~~129,50 €~~
73,00 €

999ESD/B4

009990040

NEW!


Set of 4 ESD spring tweezers, acid and magnetic resistant



1052

Adjustable self-locking pliers, concave jaws

	L mm	ø Max mm	Wt g		€
1052/140	140	22	175	010520014	31,00 € 18,00 €
1052/190	190	36	360	010520019	34,50 € 20,00 €
1052/240	240	42	590	010520024	37,50 € 22,00 €
1052/300	300	55	900	010520030	62,00 € 36,00 €




1068

010680000

Adjustable self-locking pliers with hammer face

The self-locking pliers with 1 kg sliding hammer face is ideal for pulling stud bolts, broken screws and sheets, especially in the car repair industry.



412/SP25
 004120425

~~215,50 €~~
124,00 €



Set of 25 twist drills, HSS, with cylindrical shanks in case

Ø 1÷13 x 0,5 mm

R ≤ 800 N/mm²
 HV ≈ 750÷820
 DIN 338



110x190x55 mm



415/SP19
 004150419

~~214,00 €~~
120,00 €



Set of 19 twist drills, HSS-CO 8%, with cylindrical shanks in case

Ø 1÷10 x 0,5 mm

• R ≤ 1400 N/mm²
 • HV 850 ≈ 920



115x170x40 mm



416/SP19
 004160419

~~151,50 €~~
86,00 €



Set of 19 drills, HSS, specially ground with double penetration cone

Ø 1÷10 x 0,5 mm

HIGHER CUTTING CAPACITY



115x170x40 mm



418/K3
 004180103


~~38,50 €~~
22,00 €



Kit of masonry chisels with SDS-plus connection

Kit contents:

- 1 pointed chisel
- 1 narrow flat chisel, 20 mm
- 1 wide flat chisel, 40 mm




420D/SP8
 004200200

~~20,90 €~~
12,00 €



Set of twist drills with cylindrical shanks, for wood, 2 cutters, centre guide drill bits

• Ø 3-4-5-6-7-8-9-10 mm



98x158x18 mm

437P

004370003

~~54,50 €~~
31,00 €

Thread dresser, for repairing internal and external, right-hand and left-hand threads

- P 0,80-1,00-1,25-1,50-1,75-2,00-2,50-3,00 mm



230 mm

437U/09

004370550

~~396,00 €~~
228,00 €

Assortment for repairing damaged threads in metal case

M5X0,8
M6X1,0
M8X1,25
M10X1,5
M12X1,75



370x230x55 mm

451/C8

004510308

~~382,00 €~~
219,00 €

Assortment of 8 hole cutters, HSS, entirely ground

- Minimum thickness: 5 mm



270x225x70 mm

446/C110

004460060

~~1.016,00 €~~
549,00 €

Assortment of 105 chrome-steel taps and dies, metric thread, and 5 accessories for car repair jobs, in wooden case

430 M mm	433 M mm	440/440A M mm	441/441A M mm
2x0,4	6x0,75 - 7x0,75	2x0,4	6x0,75 - 7x0,75
3x0,5	8x0,75 - 8x1	3x0,5	8x0,75 - 8x1
4x0,7	9x0,75 - 9x1	4x0,7	9x0,75 - 9x1
5x0,8	10x0,75 - 10x1	5x0,8	10x0,75 - 10x1
6x1	10x1,25 - 11x0,75	6x1	10x1,25 - 11x0,75
7x1	11x1 - 11x1,25	7x1	11x1 - 11x1,25
8x1,25	12x0,75 - 12x1	8x1,25	12x0,75 - 12x1
9x1,25	12x1,25 - 12x1,5	9x1,25	12x1,25 - 12x1,5
10x1,5	14x1 - 14x1,25	10x1,5	14x1 - 14x1,25
11x1,5	14x1,5 - 16x1	11x1,5	14x1,5 - 16x1
12x1,75	16x1,5 - 18x1,5	12x1,75	16x1,5 - 18x1,5
14x2		14x2	
16x2		16x2	





435/0 444/1 436/1
435/3 444/2

500x337x60 mm

1599F

Parallel bench vices, forged

Fully steel cast. Milled and hardened jaw surface. Front opening. High clamping depth.



	L mm	BxH mm	ø mm	A max mm		€
1599F/100	100	92x46	11	125	015990100	380,00 € 219,00 €
1599F/125	125	108x54	13	150	015990125	485,00 € 274,00 €
1599F/150	150	125x62	13	200	015990150	681,00 € 384,00 €
1599F/175	175	140x70	15	220	015990175	930,00 € 527,00 €

1691MG

Measuring tapes with fixed magnets

- Shock-resistant ABS casings
- Steel tapes
- Precision class: II

	L m	S m		€
1691MG/5	5	25	016910405	16,80 € 9,50 €
1691MG/8	8	25	016910408	23,50 € 13,00 €
1691MG/10	10	25	016910410	24,90 € 14,00 €




1650

Sliding gauge made from hardened stainless steel

- Reading to 0.05 mm
- Spring locking

	A Max mm	L mm	B mm	G mm		€
1650/150	150	235	40	0,05-1/128	016500001	71,00 € 41,00 €
1650/200	200	290	49	0,05-1/128	016500002	93,50 € 54,00 €



DIN 862

UNI EN ISO 13385-1



1651DGTB

Digital vernier, reading to 0.01 mm


- Screw slider locking
- Mm/inch conversion
- Zero setting at any position
- Square depth rod up to 300 mm
- In hard plastic case

	A Max mm	L mm	B mm	G mm		€
1651DGTB 150	150	235	40	0,01-0,0005	016510211	120,00 € 69,00 €
1651DGTB 200	200	285	50	0,01-0,0005	016510212	156,00 € 90,00 €
1651DGTB 300	300	400	60	0,01-0,0005	016510213	204,00 € 119,00 €



DIN 862

UNI EN ISO 13385-1



1674C

016740230

~~22,10 €~~
13,00 €

Carpenter's combination square with 300 mm steel blade

- Double mm scale
- Surface level



1693L 40

016930040


174,50 €
101,00 €
**Laser distance meter,
multipurpose, 40 m,
with positioning levels**
MEASUREMENTS:

- Single distance measurement
- Continuous measurement or minimal measurement

Functions:

- Addition/subtraction
- Area measurement
- Volume measurement
- Variable indirect measurement (Pythagorean measurement)
- Tilt measurement

Features:

- Auto power off
- Battery life: up to 5,000 measurements
- Soft cloth case (included)

TECHNICAL DATA:

- Measurement range: 0.05 ÷ 40 m (0.2in ÷ 131ft)
- Scale selection: m, in, ft
- Measurement accuracy: ±1.5 mm (± 0.06 in)
- Laser class: 2
- Max. storage: 99 units
- Batteries: AAA 2 x 1.5V

**POSITIONING
LEVELS**

1696T
**Spirit levels with magnetic base,
made from profiled aluminium,
with three unbreakable vials**

- V-profiled base
- Precision: 0.5 mm/m
- Complete with vertical reading window



	L mm	H mm	S mm		€	
1696T 600	600	66	28	016960506	88,00 €	49,00 €
1696T 800	800	66	28	016960508	98,00 €	55,00 €
1696T 1000	1000	66	28	016960510	103,50 €	58,00 €
1696T 1200	1200	66	28	016960512	128,50 €	72,00 €

1760/IR500

017600350

186,50 €
105,00 €

**Digital infrared thermometer
with dual laser aiming system**

Technical Data:

- Temperature range: -50 ÷ 500 °C (-22 ÷ +932 °F)
- Display resolution: 0.1 °C (0,1 °F)
- Emissivity: 0.1 ÷ 1 adjustable
- Accuracy: -50 °C ÷ +20 °C (+/- 3 °C); 20 ÷ 500 °C (+/-2% or 2 °C)
- Optical resolution (D:S): 12:1
- Auto power off: ca. 10 seconds
- Operating temperature: 0 °C ÷ 50 °C
- Storage temperature: -20 °C ÷ 60 °C
- Power supply: 1 9V battery

1760PA/AC-DC

017600000

387,00 €
219,00 €

**Amperometric clamp
and digital multimeter**

A: AC/DC
V: AC/DC

SPECIFICATIONS:

- DC voltage: 0.1mV ÷ 600V
- AC voltage: 0.1mV ÷ 600V
- AC current: 0.01A ÷ 1000A
- DC current: 0.01A ÷ 1000A
- Resistance: 0.1Ω ÷ 40MΩ
- Capacity: 0.001nF ÷ 40 μF
- Frequency: 0.001kHz ÷ 4kHz
- Temperature: -40°C ÷ 1000 °C
-40°F ÷ 1832°F

1000 A


17600HM/2

017600027


~~429,00 €~~
241,00 €
NEW!

Megohmmeter for high voltage insulating testing

Our megohmmeter is synonymous with technology and accuracy for really professional measurements. With an insulating capacity up to 100 GΩ at 1000V voltage, this instrument is ideal for professional, accurate measurements in all electrical applications. Particularly suitable for electric and hybrid cars.

Features:

- Insulation test up to 100 GΩ with 1000V voltage
- Large direct reading display, backlit
- Water protection: IP67
- Rubber terminal base for enhanced operating comfort
- Double insulated terminals CAT IV 600V, CAT III 1000V
- Ideal for electric and hybrid cars



PARTICULARLY SUITABLE FOR
ELECTRIC AND HYBRID CARS

	Measuring range	Basic accuracy
AC voltage:	10V - 600V	±(1.5% +5)
DC voltage:	0V - ±600V	±(1.5% +5)
Resistance:	0.01Ω - 200Ω	±(2% +5)
Insulation test @1000V:	0.01Ω - 100GΩ	±(1.5% +5)
Frequency:	1~1KHz	±(0.1% +3)

1760/RMS

017600020

~~348,00 €~~
201,00 €

Industrial digital multimeter accurate and sturdy, in a 6-mm co-moulded shell, with antislip, shockproof outer rubber part

- Water protection IP67
- Protection up to 1000V
- Tested for accidental falls up to 2 m
- Protected inlets
- Autoranging
- Large direct reading display, backlit, blue
- K type temperature probe (included)
- Self-power down
- Rubber terminal base for enhanced operating comfort
- Double insulated terminals, 1000V, 1 m long
- Supplied in a soft case
- CAT IV 600V/ CAT III 1000V
- Actual effective value TRUE RMS



IP67



	Measuring range	Base accuracy
AC/DC voltage	110mV - 600V ±0.8%	- ±2% rdg
AC/DC current	110μA - 10A ±1.5%	- ±2% rdg
Resistance	110Ω - 40MΩ ±1.2%	- ±2.5% rdg
Capacity	11nF - 40mF ±5%	- ±10% rdg (up to 11mF)
Frequency	1100Hz - 110 MHz ±1.2%	- ±1.5% rdg
Temperature	-32°C - +1000°C ±3%	- ±5% rdg
Diode test	3V DC ±10% rdg	
Continuity test	<30 Ω	

1760S

017600022

~~100,00 €~~
58,00 €

Compact digital multimeter

- IP40 protection
- Autoranging
- Large direct reading display, backlit, blue
- Self-power down
- Low battery indication
- Supplied in a soft case
- CAT III 600V
- TRUE RMS (actual effective value)



IP40



Measurable parameters:

DC voltage: 200 mV-2/20/200/600V
AC voltage: 100/600V
DC current: 200 mA-10 A
AC current: 0,01-10 A
Resistance: 200Ω - 2/20/200 kΩ - 2 MΩ
Diode test: 0.4 ÷ 0.7
Power supply: 2 1.5V batteries, type AAA

1370

Mechanic's hammers
wooden shaft



HICKORY

UNI 7778 DIN 1041

	g	g		€
1370/300	300	439	013700053	17,90 € 10,00 €
1370/500	500	669	013700055	21,90 € 13,00 €
1370/800	800	949	013700058	28,50 € 17,00 €
1370/1000	1000	1180	013700060	34,00 € 20,00 €
1370/1500	1500	1722	013700065	39,00 € 23,00 €
1370/2000	2000	2181	013700070	46,00 € 27,00 €

32AU

000320160

~~62,50 €~~
36,00 €

Automatic centre punches




L 150 mm

Ø 3 mm

33NR

Number punches

- For engraving steel with resistance R up to 80 kg/mm²
- Kit of 9 punches: numbers 0 to 9



	H mm	L mm	A mm		€
33NR 3	3	61	6,35	000330003	25,00 € 14,00 €
33NR 4	4	62	7,93	000330004	30,50 € 18,00 €
33NR 5	5	62	7,93	000330005	30,50 € 18,00 €
33NR 6	6	68	9,52	000330006	37,00 € 21,00 €
33NR 8	8	71	12,7	000330008	54,00 € 31,00 €

1370T

Mechanic's hammers
fibre shaft



	g	g		€
1370T/300	300	452	013700630	26,50 € 15,00 €
1370T/500	500	663	013700650	29,00 € 17,00 €
1370T/800	800	1017	013700680	31,00 € 18,00 €
1370T/1000	1000	1279	013700700	39,00 € 23,00 €
1370T/1500	1500	1740	013700750	45,50 € 26,00 €

1390

Soft face hammers,
wooden shaft




UNI 7784

	Ø mm	g		€
1390/22	22	134	013900022	21,90 € 13,00 €
1390/28	28	230	013900028	27,00 € 16,00 €
1390/35	35	365	013900035	37,00 € 21,00 €
1390/45	45	689	013900045	59,00 € 34,00 €
1390/60	60	1462	013900060	99,50 € 58,00 €

33LT

Letter punches

- For engraving steel with resistance R up to 80 kg/mm²
- Kit of 27 punches: letters A to Z + &



	H mm	L mm	A mm		€
33LT 3	3	61	6,35	000330023	70,50 € 41,00 €
33LT 4	4	62	7,93	000330024	86,00 € 50,00 €
33LT 5	5	62	7,93	000330025	86,00 € 50,00 €
33LT 6	6	68	9,52	000330026	105,50 € 61,00 €
33LT 8	8	71	12,7	000330028	158,50 € 91,00 €

1547/C6

015470006

~~331,00 €~~
186,00 €

Dummy ball bearing extractors

Bearings:

1547/1

6011-6014, 6206-6211, 6303-6308, 6403-6405

1547/2

6004-6010, 6200-6205, 6300-6304

- Quick, safe extraction



420x185x60 mm

1545/C5M

015450011

~~644,00 €~~
365,00 €

Puller 1542/1 with 5 extractors 1544



265x180x45 mm

	A mm	C mm
1544/1	9÷12	0,80
1544/2	13÷17	1,15
1544/3	16÷21	1,70
1544/4	20÷25	1,65
1544/5	25÷30	2,00



1430/S5

014300105

~~29,50 €~~
17,00 €

Set of 5 tapered extractors for broken screws and studs, made from hardened steel in case

1430/1-1430/2-1430/3
1430/4-1430/5




1500N

Universal pullers with 2 sliding legs

- Special leg design, for automatic leg locking under loading conditions.
- For both external and internal use
- Legs can be moved along crosspiece.

	A min÷max mm	L mm	L1 mm	● mm	A1		€
1500N/0	18÷65	70	100	15	110	015000600	88,00 € 51,00 €
1500N/1	23÷70	100	130	17	130	015000601	92,00 € 53,00 €
1500N/2	23÷100	100	130	17	160	015000602	99,50 € 57,00 €
1500N/3	35÷140	150	190	20	230	015000603	165,50 € 96,00 €
1500N/4	35÷190	150	190	20	280	015000604	178,00 € 102,00 €
1500N/5	43÷250	205	295	27	360	015000605	343,00 € 197,00 €
1500N/6	43÷320	205	295	27	430	015000606	372,00 € 215,00 €



332

Mini pipe cutter for copper and light alloy pipes



	L mm	Ø mm "		€
332	59	3÷16 1/8"÷5/8"	003320001	27,00 € 15,00 €
332/2	63	3÷28 1/8"÷1"1/8"	003320003	30,50 € 17,00 €

376

Pipe wrenches, Swedish pattern, 90° flat jaws



	L mm	Ø "	Ø mm		€
376 320	320	1" gas	34	003760032	57,00 € 32,00 €
376 410	410	1 1/2" gas	49	003760041	75,00 € 43,00 €
376 550	550	2" gas	60	003760055	116,50 € 65,00 €
376 630	630	3" gas	90	003760063	212,00 € 120,00 €

342

Ratchet-type shears for plastic pipes

~~61,00 €~~
35,00 €

IPX4



363

Heavy duty pipe wrenches made from light alloy



	L mm	Ø "	Ø mm		€
363 350	350	2" gas	60	003630035	77,50 € 45,00 €
363 450	450	2 1/2" gas	76	003630045	104,50 € 61,00 €
363 600	600	3" gas	90	003630060	176,50 € 102,00 €
363 900	900	5" gas	140	003630090	331,00 € 193,00 €
363 1200	1200	6" gas	165	003630120	351,00 € 204,00 €

1750KG10

~~225,00 €~~
130,00 €

Lever-operated grease gun, 10 kg, with high-pressure hose, 2 m

- Complete with swivel fitting, to avoid choking hose
- Die-cast aluminium pump body with check valve

3 different pressure levels available:

- 4 g at 275 bar
- 7 g at 206 bar
- 9 g at 137 bar



345SB

~~27,00 €~~
15,00 €

Deburrer with revolving replacement blade

- For copper, light alloy and PVC pipes.
- Supplied with 2 blades

L mm
150



1750

~~50,00 €~~
29,00 €

Lever operated grease guns, 500 cc

550 BAR



WIRELESS RECHARGEABLE ((o))



Based on improved LED technology, longer battery life, shorter charging time, painstaking attention to materials and ongoing search for innovative solutions, Beta's work lamps mean an outstanding combination of design, functionality and performance.

The lighting family comprises a wide range of products designed to satisfy all users' requirements, ranging from inspecting small pipes to lighting large working areas.

A comprehensive range designed to allow professionals to work at their best, in any sector and under any condition.



1833XSW

018330011

~~54,50 €~~
31,00 €

LED inspection torch, wireless rechargeable

- Two brightness settings: LED SMD, 250 - 80 Lumen
- Rechargeable battery: 3.7V 700 mAh., 2.59 Wh Li-ion
- Two charging modes:
 - wireless base 1839BRW
 - power supply with USB-C port
- Charging time:
 - 2h with wireless charging base
 - 2h with power supply
- Battery life: 2-8h
- LED battery level indicator
- Magnets on base and back
- Belt clip
- USB-C cable included
- IP54
- IK07



1833MW

018330013

~~99,50 €~~
57,00 €

High-brightness LED torch, wireless rechargeable

- Four brightness settings: LED SMD, 1000 - 400 - 30 - 5 Lumen
- Rechargeable battery: 3.7V 2600 mAh, 9.62 Wh Li-ion
- Two charging modes:
 - wireless base 1839BRW
 - power supply with USB-C port
- Charging time:
 - 6h with wireless charging base
 - 4h with power supply
- Battery life: 2-200h
- 3-LED battery level indicator
- Magnet on back
- USB-C cable included
- IP68
- IK07



WIRELESS RECHARGEABLE ((o))

1838SW

018380142


~~110,50 €~~
64,00 €


Rechargeable, articulated LED inspection lamp and wireless charging

- Rechargeable 3.6V 3.350mAh Li-ion battery
- 2 charging modes:
 - wireless 1839BRW base
 - power supply with USB-C port
- Charging time:
 - 6.5h with wireless charging base
 - 4.5h with power supply
- Battery life: - front: 3-5h
 - spot (head): 7h
- 3-LED battery level indicator
- Base can be rotated 180°
- Nonslip rubber body
- Double swinging hook
- Magnets on base and back
- IP65
- IK07



- **Dual light emission:**
 - front: LED COB, 3 light intensities: 250 - 500 - 1000 lumens
 - spot (head): LED SMD, 200 lumens


1836AW

018360051

~~82,00 €~~
48,00 €


Rechargeable wireless LED headlamp, dual brightness

- Rechargeable battery:
 - Li-Ion 3.7 V, 1500 mAh, 5.55 Wh
- USB-C port
- Supplied with USB-C cable
- Charging time:
 - 2.5 h with power supply
 - 4.5h with wireless charging base
- Battery life: front: 4-18 h
 - head (spotlight): 4 h
- IP65
- IK07



- **Dual light emission:**
 - front: 3 light intensities, LED COB, 30 - 200 - 400 lumens
 - head (spotlight): LED COB, 400 lumens


1838POCKET

018380080

~~77,50 €~~
45,00 €


Articulated pocket LED spotlight, with dual light beam and wireless charging

- Rechargeable 3.7V 2600mAh Li-ion battery
- 2 charging modes:
 - wireless 1839BRW base
 - power supply with USB-C port
- Charging time:
 - 4.5 h with wireless charging base
 - 4 h with power supply
- Battery life: - main light: 3-9h
 - spot light: 4.5 h
- 3-LED battery level indicator
- Can be rotated 210°
- Nonslip rubber body
- Magnetic base
- 1 magnet on base
- Supplied with a USB-C cable
- IP65
- IK07



- **Dual light emission:**
 - main light: LED COB, 3 light intensities: 160 - 400 - 800 lumens
 - spot light: LED SMD, 250 lumens
- **Lighting angle:**
 - main light: 160°
 - spot light: 18°



WIRELESS RECHARGEABLE ((◉◉))

1839BRW

018390002

 104,50 €
61,00 €


Wireless charging base, compatible with 1838POCKET, 1838SW, 1836AW, 1833XSW, 1833MW inspection lamps

- Two charging positions with magnetic connection, for simultaneous use
- With pull-out support for wireless mobile phone charging
- Charging status LED indicator
- Max. input: 10W x2
- Input: AC 100-240V 50/60Hz
- Output: DC 12V 1.5A
DC 9V 2A
DC 5V 3A
- USB-C port
- IP20
- IK07



- Can be hung on wall through:
3 strong magnets on back
2 screw holes



KIT WIRELESS ((◉◉))

The kit comprises products performing different functions. What is more, wireless technology makes it possible to do away with cables, which results in a more convenient and tidier charging base.

Wireless technology means one of the latest innovations for work lighting and allows one's instruments to be easily charged.


1839W/K1

018390810

 292,00 €
152,00 €

Kit of wireless lamps 1838SW and 1838POCKET, with compatible charging base 1839BRW

- wireless rechargeable, articulated LED inspection lamp 1838SW
- wireless rechargeable, articulated pocket LED spotlight 1838POCKET
- wireless charging base 1839BRW, compatible with the lamps of the kit

 297,00 €
155,00 €
1839W/K2

018390820

Kit of wireless lamps 1838SW and 1836AW, with compatible charging base 1839BRW

- wireless rechargeable, articulated LED inspection lamp 1838SW
- wireless rechargeable LED headlamp 1836AW
- wireless charging base 1839BRW, compatible with the lamps of the kit

**Save up to
17,00 €**


1838SW

1838POCKET
1839BRW
1839BRW
1838SW

1836AW


1833

High-brightness LED torch, made of sturdy anodized aluminium

- Adjustable focus
- 2 brightness settings
- IP66


Battery life 10.0 h - L 150 mm
1833 S
~~43,50 €~~
24,00 €

018330002


Battery life 7.5 h - L 162 mm
1833 M
~~54,50 €~~
32,00 €

018330003

1837C


Rechargeable LED spotlight for building yards

- 3 brightness settings
- battery charger:
input: 100-240V AC - 50/60Hz;
output: 15V 1.5A
- charging time: 4 hours
- 3-LED charge indicator
- can rotate up to 180°
- IP65
- IK07


220x225x70 mm 500/1000/2100 lumen
1837C/2100
~~216,50 €~~
127,00 €

018370210


266x236,6x59 mm 1100/2100/4300 lumen
1837C/4300
~~318,00 €~~
184,00 €

018370430

1837S
~~70,50 €~~
39,00 €

018370500

Telescoping tripod for worklight

- Made of metal
- Adjustable height: 70÷155 cm
- Compatible with items
1837C and 1838FLASH


1838FLASH
~~384,00 €~~
208,00 €

018380300

Rechargeable, ultracompact spotlight, designed to offer the best possible solution for each use

- IP65 - without external
power supply
- Dual brightness: 300/720 lumens
- Lithium polymer
battery 7.4 V 4000 mAh



12V



230V

5 m




85x100x155 mm



360°

1/4"


1838/11LED
~~188,00 €~~
103,00 €

018380111

Rechargeable inspection lamp with ultra-high brightness LEDs, lithium polymer battery

- Compact body made of antislip rubber
- With charging station, 110-230Vac



With head LED


 With multidirectional
head LED


Swinging hook



<20%

1838PN

NEW!

018380008

~~64,00 €~~
33,00 €



Rechargeable LED pen light

- **Dual light emission: main and spot**
- 3 light intensities:
main COB LED 350 - 175 lumens
spot: SMD LED 120 lumens
- Rechargeable battery: Li-Ion 3.7 V, 1600 mAh
- Charging time: 2.5h
- Battery life:
main: 6/3h
spot: 6h
- Magnetic base
- Belt clip/magnetic pocket
- IP65
- IK07
- USB-C cable included



60,8x26x120 mm

1838COMPACT

NEW!

018380011

~~71,50 €~~
39,00 €



Rechargeable, compact LED lamp

- **Dual light emission: main and spot**
- 3 light intensities:
main COB LED 300 - 120 lumens
spot SMD LED 150 lumens
- Rechargeable battery: Li-Ion 3.7 V, 1500 mAh
- Charging time: 2.5h
- Battery life:
main: 7/3.5h
spot: 6h
- Can be hung, with nonslip, shockproof rubber body
- Hook can be rotated 360°
- Magnetic base can be rotated 180°
- Belt clip/pocket
- IP65
- IK07
- USB-C cable included



60,8x26x120 mm



1838SLIM

~~83,00 €~~
46,00 €

018380221

Rechargeable, articulated slim 3-LED inspection lamp

- Magnetic base
- Charging time: 2.5h
- Battery life: 2-4h/ spot 3h

Triple light emission

- front: 100/200 lumens
- back: 180 lumens
- spot (head): 80 lumens



L 307 mm



1838AM

~~123,00 €~~
68,00 €

018380400

Rechargeable LED inspection lamp, with double light emission, articulated, can be rotated 180°, with swivel magnetic base and hook

• Double light emission:

- front: LED COB, 60-700 lumens, can be adjusted with potentiometer spot (head): LED SMD, 120 lumens, ON-OFF switch
- Rechargeable 3.6V 2600mAh Li-ion battery
- With USB-C port
- Supplied with 100-240V / 50-60Hz charger
- Charging time: 4h
- Battery life: front: 2.5-16h
spot (head): 10h
- 3-LED battery level indicator
- Magnetic base (with neodymium magnet), can be rotated 90°
- Swivel base hook
- IP54
- IK07



- Articulated, can be rotated 180° (± 90° compared to axis)



L 405 mm



1741TR

017410410

Riveting pliers with rotating head,
supplied with 4 interchangeable nozzles

Ø mm	2,4	3,2	4	4,8
Aluminium	•	•	•	•
Steel	•	•	•	•
Inox	•	•	•	•



L 285 mm

~~47,50 €~~
25,00 €

NEW!

1741

017410003

Riveting pliers
with 4 interchangeable nozzles

Ø mm	2,4	3,2	4	4,8	5
Aluminium	•	•	•	•	•
Steel	•	•	•	•	•
Inox	•	•	•	•	•



L 260 mm

~~43,50 €~~
24,00 €

1741P

017410303

Heavy-duty riveting pliers supplied
with 4 interchangeable nozzles

Ø mm	2,4	3,2	4	4,8	5
Aluminium	•	•	•	•	•
Steel	•	•	•	•	•
Inox	•	•	•	•	•



L 260 mm

~~60,50 €~~
33,00 €

1741U

017410450

Ultra compact riveting pliers
with adjustable force
with 4 interchangeable nozzles

Ø mm	2,4	3	3,2	4	4,8
Aluminium	•	•	•	•	•
Steel	•	•	•	•	•
Inox	•	•	•	•	•




**3 JAWS:
IMPROVED
RIVET GRIP**

L 200 mm

~~54,00 €~~
31,00 €

ELECTRICAL TOOLS

BM Group has been designing, manufacturing and distributing connecting parts and electrical installation products since 1958. Quality, safety and reliability have always been BM's key values. Combined with a passion for excellence, these values have allowed the company to develop – step by step – into a benchmark for the electrical material market. In 2018 BM Group was taken over by Beta Utensili. This section comprises an accurate selection of products under the brand name BM, supplementing Beta's product range.


1608/C9

016080045

2 kg

~~285,00 €~~
153,00 €

Pliers with assortment of 450 terminals


451x

420x185x60 mm

1748-N

BM1100

~~71,00 €~~
38,00 €

Fitting tools for nylon cable ties, 2.5 to 4.8 mm in width

- Automatic cutting when set tension is reached.
- With tightening tension adjustment system.
- Materials: glass frame made from polymer and fibreglass, interior parts made from metal


 max
 4,8 mm

1609B

016090101

~~376,00 €~~
215,00 €

Mechanical crimping pliers

- For noninsulated copper terminals, 10÷120 mm²
- Antislip rubber handle
- Internal "H" section pin for unparalleled punch smoothness
- Made from burnished steel



L 600 mm

 10÷120 mm²

1149F

011490010

~~20,50 €~~
12,00 €

Front wire stripping pliers with cutting blade, self-adjusting

- Self-adjustment to wire diameters
- Adjustable stripping length
- Insulating cutting pressure adjustment
- Built-in cutting device


 0,2÷6 mm²
1606T

016060005

~~367,00 €~~
197,00 €

Crimping pliers for tubular terminals, 4-sided crimping

Reduced lever stress

 0.1÷10 mm²


1128FX
~~38,80 €~~
21,00 €

011280090

Electrician's scissors, straight stainless steel blades, with microteeth, cable cutting groove and crimping pliers for tube terminals

- Articulated belt hook case
- Bimaterial handles
- Anti-loose pin


1128BMX
~~20,80 €~~
12,00 €

011280051

Electrician's scissors, straight stainless steel blades, with microteeth

- Straight stainless steel blades
- Wire cutting groove
- Microteeth on one side


1128BAX
~~39,80 €~~
22,00 €

011280088

Double-acting electricians' scissors, with milling profiles in DLC-coated stainless steel

- High blade surface hardness (resistance to abrasion and wear)
- Low coefficient of friction (smoothness and anti-adherence)
- With articulated plastic case

**+HARDNESS
-COEFFICIENT
OF FRICTION**



Profile and mill:
designed to enlarge
holes on plastic, from 13 to 25 mm.


1771BM
~~23,90 €~~
14,00 €

017710050

Utility knife, 18 mm, 6 spare blades

- Nonslip bi-material handle
- Automatic blade loading
- Blade locking nut for maximum blade stability under stress conditions
- Nonreturn safety slider
- Automatic blade loading


1778SOS
~~38,50 €~~
21,00 €

017780080

Car service knife with window breaking hammer and seat belt cutter features in case

- With clip and fabric wallet with loop
- Anodized aluminium handle
- Safety blade lock


1772M
~~21,80 €~~
13,00 €

017720040

Safety utility knife with retractable blade, supplied with 3 blades

- Blade retracts through an automatic spring mechanism
- Die-cast alloy body
- Staple remover built into handle



1778MT MULTIPURPOSE TOOL COMPLETE WITH BITS AND SHEATH



BETA's multipurpose tool stands out from similar commercially available tools with BETA's typical hallmarks: pliers synonymous with matchless quality, sophisticated materials and state-of-the-art technology. The 11 bits, which come in the most popular geometries in the market, make this item ideal for any work environments and conditions, e.g. camping, nautical industry, hunting and DIY.

1778MT

017780055

~~115,50 €~~
65,00 €


**Multi-tools complete
with bits and sheath**

**9 tools for a total
of 22 functions:**

- Combination pliers
- Large blade
- Corrugated blade
- Hacksaw frame
- File
- Tin/Bottle opener
- Scissors
- Bit holder
- Screwdriver for cross head Phillips® screws


**SUITABLE
FOR EVERY
SITUATION!**



**Easy pull-out
of tools**



**Tool unlock
buttons**



11 bits + socket + tweezers



Ruler 100 mm + Ruler, 4"

**COMPACT
AND VERSATILE!**

1777BMT

017770050

**NOT
AVAILABLE**

Foldaway knife with trapezoidal blade

- 4 adjustable blade depths
4; 9.5; 15.5; 21.5 mm
- String cutting groove
- Supplied with 3 blades


**1726BM**

017260050

~~54,00 €~~
30,00 €

**Hacksaw frame with quick release
blade attachment system**


- Sturdy frame for increased firmness
- Nonslip handle
- Quick release lever blade system
- Blade can be tilted up to 45°
- Ergonomic design



THE RANGE OF REELS



Beta's wide, complete range of reels has been designed and developed to satisfy all professionals' requirements. High-resistance spring ensuring remarkable durability and fluidity in use. Shells made of thick polypropylene, for unique shock resistance. Rack device causing automatic cable rewind to stop, easy to disable, to allow continuous traction. Each reel is fitted with a 180° swivel wall-mount bracket and an additional bracket for quick connection and disconnection from the wall-mount support.



CABLE REEL

- Length of cable out of shell: 1 m
- Rack mechanism can be disabled to keep cable in traction
- Coiled cable length: 15 m



1842 15-H05/LED

018420821

~~388,00 €~~
224,00 €

Automatic cable reel with LED inspection lamp, 100-240Vac

- With 230/12V safety transformer
- H05VV-F 2x1.0 mm² cable



1844 15-H05

018440315

~~253,00 €~~
146,00 €

Automatic cable reel, with 3Gx1.5 mm² cable

- 3Gx1.5 mm² cable
- With thermal protection switch
- Max. power (rolled up): 1500W (230V-20°C)
- Max. power (unrolled): 2500W (230V-20°C)



1844 15-H05/SCK

018440316

~~264,00 €~~
153,00 €

Automatic cable reel, with 3Gx1.5 mm² cable and SCHUKO type socket and plug

- 3Gx1.5 mm² cable
- With thermal protection switch
- Max. power (rolled up): 1500W (230V-20°C)
- Max. power (unrolled): 2500W (230V-20°C)



1845 15-H07



018450367

~~521,00 €~~
303,00 €

Automatic cable reel, with 3Gx2.5 mm² cable

- 3Gx2.5 mm² cable
- With thermal protection switch
- Max. power (rolled up): 2000W (230V-20°C)
- Max. power (unrolled): 3000W (230V-20°C)





HOSE REEL

- Max. operating pressure: 15 bar
- Braided polyurethane hose
- Operating temperature range: -5 °C / +50 °C



1900S 8X10

019000080

~~195,50 €~~
105,00 €

Automatic spring hose reel
with 8x12 mm cable

- Cable length 10 m

Ø GAS BSP 1/4"



1900M 8X15

019000085

~~267,00 €~~
142,00 €

Automatic spring hose reel
with 8x12 mm cable

- Cable length 15 m

Ø GAS BSP 1/4"



1900M 10X15

019000115

~~278,00 €~~
153,00 €

Automatic spring hose reel
with 10x14 mm cable

- Cable length 15 m

Ø GAS BSP 3/8"



1900M 12X15

019000125

~~363,00 €~~
197,00 €
NEW!

Automatic spring hose reel
with 12x16 mm cable

- Cable length 15 m

Ø GAS BSP 1/2"



1273MQ/D6


012730851

~~80,00 €~~
47,00 €

Set of 6 screwdrivers

1274MQ 3x100-4x100-5,5x125 mm
1272MQ PH0x60-PH1x80-PH2x100 mm

EN 60900



1000 V

1273MQF/D6

012730606

~~102,50 €~~
59,00 €

Set of 6 slim screwdrivers

1274MQ/F 3,5x100 - 4,5x100 -
5,5x125 - 6,5x150 mm
1272MQ/F PH1x80 - PH2x100 mm

EN 60900



1000 V

1128MQ

011280101

~~58,00 €~~
34,00 €

Electrician's scissors, stainless steel blades, with microteeth

1000 V

IEC 60900



1169MQ/D2

011690152

~~116,50 €~~
65,00 €

Assortment of insulated combination pliers and insulated diagonal cutting nippers

1000 V

EN 60900



1082MQ
160 mm

1150MQ
180 mm

920MQ/C16

009200917

5,2 kg

~~1.066,00 €~~
549,00 €

Set of 9 hexagon sockets, 3 socket drivers for hexagon screws and 4 accessories

1000 V

IEC 60900



	920MQ/A	8-10-12-13-14-17-19-22-24 mm
	920MQ/21	135 mm
	920MQ/22	264 mm
	920MQ/55A	
	920MQ/T	
	920MQ/PE	5-6-8 mm

16x

420x280x60 mm



12"


C04TSS/7

024003077



63 kg

~~3.050,00 €~~
1.649,00 €
Mobile roller cab with seven drawers, made entirely of stainless steel

- Seven drawers (570 x 410 mm) with ball bearing slides;
- 6 drawers, 83 mm high;
- 1 drawer, 170 mm high;
- 4 castors Ø 125 mm 2 fixed and 2 steering (two with brakes);
- Front centralized lock;
- Frame made entirely of stainless steel AISI 304
- Castors, supports, ball bearings, drawer interiors and guides made of stainless steel
- Drawer handles made of aluminium



h	max
83 mm	25 kg
170 mm	30 kg

**C20TSS**


021203001

4 kg

~~341,00 €~~
186,00 €
Five-section cantilever tool box, made of AISI 304 stainless steel

It can be used in critical environments - that is, in areas where the minimum contamination level is not permitted - resistant to rust and the main acids, and can be autoclave sterilized at 121°.

450x200x210 mm

**42INOX/SC9**

000420387

~~222,50 €~~**127,00 €****Set of 9 combination wrenches made of stainless steel with compact support**

8-10-11-12-13-14-15-17-19 mm

**96TINOX/S8**

000961954

~~167,50 €~~**87,00 €****Set of 8 offset hexagon key wrenches, with high torque handles, made of stainless steel**

2,5-3-4-5-6-7-8-10 mm

**1293INOX/D8**

012930408

~~98,00 €~~**54,00 €****Set of 8 screwdriver made of stainless steel****5x**

1290INOX ● 0,4x2,5x50-0,5x3x75
 0,8x4x100-1,0x5,5x150
 1,2x6,5x150 mm

3x

1292INOX ⊕ PH0x60-PH1x80
 PH2x100 mm

9860

~~12,20 €~~
6,90 €

098600075

MULTI FOAM

Manual insulating polyurethane foam sealant



Features:

- High-quality professional PU foam
- Good thermal performance
- High resistance to tensile stress, compression and cutting

750 ml



9840BF

~~16,20 €~~
9,50 €

098400029

BETA FIX

Ultra-strength instant assembly adhesive with suction effect



Features:

- Ultra-strength instant adhesion
- High mechanical resistance, final force and elastic module
- Free from isocyanates, phthalates, solvents and silicone
- Permanently elastic, does not shrink, bubble-free, odourless
- Resistant to humidity and weathering
- Adheres primer-free to most substrates, including wet ones

290 ml



9844T/K12-1773U

~~159,50 €~~
76,00 €

098440931

NEUTRAL SIL

12 x Neutral Sil 9844T + 1773U

Features:

- Mildew resistant
- Resistant to UV rays, water and weathering
- Odourless
- Extremely versatile

310 ml



1773U

65

12x

Included in the price
NET VALUE
16,00 €



1749AC

~~45,00 €~~
26,00 €

017490005

High thrust gun for chemical binders



230 mm

STANDARD

Ø 50 mm

1749A

~~50,50 €~~
29,00 €

017490010

Bonding gun, professional model aluminium tube



9710**LUBRIBETA****7-in-1 multipurpose unlocking lubricant**

1. Unlocking
2. Lubricating
3. Detergent, degreasing
4. Rust protective
5. Deoxidizing
6. Waterproof
7. Antifreezing

400 ml



		€
9710 (1)	097100040	
9710 (2)	097101040	10,30 € 6,90 €
9710 (3)	097102040	

9752**ZINC 98%****Clear zinc**

Highly covering, it is ideal for galvanizing iron parts. Highly adhesive, it forms an elastic film of very light colour, similar to hot galvanizing. Particularly resistant to oxidation, abrasion and weather. Can be overpainted. Does not drip.

400 ml



		€
9752 (1)	097520040	
9752 (2)	097521040	9,40 € 6,50 €
9752 (3)	097522040	

1773U

017730500

~~27,50 €~~
16,00 €
Multi-purpose silicone tool

- 5 angled rubber tips
- spare scraper blade

5 in 1**9841R**

098410020

~~29,00 €~~
15,00 €
RED SEAL

Red acetic-reticulation silicone sealant, resistant to high temperatures, with convenient pressure dispenser (pressure pack)

- Enables permanent elastic sealing.
- Replaces preformed gaskets.
- The convenient dispenser allows easy (one-coated), accurate, uniform spreading of the product.
- Polymerizes by reacting with atmospheric moisture and forms an elastic, durable gasket.
- Ideal for oven and furnace doors, plates, heating systems, outlets, thermostats, pumps, heating pipes, engine parts that are not subject to high pressure and applications that require resistance to high temperatures.
- Perfectly adheres to most non-porous substrates, including glass, coated wood, ceramic and enamel.
- Not suitable for PE, PP, PC, PMMA, PTFE, soft plastics, neoprene and bituminous supports.
- Cannot be painted

200 ml



**WITHSTANDS TEMPERATURES
UP TO 300 °C**

9841N

098410120

~~31,00 €~~
16,00 €
BLACK SEAL

Black acetic-reticulation silicone sealant, resistant to high temperatures, with convenient pressure dispenser (pressure pack)

- Enables permanent elastic sealing.
- Replaces preformed gaskets.
- The convenient dispenser allows easy (one-coated), accurate, uniform spreading of the product.
- Polymerizes by reacting with atmospheric moisture and forms an elastic, durable gasket.
- Ideal for oil sumps, oil pumps, housings, gearboxes, engine parts that are not subject to high pressure and applications that require resistance to high temperatures.
- Perfectly adheres to most non-porous substrates, including glass, coated wood, ceramic and enamel.
- Not suitable for PE, PP, PC, PMMA, PTFE, soft plastics, neoprene and bituminous substrates.
- Cannot be painted.

200 ml



**WITHSTANDS TEMPERATURES
UP TO 240 °C**

1852R1750

018520175

1.775,00 €
989,00 €

Portable induction heater

- Heats and loosens bolts, hubs and bearings without using flames.
- Allows any type of ferromagnetic metal to be heated.

Technical data:

- Input voltage: 230V AC, 50/60 Hz
- Input current: max. 7,5A
- Power: max. 1.75 kW

Benefits

- 1 Time saving: quick, extremely accurate heating
- 2 Fire safety: does not produce flames, maximum operator safety
- 3 Functional: can be used with one hand, and coils can be easily interchanged

Fields of Application:

- Automotive industry
- Industrial maintenance
- Aviation industry
- Naval industry
- Petrochemical industry

**MAXIMUM SAFETY
WITHOUT USING FLAMES**



Included:

Two front attachable coils,
Ø 19 and 26 mm,
for loosening nuts

One flat coil for heating
surfaces

One flexible coil,
800 mm long


480x370x130 mm

1895

Ultrasonic cleaning tank with special degas function

- Ultrasonic cleaning relies on fluid heating to effectively clean spare parts and metal pieces in general (carburetors, valves etc.)
- Digital display for temperature and cleaning time selection
- Two cleaning modes: "soft" and "normal"
- For normal cleaning, just use water at a temperature of 50/60 °C
- For more accurate cleaning, add non-foaming detergent solutions specific for ultrasonic tanks
- Using the degas mode speeds up air release throughout the tank, thereby improving ultrasonic cleaning efficiency


1895 157
1895 6

836,00 €
483,00 €

6 l

1895 13

1.295,00 €
747,00 €

13 l

1895 27

1.805,00 €
1.044,00 €

27 l

1895 157

8.310,00 €
4.399,00 €

157 l

NEW!
1895 6
1895 13
1895 27
1895 157

	1895 6	1895 13	1895 27	1895 157
Tank capacity	6 litre	13 litre	27 litre	157 litre
Drain tap	✓	✓	✓	✓
Power	150 Watt	300 Watt	500 Watt	2160 Watt
Heating power	300 Watt	400 Watt	500 Watt	5000 Watt
Temperature range	0÷80 °C	0÷80 °C	0÷80 °C	30÷110 °C
Cleaning time range	0-99 minutes	0-99 minutes	0-99 minutes	0-59 minutes
Frequency	40 kHz	40 kHz	40 kHz	28 kHz - 40 kHz
Power supply	220/230V	220/230V	220/230V	220/380V
Dimensions	330x180x310 mm	350x325x320 mm	530x330x380 mm	840x640x750 mm
Tank size	300x155x150 mm	325x235x145 mm	500x300x200 mm	700x500x450 mm



961N

009610030





~~528,00 €~~
307,00 €

NEW!

Electronic videoscope with flexible, rotating probe

- TFT LCD 5" screen
- Supports SD cards
- Video and image recording
- 4 LEDs
- Power supply via USB port (built-in battery)
- Rotating probe
- High resolution

Discover the videoscope, 961N, your versatile partner for all jobs! Based on the probe that can be rotated 360° and the double lit camera reaching the most inaccessible points has never been so easy. Defects and problems can be found easily and accurately. And with the new TFT LCD 5" display and outstanding resolution (1920x1080), you can enjoy sharp, bright images and videos, like never before. Choose the videoscope, 961N, for uncompromised quality.



1898/M

018980930

~~17,70 €~~
11,00 €

Pressure sprayer with 1.5 l tank

- Adjustable nozzle with straight jet and mist spray
- Graduated scale (0.5 l - 1 l - 1.5 l)
- Locking lever for continuous jet
- Not for use with hydrocarbons



1898/C

018980940

~~286,00 €~~
175,00 €

NEW!

Wheeled sprayer, 25 l

Particularly useful in a variety of sectors: aeronautics, agriculture, automotive, cleaning, building and road construction, chemical industry, manufacturing industry, mining industry, lube trucks and industrial vehicles, shipbuilding and railway transportation

- dual function: spraying and foaming
- painted steel tank
- stainless steel nozzle
- anti-twisting hose
- tank pressure gauge
- tank level indicator



1898/S

018980932

~~31,00 €~~
19,00 €

Hand pressure pump with 5 l tank

- Stainless steel nozzle
- Locking lever for continuous jet
- Adjustable nozzle with straight jet and mist spray
- Shoulder strap for ease of transport
- Nozzle hook-up handle
- 1.2-m-long hose
- Not for use with hydrocarbons




1889N

018890220

~~938,00 €~~
384,00 €

Steel handling and storage base for 2 200-l barrels

- Easy to carry with a fork lift truck or a pallet jack
- Support cannot be placed under any part
- Completely hot painted with epoxy powder, for high resistance to chemicals
- Tank capacity: 235 l



3027N



HYDRAULIC PRESS WITH MOVING PISTON


3027N 10

030270101

2.250,00 €

1.099,00 €

100 kg




3027N 50

030270105

7.590,00 €

3.849,00 €

350 kg



3027N 100

030270110

23.410,00 €

10.999,00 €

1100 kg



3027N 20

030270102

3.110,00 €

1.429,00 €

130 kg




3027N 30

030270103

5.450,00 €

2.529,00 €

230 kg



	3027N 10	3027N 20	3027N 30	3027N 50	3027N 100
Maximum capacity	10 t	20 t	30 t	50 t	100 t
Single speed pump	✓	✓	✓	✓	✗
Moving piston	✓	✓	✓	✓	✓
Hydraulic safety in case of overloading	✓	✓	✓	✓	✓
Gauge	✓	✓	✓	✓	✓
Set of V-shaped prisms	✓	✓	✓	✓	✓
Hoist	✗	✗	✓	✓	✓

3025N 1,0

030250110


2.550,00 €

1.276,00 €

99 kg

Folding hydraulic crane with dual effect pump

- Maximum capacity: 1 t
- 4 loading positions: 300-600-800-1000 kg
- With load limiting valve and chrome-plated stand
- Controlled descent speed
- Nylon wheels
- Maximum height: 2420 mm



3025N/PF

030250111

557,00 €


318,00 €

Barrel handling pliers


Maximum capacity
300 kg

**8150**


Lifting web slings, purple 1t
two layers with reinforced eyes
high-tenacity polyester (PES) belt
EN 1492-1



	L m	H mm		€
8150 1-T1	1	30	081500010	6,60 € 4,00 €
8150 2-T1	2	30	081500020	9,35 € 5,50 €
8150 3-T1	3	30	081500030	11,90 € 7,50 €
8150 4-T1	4	30	081500040	15,30 € 9,50 €

8153


Lifting web slings, green 2t
two layers with reinforced eyes
high-tenacity polyester
(PES) belt
EN 1492-1



	L m	H mm		€
8153 1-T2	1	60	081530010	10,40 € 6,50 €
8153 2-T2	2	60	081530020	16,10 € 9,50 €
8153 3-T2	3	60	081530030	21,90 € 13,00 €
8153 4-T2	4	60	081530040	27,00 € 17,00 €

8156

Lifting web slings, yellow 3t
two layers with reinforced eyes
high-tenacity polyester
(PES) belt
EN 1492-1



	L m	H mm		€
8156 2-T3	2	90	081560020	24,10 € 15,00 €
8156 3-T3	3	90	081560030	33,50 € 20,00 €
8156 4-T3	4	90	081560040	41,50 € 25,00 €
8156 6-T3	6	90	081560060	58,50 € 35,00 €

8181 6/B4

081810916

~~82,50 €~~
44,00 €

Bag with set of 4 ratchet tie-downs 8181,
6 m high-tenacity polyester belt (PES),
single hooks



L m	LC kg
6	1000



EN 12195-2

8182 8,5/B2

081821885

~~72,50 €~~
38,00 €

Bag with set of 2 ratchet tie-downs 8182,
8.5 m high-tenacity polyester belt (PES)
single hooks



L m	LC kg
8,5	2000



EN 12195-2

8091SL

lifting chain slings,
1 leg, self-locking hook,
grade 8

- Safety factor: 4
- Chain-sling identification tag
- Technical product specifications


EN 818-4

		L m	WLL t 0° < β ≤ 45°		€
8091SL D13-0,6	13	0,6	5,3	080910330	286,00 € 163,00 €
8091SL D16-0,6	16	0,6	8	080910360	578,00 € 329,00 €

**NEW!**

8097


Lifting chain sling, 2 legs with clevis grab hooks, grade 8



- Safety factor: 4
- Chain-sling identification tag
- Technical product specifications

EN 818-4

	Ø mm	L m	WLL t 0° < β ≤ 45°		€
8097 D6-1	6	1	1,6	080970001	173,50 € 83,00 €
8097 D6-2	6	2	1,6	080970002	207,00 € 98,00 €
8097 D7-2	7	2	2,12	080970022	259,00 € 124,00 €
8097 D7-3	7	3	2,12	080970023	312,00 € 150,00 €
8097 D7-4	7	4	2,12	080970024	366,00 € 175,00 €
8097 D8-2	8	2	2,8	080970042	290,00 € 140,00 €
8097 D8-3	8	3	2,8	080970043	366,00 € 176,00 €
8097 D8-4	8	4	2,8	080970044	430,00 € 208,00 €
8097 D10-2	10	2	4,25	080970052	441,00 € 211,00 €
8097 D10-3	10	3	4,25	080970053	532,00 € 255,00 €
8097 D10-4	10	4	4,25	080970054	627,00 € 307,00 €

8097SL


Lifting chain slings, 2 legs, with self-locking and clevis grab hooks, grade 8



	Ø mm	L m	WLL t 0° < β ≤ 45°		€
8097SL D6-1	6	1	1,6	080970201	213,50 € 122,00 €
8097SL D6-2	6	2	1,6	080970202	247,00 € 141,00 €
8097SL D7-2	7	2	2,12	080970222	314,00 € 151,00 €
8097SL D7-3	7	3	2,12	080970223	367,00 € 176,00 €
8097SL D7-4	7	4	2,12	080970224	421,00 € 204,00 €
8097SL D8-2	8	2	2,8	080970242	343,00 € 165,00 €
8097SL D8-3	8	3	2,8	080970243	419,00 € 201,00 €
8097SL D8-4	8	4	2,8	080970244	483,00 € 241,00 €
8097SL D10-2	10	2	4,25	080970252	517,00 € 249,00 €
8097SL D10-3	10	3	4,25	080970253	608,00 € 292,00 €
8097SL D10-4	10	4	4,25	080970254	703,00 € 351,00 €

8098


Lifting chain sling, 4 legs with clevis grab hooks, grade 8



- Safety factor: 4
- Chain-sling identification tag
- Technical product specifications

EN 818-4

	Ø mm	L m	WLL t 0° < β ≤ 45°		€
8098 D6-1	6	1	2,36	080980001	356,00 € 203,00 €
8098 D6-2	6	2	2,36	080980002	438,00 € 250,00 €
8098 D7-2	7	2	3,15	080980022	505,00 € 288,00 €
8098 D7-3	7	3	3,15	080980023	609,00 € 347,00 €
8098 D7-4	7	4	3,15	080980024	717,00 € 409,00 €
8098 D8-2	8	2	4,25	080980042	591,00 € 337,00 €
8098 D8-3	8	3	4,25	080980043	718,00 € 409,00 €
8098 D8-4	8	4	4,25	080980044	879,00 € 501,00 €

8098SL


Lifting chain slings, 4 legs, with self-locking and clevis grab hooks, grade 8



	Ø mm	L m	WLL t 0° < β ≤ 45°		€
8098SL D6-1	6	1	2,36	080980201	438,00 € 250,00 €
8098SL D6-2	6	2	2,36	080980202	536,00 € 305,00 €
8098SL D7-2	7	2	3,15	080980222	614,00 € 350,00 €
8098SL D7-3	7	3	3,15	080980223	718,00 € 409,00 €
8098SL D7-4	7	4	3,15	080980224	826,00 € 471,00 €
8098SL D8-2	8	2	4,25	080980242	696,00 € 397,00 €
8098SL D8-3	8	3	4,25	080980243	824,00 € 470,00 €
8098SL D8-4	8	4	4,25	080980244	985,00 € 561,00 €

8143**EN 13157**  **TÜV****Hand chain blocks**

- Professional model, complies with EN13157 standard, made of first-rate materials
- Designed to lift heavy loads quickly and safely

	WLL t	L m	kg		€
8143 0,5T	0,5	3	9,2	081430005	232,50 € 140,00 €
8143 1T	1	3	11,7	081430010	274,00 € 164,00 €
8143 2T	2	3	19,5	081430020	398,00 € 239,00 €
8143 3T	3	3	19,5	081430030	514,00 € 296,00 €

8143SL**EN 13157** **NEW!****Hand chain blocks with self-locking hooks**

	WLL t	L m	kg		€
8143SL 1,0	1,0	3	16	081430310	327,00 € 186,00 €
8143SL 2,0	2,0	3	26	081430320	431,00 € 246,00 €

**8146****EN 13157**  **TÜV****Lever hoists**

- Professional model, complies with EN13157 standard, easy to install and use
- Automatic brake with double pawl system for optimized safety
- Swivel hook with safety latch.

AVAILABLE CERTIFICATES

- CE Declaration of Conformity
- Test report UNI EN10204 type 2.2
- Manufacturer's Certificate

	WLL t	L m	kg		€
8146 0,75T	0,75	1,5	6,7	081460008	284,00 € 169,00 €
8146 1,5T	1,50	1,5	11,2	081460015	404,00 € 242,00 €

8146SL**EN 13157** **NEW!****Hand lever hoists with self-locking hooks**

	WLL t	L m	kg		€
8146SL 0,75	0,75	1,5	7,5	081460308	358,00 € 204,00 €
8146SL 1,5	1,5	1,5	13,6	081460315	470,00 € 268,00 €

**LIGHTWEIGHT AND PORTABLE****8146C****Lever hoist, compact**

	WLL t	L m	kg		€
8146C 0,25T	0,25	1,5	2,5	081460002	261,00 € 156,00 €

8134**Permanent magnetic lifters****TECHNICAL DATA**

- Safety factor: 3
- Identification tag

AVAILABLE CERTIFICATES

- Manufacturer's Certificate
- Declaration of Conformity with Machinery Directive 2006/42/EC
- Test Report UNI EN10204 type 2.2
- Operation and maintenance manual

	C mm	B mm		€
8134 100 kg	92	64	081340010	503,00 € 246,00 €
8134 300 kg	165	88	081340030	882,00 € 435,00 €
8134 600 kg	236	118	081340060	1.640,00 € 794,00 €
8134 1000 kg	264	168	081340100	2.710,00 € 1.286,00 €




Remove any protective films, dirt, grease, oil etc. between the magnet and the load.

8148

EN 13157 CE

Manual rope winch, aluminium alloy body, complete with operating lever, rope and hook



- Safety factor: 4:1
- Identification plate with serial number and batch number

AVAILABLE CERTIFICATES

- CE Declaration of Conformity
- Test report UNI EN10204 type 2.2
- Manufacturer's Certificate

	WLL t	L m	A mm	ø f mm		€
8148 0,8X20M	0,8	20	426	8,3	081480008	418,00 € 248,00 €
8148 1,6X20M	1,6	20	545	11	081480016	654,00 € 385,00 €
8148 3,2X20M	3,2	20	660	16	081480032	1.076,00 € 644,00 €

8135

EN 13155 CE


Steel plate lifting clamps with articulated lifting eyes

TECHNICAL DATA

- Safety factor: 3
- Serial number identification plate

AVAILABLE CERTIFICATES

- Manufacturer's Certificate
- CE Declaration of Conformity
- Test report UNI EN10204 type 2.2
- Technical product specifications



Do not lift any load weighing less than 10% of the maximum rated capacity.

	max WLL t	A mm	kg		€
8135 0,75T	0,75	0-15	2	081350005	144,00 € 86,00 €
8135 1,0T	1,0	0-20	5	081350010	194,50 € 117,00 €
8135 2,0T	2,0	0-25	8	081350020	289,00 € 173,00 €
8135 3,0T	3,0	0-30	15	081350032	491,00 € 294,00 €
8135 5,0T	5,0	0-50	23	081350050	690,00 € 414,00 €

max WLL (t)	Dimensions mm						
	B	C	D	E	F	G	H
0,75	205	125	10	27	105	35	40
1,0	290	170	12	48	145	45	56
2,0	375	205	17	67	175	56	56
3,0	425	237	20	75	215	60	78
5,0	480	262	20	80	232	65	90

8135H

EN 13155 CE


Horizontal lifting clamps for flat surfaces, max. hardness 30HRC/300HB

TECHNICAL DATA

- Identification plate with serial number and batch number
- Safety factor: 3

AVAILABLE CERTIFICATES

- CE Declaration of Conformity
- Test report UNI EN10204 type 2.2
- Manufacturer's Certificate



Suitable for lifting and transporting plates in horizontal position

	max WLL t	A mm	kg		€
8135H 0,75T	0,75	25	2,5	081350307	137,50 € 74,00 €
8135H 1,5T	1,5	30	4,0	081350315	180,50 € 97,00 €
8135H 3,0T	3,0	45	6,0	081350330	266,00 € 143,00 €

max WLL (t)	Dimensions mm						
	B	C	D	Ø E	F	G	H
0,75	125	50	165	22	6	1x45°	14
1,5	158	65	205	25	6	1x45°	16
3,0	185	70	245	30	6	1x45°	18



THE REVOLUTIONARY IMPACT WRENCH THAT DOES NOT REQUIRE LUBRICATION

NEW!

The impact wrench, 19270LS, fully designed, developed and engineered by Beta Utensili, relies on the OIL-LESS system, a brand-new innovation in the pneumatic tool industry: it allows the impact wrench to operate without having to be periodically lubricated with oil, thus ensuring increased durability and high performance.

The painstakingly studied assembly, micrometer alignment of the interior parts and use of innovative first-rate materials result in a reduced number of failures, for lubrication-free lifetime use.



PATENT PENDING

The OIL-LESS impact wrench stands out for high **TORQUE TRANSMISSION** – that is, 1750 Nm –, which makes it ideal for any application.


19270LS
NEW!

019270010

~~803,00 €~~
439,00 €

2,5 Kg

OIL-LESS reversible impact wrench, body made from aluminium alloy

- No lubrication required
- Double hammer impulse device

Free speed	8.000 rpm
Max. torque	1.750 Nm
Bolt capacity	Cl 8.8 M24 ● 36 mm
Bolt capacity	Cl 12.9 M20 ● 30 mm
Air inlet	1/4" GAS
Operating pressure	6,2 bar
Internal hose size (Ø)	10 mm
Mean air consumption	198 l/min



4 TIMES THE USEFUL LIFE OF A CLASSIC IMPACT WRENCH



Based on these hallmarks, the OIL-LESS impact wrench can boast an excellent cost/benefit ratio, thus translating into savings in the long run.

1927P


019270008

2 kg


~~495,00 €~~
219,00 €

1/2" Reversible impact wrench

- Double hammer impulse device
- Lightweight and well-balanced for enhanced ease of use
- Reversible lever
- Three power adjustable screwing positions
- Exhaust through handle
- Vibration-damping handle



Free speed	rpm	7.500
Impulse device		Double hammer
Max. torque	Nm	1750
Bolt capacity	Cl 8.8	M24●36 mm
Bolt capacity	Cl 12.9	M20●30 mm
Air inlet	GAS	1/4"
Operating pressure	bar	6,2
Internal hose size (Ø)	mm	10
Mean air consumption	l/min	290

1927P/K3

019270118

4 kg

~~647,00 €~~
241,00 €


Reversible impact wrench, supplied with 3 impact sockets, in plastic case


720LC
17-19-21 mm


350x305x86 mm

1927XM


019270030

1,3 kg


~~308,00 €~~
164,00 €

1/2" Compact reversible impact wrench

- Single hammer impulse device
- Amazingly compact and powerful
- One-hand reverse button
- Three power adjustable screwing positions
- Exhaust through handle
- Balancing hook



Free speed	rpm	10.000
Impulse device		Single hammer
Max. torque	Nm	770
Bolt capacity	Cl 8.8	M22●34 mm
Bolt capacity	Cl 12.9	M18●27 mm
Air inlet	GAS	1/4"
Operating pressure	bar	6,2
Internal hose size (Ø)	mm	10
Mean air consumption	l/min	122

1927XM/K5

019270129

2,8 kg

~~380,00 €~~
197,00 €


Assortment of 1 compact reversible impact wrench and 5 impact sockets, in plastic case


720 17-19-
21-22-24 mm


307x206x86 mm



1927E

019270005

2,4 kg

~~154,00 €~~
87,00 €
NEW!
12" Reversible impact wrench, made from composite material


- Double hammer impulse device
- Reverse control knob
- Three power adjustable screwing positions
- Exhaust through handle
- Vibration-damping handle


1927C

019270006


2,4 kg

~~259,00 €~~
142,00 €
NEW!
12" Reversible impact wrench, made from composite material


- Double hammer impulse device
- Lightweight and well-balanced, for enhanced ease of use
- Reverse control lever
- Three power adjustable screwing positions
- Exhaust through handle
- Vibration-damping handle



Free speed	rpm	7.000
Impulse device		Double hammer
Max. torque	Nm	750
Bolt capacity	Cl 8.8	M22●36 mm
Bolt capacity	Cl 12.9	M18●30 mm
Air inlet	GAS	1/4"
Operating pressure	bar	6,2
Internal hose size (Ø)	mm	10
Mean air consumption	l/min	140



Free speed	rpm	9.000
Impulse device		Double hammer
Max. torque	Nm	950
Bolt capacity	Cl 8.8	M22●34 mm
Bolt capacity	Cl 12.9	M18●27 mm
Air inlet	GAS	1/4"
Operating pressure	bar	6,2
Internal hose size (Ø)	mm	10
Mean air consumption	l/min	125


1928XM

019280030

1,3 kg


~~658,00 €~~
373,00 €
3/4" Compact reversible impact wrench

- Double hammer impulse device
- Amazingly compact and powerful
- One-hand reverse button
- Three power adjustable screwing positions
- Exhaust through handle

**1600 Nm**

Free speed	rpm	4.800
Impulse device		Double hammer
Max. torque	Nm	1600
Bolt capacity	Cl 8.8	M27●41 mm
Bolt capacity	Cl 12.9	M24●36 mm
Air inlet	GAS	3/8"
Operating pressure	bar	6,2
Internal hose size (Ø)	mm	10
Mean air consumption	l/min	175


**ULTRA COMPACT
AND POWERFUL**


1928P

019280006

3,7 kg


1.318,00 €
604,00 €

3/4" Reversible impact wrench, made from composite material

- Double hammer impulse device
- Lightweight and well-balanced for enhanced ease of use
- Reversible lever
- Three power adjustable screwing positions
- Exhaust through handle
- Vibration-damping handle

Free speed	rpm	5.000
Impulse device		Double hammer
Max. torque	Nm	2100
Bolt capacity	Cl 8.8	M30●46 mm
Bolt capacity	Cl 12.9	M27●41 mm
Air inlet	GAS	3/8"
Operating pressure	bar	6,2
Internal hose size (Ø)	mm	10
Mean air consumption	l/min	221



2100 Nm
ULTRA
COMPACT
AND POWERFUL

1930PA

019300032

9,6 kg


1.428,00 €
769,00 €

1" Reversible impact wrench

- Double hammer impulse device
- Auxiliary handle
- Reversible lever
- Three power adjustable screwing/unscrewing positions
- Exhaust through handle

Free speed	rpm	3.500
Impulse device		Double hammer
Max. torque	Nm	2445
Bolt capacity	Cl 8.8	M36●55mm
Bolt capacity	Cl 12.9	M30●46mm
Air inlet	GAS	1/2"
Operating pressure	bar	6,2
Internal hose size (Ø)	mm	13
Mean air consumption	l/min	350



1922P3

019220013

1,5 kg


481,00 €
274,00 €

1/2" Reversible air impact ratchets

- Double rocking dog" impulse device
- Easy tightening: The impact mechanism system eliminates wrist twisting at end of screwing and shortens operating time
- Compact and powerful: maximum torque is significantly higher than maximum torque as achieved with a conventional ratchet
- Ergonomic rubber handle



136 Nm
HIGH TORQUE
WITHOUT
AFFECTING WRIST

Free speed	rpm	600
Maximum torque	Nm	136
Bolt capacity	Cl 8.8	M12●18 mm
Bolt capacity	Cl 12.9	M10●16 mm
Air inlet	GAS	1/4"
Operating pressure	bar	6,2
Internal hose size (Ø)	mm	10
Mean air consumption	l/min	113

720ME/C8

007200525

~~170,00 €~~
98,00 €

12"



Set of 8 impact socket drivers for hexagon screws, in metal case



○ 5-6-8-10-12-14-17-19 mm



270x120x45 mm

720LC/C3

007200653

~~44,00 €~~
26,00 €

12"



Set of 3 impact sockets for wheel nuts, with polymeric inserts

○ 17-19-21 mm



148x132x44 mm

720/C12

007200912

~~217,50 €~~
120,00 €

12"



Set of 12 impact sockets

○ 10-11-12-13-14-17-19-22-24-27-30-32 mm



195x80x55 mm

1933IH

019330006

800 g

~~246,50 €~~
142,00 €


High-power die grinder

- Collect chuck, Ø 3 mm and 6 mm



Free speed	rpm	20.000
Chuck capacity	mm	3-6
Power	kW	0,75
Air inlet	GAS	1/4"
Operating pressure	bar	6,2
Internal hose size (Ø)	mm	10
Mean air consumption	l/min	370

1933


019330001

380 g

~~161,50 €~~
91,00 €


Die grinder

- Collect chuck, Ø 3 mm and 6 mm



Free speed	rpm	25.000
Chuck capacity	mm	3-6
Power	kW	0,20
Air inlet	GAS	1/4"
Operating pressure	bar	6,2
Internal hose size (Ø)	mm	10
Mean air consumption	l/min	230

1942A


019420000

550 g


~~372,00 €~~
211,00 €

Air saw

- Powerful and handy
- Designed for cutting bodies, exhaust pipes and silencers, aluminium and plastic
- Complete with rubber handle, PVC exhaust pipe and air-feeding hose
- Rear exhaust



Strokes per minute		10.000
Stroke length	mm	10
Air inlet	GAS	1/4"
Operating pressure	bar	6,2
Internal hose size (Ø)	mm	8
Mean air consumption	l/min	75

1936/5A

019360025

1,9 kg



~~501,00 €~~
283,00 €

Angle grinder

- Extremely compact and handy
- Air governor for automatically controlling top speed
- Right-hand/left-hand auxiliary handle
- Spindle lock button
- Accessory for quickly changing discs
- Safety cap can be quickly adjusted in nine different positions through quick release
- Rear exhaust


Ø 125 mm

Free speed	rpm	10.000
Grinding disc size	mm	125
Power	Cl 8.8	0,66
Spindle thread	Cl 12.9	14
Air inlet	GAS	1/4"
Operating pressure	bar	6,2
Internal hose size (Ø)	mm	10
Mean air consumption	l/min	390


1946

019460001



~~226,50 €~~
131,00 €

Air riveter

- Supplied with interchangeable nozzles, 2.4 - 3.2 - 4.0 - 4.8 mm long, a safety nail container and a balancing hook

Material/Riveter	2,4	3,2	4	4,8
Copper	✓	✓	✓	✓
Aluminium	✓	✓	✓	✓
Steel	✓	✓	✓	✓
Stainless steel	✓	✓	✓	✓

Traction power	8.000 N
Stroke length	14 mm
Maximum rivet capacity	Ø stainless steel 4,8 mm
Air inlet	1/4" GAS
Operating pressure	6,2 bar
Internal hose size (Ø)	6 mm
Air consumption	1,2 l/cycle


1946C 7,8

019460008



~~1.113,00 €~~
549,00 €

Automatic air suction riveter

- Professional air riveter for use with 2.4 - 3.2 - 4.0 - 4.8 mm long steel, stainless steel, aluminium and copper rivets
- Pointed cone-shaped spout
- Powerful and handy, with handle made of composite material
- Complete with safety nail container and oil gun

Material/Riveter	2,4	3,2	4	4,8
Copper	✓	✓	✓	✓
Aluminium	✓	✓	✓	✓
Steel	✓	✓	✓	✓
Stainless steel	✓	✓	✓	✓

Traction power	16.900 N
Stroke length	22,5 mm
Maximum rivet capacity	Ø stainless steel 7,8 mm
Air inlet	1/4" GAS
Operating pressure	6,2 bar
Internal hose size (Ø)	10 mm
Air consumption	4,9 l/cycle


1949XS

019490025



~~7,85 €~~
4,50 €

Progressive blow pen

- Made from light alloy
- Air flow can be adjusted by rotating head



Threaded brass insert	1/4"
Operating pressure	3-8 bar
Maximum operating pressure	10 bar
Operating temperature	-20°C ÷ 70°C





**SAFETY FOOTWEAR AND WORKWEAR
SPRING/SUMMER COLLECTION**



**20
25**

EU	35	36	37	38	39	40	41	42	43	44	45	46	47	47
UK	2,5	3,5	4,5	5	6	6,5	7	8	9	10	10,5	11	12	13

RENEGADE

NEW!

THE NEW SAFETY FOOTWEAR RANGE

Renegade, has been designed to provide uncompromising safety and style.

The range, which comprises 6 models in unique colours and materials, perfectly suits those interested in standing out in any working environment.

Renegade relies on a design inspired by latest generation sports shoes, superior cushioning and remarkable support to provide comfort all day long.

INNOVATIVE DESIGN

HIGHLY BREATHABLE

EVA OUTSOLE WITH DURABLE NITRILE RUBBER TREAD WIDE FIT

THE WIDE BODY

The wide body – 11 – ensures smooth, comfortable walks, without compressing the foot.

QUICK LACING SYSTEM

Model 7340VA is Beta's first shoe fitted with a quick lacing system.

BASED ON A BOLD, UNCONVENTIONAL STYLE,
Renegade is an ideal pick for modern professionals.



METAL FREE
composite fibre penetration-proof insole



7340VA

~~188,00 €~~
107,00 €

RENEGADE mesh fabric shoe, highly breathable, with ATOP lacing

S1PS FO SR HRO

Sizes available: from 37 to 48

from 073400537 to 073400548

RENEGADE



NEW!

7340G

~~153,00 €~~
87,00 €

RENEGADE mesh fabric shoe, highly breathable,
with traditional lacing



S1PS FO SR HRO

Sizes available: from 37 to 48
 from 073400**637** to 073400**648**

7341V

~~160,50 €~~
89,50 €

RENEGADE woven fabric,
hard-wearing and breathable, green details



S1PS FO SR HRO

Sizes available: from 37 to 48
 from 073410**537** to 073410**548**

7341Y

~~160,50 €~~
89,50 €

RENEGADE woven fabric shoe, hard-wearing
and breathable, yellow details



S1PS FO SR HRO

Sizes available: from 37 to 48
 from 073410**637** to 073410**648**

7342N

~~170,50 €~~
97,00 €

RENEGADE microfibre shoe, water-repellent



S3S FO SR HRO

Sizes available: from 37 to 48
 from 073420**537** to 073420**548**

7343N

~~186,00 €~~
105,00 €

RENEGADE microfibre ankle shoe,
water-repellent



S3S FO SR HRO

Sizes available: from 37 to 48
 from 073430**537** to 073430**548**

FitEvolution

Seven uniquely designed models, available in several colours and materials, ranging from mesh to microfibre, to satisfy the most demanding users' requirements.

THE PATENTED SYSTEM BETA FIT4YOU

After several years of painstaking studying and designing, we developed the patented system, **FIT 4 YOU**. This state-of-the-art penetration-proof insole pressing process allows three different **ETPU** inserts – each with different densities – to be combined, to provide three levels of comfort, thus satisfying every user's requirements.



ETPU Inserts

ETPU is the core of the FIT 4 YOU system, ensuring a cushioning effect and energy return. Based on three provided inserts varying in density and colour, it allows both softness and support to be customized in the shoe, according to weight, height and personal requirements. This groundbreaking technology ensures optimal comfort while moving as well as during static breaks, thereby resulting in reduced joint stress and fatigue



The patented system, **FIT 4 YOU**, is based on **3 provided ETPU** inserts, varying in density and colour, to allow the user to customize the shoe according to weight, height and personal usage requirements.



- Composite toe cap
- Composite fibre penetration-proof insole
- 3 ETPU inserts, with 3 different densities, for a customized shoe
- Heel stability support and traditional lacing.
- Dual-density polyurethane outsole

7272V

163,00 €
92,00 €

FitEvolution woven fabric shoe,
hard-wearing and highly breathable

S1 PS FO SR ESD


Sizes available: from **37** to **48**
from 072720**137** to 072720**148**

7270Y
~~163,00 €~~
92,00 €
Fit**Evolution** mesh fabric shoe, highly breathable**S1 PS FO SR ESD**
 Sizes available: from 37 to 48
 from 072700**137** to 072700**148**
7271V
~~163,00 €~~
92,00 €
Fit**Evolution** suede shoe, perforated**S1 PS FO SR ESD**
 Sizes available: from 37 to 48
 from 072710**137** to 072710**148**
7273G
~~167,00 €~~
95,00 €
Fit**Evolution** nubuck shoe, water-repellent**S3 S FO SR ESD**
 Sizes available: from 37 to 48
 from 072730**137** to 072730**148**
7274G
~~172,50 €~~
98,00 €
Fit**Evolution** nubuck ankle shoe, water-repellent**S3 S FO SR ESD**
 Sizes available: from 37 to 48
 from 072740**237** to 072740**248**
7275N
~~167,00 €~~
95,00 €
Fit**Evolution** microfibre shoe, water-repellent**S3 S FO SR ESD**
 Sizes available: from 37 to 48
 from 072750**237** to 072750**248**
7276N
~~172,50 €~~
98,00 €
Fit**Evolution** microfibre ankle shoe, water-repellent**S3 S FO SR ESD**
 Sizes available: from 37 to 48
 from 072760**237** to 072760**248**

O-Gravity
METAL

FREE
EN ISO
20345
2011

- EVA outsole with durable nitrile rubber tread
- Heel stability support
- Composite fibre penetration-proof insole

EXTREMELY LIGHT

APPROXIMATE WEIGHT FOR SIZE 42

LESS THAN 500 g
7352B

450 g

~~145,00 €~~
82,00 €
O-Gravity mesh fabric shoe, highly breathable, with TPU inserts

- Composite toe cap
- Stretch slip-on collar


S1P HRO SRC

Sizes available: from 38 to 48
 from 073520**138** to 073520**148**
7352G

450 g

~~150,00 €~~
85,00 €
O-Gravity ultralightweight mesh fabric shoe, highly breathable

- Composite toe cap
- Traditional lacing
- Wide fit


S1P HRO SRC ESD

Sizes available: from 38 to 48
 from 073520**338** to 073520**348**

7354N

460 g

~~149,50 €~~
85,00 €
O-Gravity lightweight mesh fabric shoe, waterproof

- Composite toe cap
- Stretch slip-on collar


S3 HRO SRC

Sizes available: from 38 to 48
 from 073540**038** to 073540**048**
7356G

460 g

~~154,50 €~~
87,00 €
O-Gravity shoe, ultralightweight, made of water-repellent microfibre

- Composite toe cap
- Stretch slip-on collar


S3 HRO SRC

Sizes available: from 38 to 48
 from 073560**038** to 073560**048**
7372B

450 g

~~153,50 €~~
86,00 €
O-Gravity woven fabric shoe, ultralightweight, hard-wearing and ultrabreathable

- Composite toe cap
- Stretch slip-on collar


S1P HRO SRC

Sizes available: from 38 to 48
 from 073720**038** to 073720**048**

ACTIVE



- Composite toe cap
- Composite fibre penetration-proof insole

7316NB
~~97,00 €~~
54,50 €

Mesh and suede shoe, highly breathable,
with heel stability support


S1P SRC ESD


Sizes available: from 35 to 48
from 073160 **735** to 073160**748**

7316NG
~~97,00 €~~
54,50 €

Mesh and suede shoe, highly breathable,
with heel stability support


S1P SRC ESD


Sizes available: from 35 to 48
from 073160 **635** to 073160**648**

7320NA
~~87,50 €~~
49,00 €

Nubuck shoe, water-repellent,
with anti-abrasion reinforcement in toe cap area


S3 SRC

Sizes available: from 35 to 48
from 073200 **535** to 073200**548**

7321NA
~~90,00 €~~
52,00 €

Nubuck shoe, water-repellent, with quick opening system
and antiabrasion reinforcement in toe cap area



**QUICK
OPENING
SYSTEM**

S3 SRC RS

Sizes available: from 35 to 48
from 073210 **535** to 073210**548**

7322SA
~~94,50 €~~
54,00 €

Fabric shoe, highly resistant to abrasion


S3 SRC

Sizes available: from 35 to 48
from 073220 **435** to 073220**448**

7317NA
~~83,00 €~~
48,00 €

Suede shoe, perforated,
with microfibre reinforcement in heel area


S1P SRC

Sizes available: from 35 to 48
from 073170 **135** to 073170**148**

FLEX



- Composite toe cap
- Composite fibre penetration-proof insole

THE MOST FLEXIBLE

7212B

490 g

~~81,50 €~~
43,00 €

Suede shoe, perforated, with mesh inserts.
Anti-abrasion insert in toe cap area


S1P SRC ESD


Sizes available: from 35 to 48
from 072120235 to 072120248

7212G

490 g

~~81,50 €~~
43,00 €

Suede shoe, perforated.
With anti-abrasion insert in toe cap area.


S1P SRC ESD


Sizes available: from 35 to 48
from 072120335 to 072120348

7213G

490 g

~~81,50 €~~
43,00 €

Suede shoe, perforated,
with highly breathable mesh inserts


S1P SRC ESD


Sizes available: from 35 to 48
from 072130135 to 072130148

7214G

500 g

~~88,00 €~~
47,00 €

Action nubuck shoe, water-repellent,
with anti-abrasion insert in toe cap area


S3 SRC ESD


Sizes available: from 35 to 48
from 072140235 to 072140248

7218G

550 g

~~92,00 €~~
49,00 €

Water-repellent action
nubuck ankle shoe


S3 SRC RS ESD


**QUICK
OPENING
SYSTEM**

Sizes available: from 35 to 48
from 072180135 to 072180148

BASICEN ISO
20345
2022**NEW!**

- Steel toe cap
- Steel penetration-proof insole

7241NC
~~50,00 €~~
28,00 €

Leather safety shoe, water-repellent

**S3 FO SR**
 Sizes available: from 35 to 48
 from 072411**635** to 072411**648**
NEW LOOK!**7243NC**
~~51,50 €~~
30,00 €

Leather ankle shoe, water-repellent, with quick opening system

**S3 FO SR RS**
 Sizes available: from 35 to 48
 from 072431**635** to 072431**648**
7246NB
~~48,50 €~~
27,00 €

Suede shoe, perforated

**S1P FO SR**
 Sizes available: from 35 to 48
 from 072461**635** to 072461**648**
7248NB
~~51,50 €~~
29,00 €

Suede ankle shoe

**S1P FO SR RS**
 Sizes available: from 35 to 48
 from 072481**635** to 072481**648**
**QUICK
OPENING
SYSTEM****7245NB**
~~56,00 €~~
32,00 €

Leather ankle shoe, water-repellent, with quick opening system and front protection with strap closure

**S3 FO SR RS**
 Sizes available: from 35 to 48
 from 072451**635** to 072451**648**
**QUICK OPENING
SYSTEM**

7982N

079820000

~~10,90 €~~
6,50 €
Curved visor

Cap, 100% polyester, strap closureblack


7643G
NEW!
~~53,50 €~~
29,80 €
Sweatshirt

- Short-zipped, 80% cotton, 20% polyester, 280 g/m², anthracite/light grey



	XS	S	M	L	XL	2XL	3XL
	076430000	076430001	076430002	076430003	076430004	076430005	076430006

7820SG
NEW!
~~68,00 €~~
39,00 €
Stretch work trousers, multipocket style

- 39% cotton, 61% polyester,
- Mechanical stretch ripstop fabric, 170 g/m²
- GreyKnee
- Pad pockets and stretch waistband on sides
- Regular fit


STRETCH

	XS 46	S 48	M 50	L 52	XL 54	2XL 56	3XL 58
	078200100	078200101	078200102	078200103	078200104	078200105	078200106

7821SG
NEW!
~~53,50 €~~
29,80 €
Stretch work Bermuda shorts, multipocket style

- 39% cotton, 61% polyester,
- Mechanical stretch ripstop fabric, 170 g/m²
- GreyKnee
- Pad pockets and stretch waistband on sides
- Regular fit


STRETCH

	XS 46	S 48	M 50	L 52	XL 54	2XL 56	3XL 58
	078210100	078210101	078210102	078210103	078210104	078210105	078210106

7340VA **NEW!**

Renegade 80

7669N

~~116,50 €~~
54,50 €

Stretch work jacket, lightweight, multipocket style

- 86% nylon, 14% spandex, 140 gm², black
- With detachable sleeves and retractable hood.
- Water-resistant, wind-stopping



	XS	S	M	L	XL	2XL	3XL
	076690000	076690001	076690002	076690003	076690004	076690005	076690006

7664N

~~58,00 €~~
31,00 €

Sweatshirt, long-zipped

- 280 g/m², black
- 60% cotton, 40% polyester

TOP line



	XS	S	M	L	XL	2XL	3XL
	076640000	076640001	076640002	076640003	076640004	076640005	076640006

7660

~~88,50 €~~
48,00 €

Stretch work trousers, lightweight, multipocket style

- 86% nylon - 14% spandex, 140 g/m², anthracite grey
- Knee pad pockets, rear pockets reinforced in polyester 300D, tearproof crotch
- Slim fit



SLIM FIT

	XS 46	S 48	M 50	L 52	XL 54	2XL 56	3XL 58
7660G	076600000	076600001	076600002	076600003	076600004	076600005	076600006
7660B	076600100	076600101	076600102	076600103	076600104	076600105	076600106

7661

~~77,00 €~~
42,00 €

Stretch work Bermuda shorts, lightweight, multipocket style

- 86% nylon - 14% spandex, 140 g/m², anthracite grey



SLIM FIT



	XS 46	S 48	M 50	L 52	XL 54	2XL 56	3XL 58
7661G	076610000	076610001	076610002	076610003	076610004	076610005	076610006
7661B	076610100	076610101	076610102	076610103	076610104	076610105	076610106

7275N

FitEvolution 83



7552

~~20,40 €~~
11,00 €

NEW!

Technical polo shirt,
Ho-Cooling® 190 g/m²
three-button



7552BL

Blue



7552G

Melange grey



7552N

Black

100% COTTON

		XS	S	M	L	XL	2XL	3XL
7552BL		075520300	075520301	075520302	075520303	075520304	075520305	075520306
7552G		075520400	075520401	075520402	075520403	075520404	075520405	075520406
7552N		075520500	075520501	075520502	075520503	075520504	075520505	075520506

7553

~~13,80 €~~
7,50 €

NEW!

Work t-shirt made from jersey cotton, 150 g/m²



7553G

Melange
grey


7553V

Sage green



7553BL

Blue



7553N

Black

100% COTTON

		XS	S	M	L	XL	2XL	3XL
7553BL		075530300	075530301	075530302	075530303	075530304	075530305	075530306
7553G		075530400	075530401	075530402	075530403	075530404	075530405	075530406
7553N		075530500	075530501	075530502	075530503	075530504	075530505	075530506
7553V		075530600	075530601	075530602	075530603	075530604	075530605	075530606

7548M

~~27,50 €~~
15,80 €

Modern print t-shirt, 100% cotton,
150 g/m²



	XS	S	M	L	XL	2XL	3XL
	075480400	075480401	075480402	075480403	075480404	075480405	075480406

7548C

~~27,50 €~~
15,80 €

Classic print t-shirt, 100% cotton,
150 g/m²



	XS	S	M	L	XL	2XL	3XL
	075480500	075480501	075480502	075480503	075480504	075480505	075480506



7212B
Flex  86

7550

~~44,50 €~~
25,00 €

Technical work t-shirt, made from polyester, 120 g/m²,
with 37.5® technology

- Grey with black, orange and reflex details



	XS	S	M	L	XL	2XL	3XL
7550G	075500400	075500401	075500402	075500403	075500404	075500405	075500406
7550N	075500500	075500501	075500502	075500503	075500504	075500505	075500506

PATENTED 37.5®
HYPOALLERGENIC, SKIN-FRIENDLY TECHNOLOGY.



7867

~~54,00 €~~
29,00 €

Sleeveless work jacket,
lightweight, in T/C twill, 180 g/m²

- 65% polyester, 35% cotton, 180 g/m² **Beta EASY**

LIGHT



	XS	S	M	L	XL	2XL	3XL	4XL	5XL
7867B	078670700	078670701	078670702	078670703	078670704	078670705	078670706	078670707	078670708
7867G	078670800	078670801	078670802	078670803	078670804	078670805	078670806	078670807	078670808

7553N

NEW!

Work t-shirt work, made from jersey cotton, 150 g/m² 90

7860

~~58,50 €~~
32,00 €

Work trousers in T/C twill, 180 g/m² **Beta EASY**

LIGHT

- T/C twill, 65% polyester, 35% cotton; 180 g/m²
- T/C ripstop insets and knee pads
- Strap "Oxford" snap loop



7861

~~48,50 €~~
27,00 €


Work bermuda shorts, lightweight

- Made from T/C twill, 180 g/m², with Oxford inserts

Beta EASY LIGHT


	XS 46	S 48	M 50	L 52	XL 54	2XL 56	3XL 58	4XL 60	5XL 62
7860B	078600700	078600701	078600702	078600703	078600704	078600705	078600706	078600707	078600708
7860G	078600800	078600801	078600802	078600803	078600804	078600805	078600806	078600807	078600808
7861B	078610700	078610701	078610702	078610703	078610704	078610705	078610706	078610707	078610708
7861G	078610800	078610801	078610802	078610803	078610804	078610805	078610806	078610807	078610808

7865

~~93,00 €~~
52,00 €


Work overalls, lightweight

- 65% polyester, 35% cotton
- Oxford inserts

Beta EASY LIGHT


	XS 46	S 48	M 50	L 52	XL 54	2XL 56	3XL 58	4XL 60	5XL 62
7865B	078650700	078650701	078650702	078650703	078650704	078650705	078650706	078650707	078650708
7865G	078650800	078650801	078650802	078650803	078650804	078650805	078650806	078650807	078650808

7246NB NEW!

Basic 87

7642G

~~35,00 €~~
20,00 €

Crew-neck sweatshirt

- 60% cotton, 40% polyester, 240 g/m²



	XS	S	M	L	XL	2XL	3XL
	076420000	076420001	076420002	076420003	076420004	076420005	076420006

7984G

079840525

~~18,90 €~~
11,00 €

**Work belt, 100% TPE,
with chrome-plated zinc metal buckle**

One size fits all; length: 125 cm,
can be shortened; width: 35 mm, black



7610

~~79,00 €~~
45,00 €



“Work trekking” trousers, LIGHT

- 90% nylon, 10% stretch fabric, 140 g/m²
- Reinforced fabric on knees and back, stretch leg bottoms and drawstring
- Dark grey with yellow details
- Slim fit

SLIM FIT



**TREKKING
LIGHT**

	XS 46	S 48	M 50	L 52	XL 54	2XL 56	3XL 58
7610G	076100000	076100001	076100002	076100003	076100004	076100005	076100006
7610N	076100100	076100101	076100102	076100103	076100104	076100105	076100106

7611G

~~60,50 €~~
35,00 €



“Work trekking” Bermuda shorts, LIGHT

- 90% nylon, 10% stretch fabric, 140 g/m²
- Reinforced fabric on back.
- Dark grey with yellow details



**TREKKING
LIGHT**

SLIM FIT

	XS 46	S 48	M 50	L 52	XL 54	2XL 56	3XL 58
	076110000	076110001	076110002	076110003	076110004	076110005	076110006



7270Y

FitEvolution  83


7937MG
~~61,00 €~~
33,00 €

Sleeveless work jacket

- Front zip closure, flap-covered with strap closure
- Anti-abrasion inserts made from "Oxford" polyester/PU, 220 g/m²
- Chest pockets with strap closure and pen pocket
- Large waist pockets with strap closure
- Adjustable waistband with strap


Cotton

	XS	S	M	L	XL	2XL	3XL
	079370400	079370401	079370402	079370403	079370404	079370405	079370406


7553N
NEW!
Work t-shirt work, made from jersey cotton,
 150 g/m²

90

7930MG
~~65,50 €~~
36,00 €

Work trousers, multipocket style

- 97% cotton, 3% stretch fabric, 220 g/m²
- Stretch waistband

Cotton

	XS 46	S 48	M 50	L 52	XL 54	2XL 56	3XL 58
	079300400	079300401	079300402	079300403	079300404	079300405	079300406


7931MG
~~53,00 €~~
29,00 €

Work bermuda shorts

- 97% cotton, 3% stretch fabric, 220 g/m²
- Stretch waistband


Cotton

	XS 46	S 48	M 50	L 52	XL 54	2XL 56	3XL 58
	079310400	079310401	079310402	079310403	079310404	079310405	079310406


7935MG
~~115,00 €~~
65,00 €

Work overalls

- 97% cotton, 3% stretch fabric, 220 g/m²
- Front closure with double tap zipper slider
- Collar with strap closure
- Cuffs with strap adjusters
- Knee pad inserts with strap closure


Cotton

	XS 46	S 48	M 50	L 52	XL 54	2XL 56	3XL 58
	079350400	079350401	079350402	079350403	079350404	079350405	079350406


7340G
NEW!
Renegade

81

7830SN

~~70,50 €~~
38,00 €



Stretch work trousers

- in T/C twill, 200 g/m², black

SLIM FIT



	XS 46	S 48	M 50	L 52	XL 54	2XL 56	3XL 58
	078300100	078300101	078300102	078300103	078300104	078300105	078300106

7850G

~~51,00 €~~
28,00 €



Cargo work trousers

- 100% cotton, 240 g/m²
- Stretch waistband on sides and large side pockets with reflex inserts
- Grey with fluorescent green details

SLIM FIT



	XS 46	S 48	M 50	L 52	XL 54	2XL 56	3XL 58	4XL 60
	078500100	078500101	078500102	078500103	078500104	078500105	078500106	078500107

7527

~~60,50 €~~
33,00 €

Work jeans

- 70% cotton, 27% polyester and 3% stretch fabric



Jeans

	XS	S	M	L	XL	2XL	3XL
	075270046	075270048	075270050	075270052	075270054	075270056	075270058



7529

~~53,00 €~~
28,00 €

Stretch work jeans bermuda shorts

- 98% cotton, 2% stretch fabric



Jeans

	XS	S	M	L	XL	2XL	3XL
	075290046	075290048	075290050	075290052	075290054	075290056	075290058



7317NA
Active  85



9563G

095630050

~~286,00 €~~
143,00 €
Office armchairs, for guests

- Back height: 60 cm
- Seat dimensions: 45 cm x 51 cm
- Overall chair height: 110-120 cm
- Base: 28 cm (leg length)
x 50-60 cm (height)


9563U

095630020

~~594,00 €~~
274,00 €
Office armchair, ergonomic

- Back height: 97 cm
- Seat dimensions: 50 cm x 53 cm
- Overall chair height: 133-144 cm
- Base: 35 cm (leg length)
x 49 cm (height)


9592MG/3

095920103

~~27,50 €~~
15,00 €
NEW!
Case with three black full graphite pencils

9527T
NEW!

095270030

~~22,00 €~~
12,00 €
Black ceramic cup with lasered BETA logo

9523T

095230050

~~24,00 €~~
14,00 €
Thermal bottle, made of stainless steel, 500 ml, double-layer technology, no air between walls, leak-proof cap, orange

- keeps cold drinks cold for 24 hours
- keeps hot drinks hot for 12 hours


9528C
NEW!

095280100

~~32,50 €~~
17,00 €
Football, PU-coated, size 5

- circumference: 68-70 cm
- panels: 12
- weight: 410-430 g
- recommended pressure: 6-8 lbs/ 0.41-0.55 bar/ 6-8 psi


9544C

095440101

~~169,00 €~~
87,00 €
Cabin-size trolley with 4 double wheels, TSA lock, USB port + 3.5-mm jack

40x20x55 mm


9525TR

095250011

~~27,50 €~~
13,00 €
Trucker cap with curved visor

- 50% cotton, 50% polyester, rear mesh, snapback style, black


9574
~~43,50 €~~
21,00 €

Work gloves


		M	L	XL	2XL
9574B		095740102	095740103	095740104	095740105
95740		095740202	095740203	095740204	095740205

Beta RSC55



**MODULAR
SYSTEM**



**Configure
your workshop
in 3D online**





2024 MOT2
WORLD CHAMPIONSHIP

ALONSO LÓPEZ

FERMÍN ALDEGUER



Beta Tools (UK) Limited | Unit D - Horton Enterprise Park
Hortonwood 50, Telford | Shropshire, TF1 7GZ
Sales: Tel. (01952) 677977

www.beta-tools.co.uk | sales@beta-tools.com