

2025



**PROMOTION VALID FROM  
03/03/2025 TO 29/08/2025**

All Prices Exclude VAT

# INDEX

**BITS**



**3**

**SOCKETS  
IN CASES**



**3-9**

**TOOL CASES, TOOL BOXES  
AND TROLLEYS**



**10-17**

**CONTAINERS  
WITH ASSORTMENT**



**18-29**

**ASSORTMENT  
C45PRO**



**30**

**Beta Worker is the tool line designed to cater to professionals' requirements, providing essential, functional solutions, based on an excellent quality/price ratio.**



008606992



## BW 860EA/31

Set of 30 bits with magnetic bit holder, in plastic case

X  
31

|  |          |               |                                                |
|--|----------|---------------|------------------------------------------------|
|  | BW 861LP | ●             | 0,5x3-0,6x4,5-0,8x5,5-1,0x5,5-1,2x6,5-1,6x8 mm |
|  | BW 861PH | ⊕             | PH1-PH2-PH3                                    |
|  | BW 861PZ | ⊕             | PZ1-PZ-PZ3                                     |
|  | BW 861PE | ○             | 2-3-4-5-6-8 mm                                 |
|  | BW 861TX | ⊗             | T8-T9-T10-T15-T20-T25-T27-T30-T40              |
|  | BW 861PQ | ○             | 1-2-3 mm                                       |
|  | BW 882M1 | ○ 1/4 - ● 1/4 |                                                |

£ 17.00



012566122



## BW 1256/C21-1

Set of 21 bits with magnetic bit holder, in plastic case

X  
22

|  |            |      |                            |
|--|------------|------|----------------------------|
|  | BW 1256LP  | ●    | 1,5-2-2,5 mm               |
|  | BW 1256PH  | ⊕    | PH0-PH1                    |
|  | BW 1256PZ  | ⊕    | PZ0-PZ1                    |
|  | BW 1256PE  | ○    | 0,7-0,9-1,3-1,5-2-2,5-3 mm |
|  | BW 1256TX  | ⊗    | T4-T5-T6-T7                |
|  | BW 1256RTX | ⊗    | T8-T10-T15                 |
|  |            | 4 mm | 99 mm                      |

£ 15.00



009036042

1/4"

## BW 903E/C42

Assortment of 13 hexagon sockets, 18 bits, 4 offset hexagon key wrenches and 7 accessories, in plastic case

X  
42

|  |            |               |                                       |
|--|------------|---------------|---------------------------------------|
|  | BW 900     | ○             | 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm |
|  | BW 900E/55 | ⊗             | 126 mm                                |
|  | BW 900/25  |               |                                       |
|  | BW 900/20  |               | 50 mm                                 |
|  | BW 900/20L |               | 100 mm                                |
|  | BW 900/42  |               | 115 mm                                |
|  | BW 900/30  |               | 150 mm                                |
|  | BW 96      | ○             | 1,3-1,5-2-2,5 mm                      |
|  | BW 895/1   | □ 1/4 - ◇ 1/4 |                                       |
|  | BW 861LP   | ●             | 0,6x4-0,8x5,5-1,2x6,5 mm              |
|  | BW 861PH   | ⊕             | PH1-PH2-PH3                           |
|  | BW 861PZ   | ⊕             | PZ1-PZ2-PZ3                           |
|  | BW 861PE   | ○             | 3-4-5-6 mm                            |
|  | BW 861TX   | ⊗             | T10-T15-T20-T25-T30                   |

£ 39.00



190x160x60 mm

009136033

**3/8"**

## BW 913E/C33

Assortment of 28 hexagon sockets  
and 5 accessories, in plastic case

**£ 55.00**

**X  
33**

|                                                                                     |            |                 |                                                      |
|-------------------------------------------------------------------------------------|------------|-----------------|------------------------------------------------------|
|    | BW 910A    | ○               | 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24 mm |
|    | BW 910AL   | ○               | 8-9-10-12-13-14-17-19 mm                             |
|    | BW 956C    | ○               | 16 mm (5/8")<br>21 mm (13/16")                       |
|    | BW 910E/55 | ⊗               | 200 mm                                               |
|    | BW 910/25  |                 |                                                      |
|    | BW 910/20  |                 | 75 mm                                                |
|     | BW 910/22  |                 | 150 mm                                               |
|  | BW 920/15F | □ 1/2" - ■ 3/8" |                                                      |

285x210x84 mm



009236025

**1/2"**

## BW 923E/C25

Assortment of 20 hexagon sockets  
and 5 accessories, in plastic case

**£ 67.00**

**X  
25**

|                                                                                     |            |                 |                                                              |
|-------------------------------------------------------------------------------------|------------|-----------------|--------------------------------------------------------------|
|  | BW 920A    | ○               | 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm |
|  | BW 920E/55 | ⊗               | 264 mm                                                       |
|  | BW 920/25  |                 |                                                              |
|  | BW 920/21  |                 | 125 mm                                                       |
|   | BW 920/22  |                 | 250 mm                                                       |
|  | BW 910/16F | □ 3/8" - ■ 1/2" |                                                              |

285x210x84 mm





009236017

1/2"



## BW 923E-FTX/C17

Assortment of 17 hand sockets  
for Torx® head screws, in plastic case

£ 37.00

|                                                                                   |           |   |                                     |
|-----------------------------------------------------------------------------------|-----------|---|-------------------------------------|
|  | BW 920FTX | ⊙ | E10-E12-E14-E16-E18-E20-E22-E24     |
|  | BW 920TX  | ⊙ | T20-T25-T27-T30-T40-T45-T50-T55-T60 |

285x210x84 mm

X  
17



009236028

1/2"



## BW 923E-PE/C18

Assortment of 18 sockets drivers  
for hexagon screws, in plastic case

£ 59.00

|                                                                                            |             |   |                                |
|--------------------------------------------------------------------------------------------|-------------|---|--------------------------------|
|  55 mm  | BW 920PE    | ⊙ | 4-5-6-7-8-10-12<br>14-17-19 mm |
|  100 mm | BW 920PE-L  | ⊙ | 4-5-6-7-8 mm                   |
|  140 mm  | BW 920PE-XL | ⊙ | 10-12-14 mm                    |

285x210x84 mm

X  
18



009236018

1/2"



## BW 923E-TX/C18

Assortment of 18 sockets drivers  
for Torx® head screws, in plastic case

£ 53.00

|                                                                                            |             |   |                                         |
|--------------------------------------------------------------------------------------------|-------------|---|-----------------------------------------|
|  55 mm  | BW 920TX    | ⊙ | T20-T25-T27-T30-T40-T45-T50-T55-T60-T70 |
|  100 mm | BW 920TX-L  | ⊙ | T20-T25-T27-T30-T40                     |
|  140 mm  | BW 920TX-XL | ⊙ | T45-T50-T55                             |

285x210x84 mm

X  
18



009286017

**3/4"**

## BW 928E/C17

Assortment of 12 hexagon sockets and 5 accessories, in plastic case

**£ 186.00**
**X  
17**

|                                                                                   |                  |   |                                           |
|-----------------------------------------------------------------------------------|------------------|---|-------------------------------------------|
|  | <b>BW 928A</b>   | ○ | 22-24-27-30-32-34-36<br>38-41-46-50-55 mm |
|  | <b>BW 928/55</b> | ⊗ | 500 mm                                    |
|  | <b>BW 928/25</b> |   |                                           |
|  | <b>BW 928/21</b> |   | 100 mm                                    |
|  | <b>BW 928/22</b> |   | 200 mm                                    |
|  | <b>BW 928/42</b> |   | 455 mm                                    |

555x370x92 mm



009036098

**1/4" 1/2"**

## BW 903E/C98

Assortment of 45 hexagon sockets, 35 bits, 4 offset hexagon key wrenches and 14 accessories, in plastic case

**£ 111.00**
**X  
98**
**1/4"**

|                                                                                     |                   |   |                                       |
|-------------------------------------------------------------------------------------|-------------------|---|---------------------------------------|
|  | <b>BW 900</b>     | ○ | 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm |
|  | <b>BW 900L</b>    | ○ | 6-7-8-9-10-11-12-13 mm                |
|  | <b>BW 900E/55</b> | ⊗ | 126 mm                                |
|  | <b>BW 900/25</b>  |   |                                       |
|  | <b>BW 900/20</b>  |   | 50 mm                                 |
|   | <b>BW 900/20L</b> |   | 100 mm                                |
|   | <b>BW 900/30</b>  |   | 150 mm                                |
|   | <b>BW 900/42</b>  |   | 115 mm                                |

**1/2"**

|                                                                                     |                   |   |                                                           |
|-------------------------------------------------------------------------------------|-------------------|---|-----------------------------------------------------------|
|  | <b>BW 920A</b>    | ○ | 10-11-12-13-14-15-16-17-18-19-20-21-<br>22-24-27-30-32 mm |
|  | <b>BW 920AL</b>   | ○ | 14-15-17-19-22 mm                                         |
|  | <b>BW 956C</b>    | ○ | 16 mm (5/8") - 21 mm (13/16")                             |
|  | <b>BW 920E/55</b> | ⊗ | 264 mm                                                    |
|  | <b>BW 920/25</b>  |   |                                                           |
|  | <b>BW 920/21</b>  |   | 125 mm                                                    |
|   | <b>BW 920/22</b>  |   | 250 mm                                                    |

375x295x84 mm



|                                                                                     |                   |                            |
|-------------------------------------------------------------------------------------|-------------------|----------------------------|
|  | <b>BW 910/16F</b> | □ 3/8" - ■ 1/2"            |
|  | <b>BW 895/6</b>   | □ 1/2" - ◇ 5/16"           |
|  | <b>BW 895/1</b>   | □ 1/4" - ◇ 1/4"            |
|  | <b>BW 892/0</b>   | ● 1/4" - ■ 1/4"            |
|  | <b>BW 861PH</b>   | ⊕ PH1-PH2                  |
|  | <b>BW 861PZ</b>   | ⊕ PZ1-PZ2                  |
|  | <b>BW 861PE</b>   | ○ 3-4-5-6 mm               |
|  | <b>BW 861LP</b>   | ● 0,6x4-0,8x5,5-1,2x6,5 mm |
|  | <b>BW 861TX</b>   | ⊗ T10-T15-T20-T25-T27-T30  |
|  | <b>BW 866LP</b>   | ● 1,6x8-1,6x10-2,0x12 mm   |
|  | <b>BW 866PH</b>   | ⊕ PH3-PH4                  |
|  | <b>BW 866PZ</b>   | ⊕ PZ3-PZ4                  |
|  | <b>BW 866PE</b>   | ○ 7-8-10-12-14 mm          |
|  | <b>BW 866TX</b>   | ⊗ T40-T45-T50-T55-T60-T70  |
|  | <b>BW 96</b>      | ○ 1,3-1,5-2-2,5 mm         |



009036170

**1/4" 3/8" 1/2"**

## BW 903E/C170

Assortment of 74 hexagon sockets,  
42 bits, 30 socket drivers,  
7 offset hexagon key wrenches  
and 17 accessories, in plastic case

**x  
170**

**£ 186.00**

453x375x90 mm



**1/4"**

|  |            |   |                                       |
|--|------------|---|---------------------------------------|
|  | BW 900     | ○ | 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm |
|  | BW 900L    | ○ | 4-5-6-7-8-9-10 mm                     |
|  | BW 900E/55 | ⊗ | 126 mm                                |
|  | BW 900/25  |   |                                       |
|  | BW 900/20  |   | 50 mm                                 |
|  | BW 900/20L |   | 100 mm                                |
|  | BW 900/30  |   | 150 mm                                |
|  | BW 900/42  |   | 115 mm                                |
|  | BW 900FTX  | ⊗ | E4-E5-E6-E7-E8                        |
|  | BW 900LP   | ● | 0,8x4-1,0x5,5-1,2x6,5-1,2x8 mm        |
|  | BW 900PH   | ⊕ | PH0-PH1-PH2                           |
|  | BW 900PZ   | ⊕ | PZ0-PZ1-PZ2                           |
|  | BW 900ME   | ○ | 3-4-5-6 mm                            |
|  | BW 900TX   | ⊗ | T08-T09-T10-T15-T20-T25-T27-T30       |
|  | BW 900RTX  | ⊗ | T08-T09-T10-T15-T20-T25-T27-T30       |

**3/8"**

|  |            |   |                                  |
|--|------------|---|----------------------------------|
|  | BW 910A    | ○ | 10-11-12-13-14-15-16-17-18-19 mm |
|  | BW 910AL   | ○ | 10-11-12-13-14-15 mm             |
|  | BW 910FTX  | ⊗ | E10-E11-E12-E14-E16              |
|  | BW 956E    | ○ | 18 mm (11/16")                   |
|  | BW 910E/55 | ⊗ | 200 mm                           |
|  | BW 910/25  |   |                                  |
|  | BW 910/22  |   | 150 mm                           |

**1/2"**

|  |            |                 |                                                       |
|--|------------|-----------------|-------------------------------------------------------|
|  | BW 920A    | ○               | 10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm |
|  | BW 920AL   | ○               | 16-17-18-19-22 mm                                     |
|  | BW 920FTX  | ⊗               | E18-E20-E24                                           |
|  | BW 956C    | ○               | 16 mm (5/8") - 21 mm (13/16")                         |
|  | BW 920E/55 | ⊗               | 264 mm                                                |
|  | BW 920/25  |                 |                                                       |
|  | BW 920/21  |                 | 125 mm                                                |
|  | BW 920/22  |                 | 250 mm                                                |
|  | BW 910/16F | □ 3/8" - ■ 1/2" |                                                       |

|  |            |                  |                                |
|--|------------|------------------|--------------------------------|
|  | BW 96      | ○                | 0,9-1,5-2-2,5-3-4-5 mm         |
|  | BW 895/4   | □ 3/8" - ○ 5/16" |                                |
|  | BW 895/6   | □ 1/2" - ○ 5/16" |                                |
|  | BW 895/1   | ○ 1/4" - □ 1/4"  |                                |
|  | BW 892/0   | ● 1/4" - ■ 1/4"  |                                |
|  | BW 861RTX  | ⊗                | T9-T10-T15-T20-T25-T27-T30-T40 |
|  | BW 861TX   | ⊗                | T6-T7-T8                       |
|  | BW 861RIBE | ⊗                | T7-8-9 mm                      |
|  | BW 861XZN  | ○                | T5-6-8 mm                      |
|  | BW 866LP   | ●                | 1,6x8-1,6x10-2,0x12 mm         |
|  | BW 866PH   | ⊕                | PH3-PH4                        |
|  | BW 866PZ   | ⊕                | PZ3-PZ4                        |
|  | BW 866PE   | ○                | T7-8-10-12-14 mm               |
|  | BW 866TX   | ⊗                | T40-T45-T50-T55-T60-T70        |
|  | BW 866RTX  | ⊗                | T40-T45-T50-T55-T60-T70        |

020466116


**1/2" 1/4"**

## BW 2046E/C116

Tool case with assortment  
of 116 general maintenance tools,  
in plastic case

£ 183.00

X  
116

453x375x90 mm



**1/4"**

|  |            |   |                                       |
|--|------------|---|---------------------------------------|
|  | BW 900     | ○ | 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm |
|  | BW 900L    | ○ | 6-7-8-9-10-11-12-13 mm                |
|  | BW 900E/55 | ⊗ | 126 mm                                |
|  | BW 900/25  |   |                                       |
|  | BW 900/20  |   | 50 mm                                 |
|  | BW 900/20L |   | 100 mm                                |
|  | BW 900/30  |   | 150 mm                                |
|  | BW 900/42  |   | 115 mm                                |

**1/2"**

|  |            |                  |                                                       |
|--|------------|------------------|-------------------------------------------------------|
|  | BW 920A    | ○                | 10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm |
|  | BW 920AL   | ○                | 14-15-17-19-22 mm                                     |
|  | BW 956C    | ○                | 16 mm (5/8") - 21 mm (13/16")                         |
|  | BW 920E/55 | ⊗                | 264 mm                                                |
|  | BW 920/25  |                  |                                                       |
|  | BW 920/21  |                  | 125 mm                                                |
|  | BW 920/22  |                  | 250 mm                                                |
|  | BW 910/16F | □ 3/8" - ■ 1/2"  |                                                       |
|  | BW 895/6   | □ 1/2" - ○ 5/16" |                                                       |

|  |           |                                        |
|--|-----------|----------------------------------------|
|  | BW 895/1  | □ 1/4" - ○ 1/4"                        |
|  | BW 892/0  | ● 1/4" - ■ 1/4"                        |
|  | BW 861PH  | ⊕ PH1-PH2                              |
|  | BW 861PZ  | ⊕ PZ1-PZ2                              |
|  | BW 861PE  | ○ 3-4-5-6 mm                           |
|  | BW 861LP  | ● 0,6x4-0,8x5,5-1,2x6,5 mm             |
|  | BW 861TX  | ⊗ T10-T15-T20-T25-T27-T30              |
|  | BW 866LP  | ● 1,6x8-1,6x10-2,0x12 mm               |
|  | BW 866PH  | ⊕ PH3-PH4                              |
|  | BW 866PZ  | ⊕ PZ3- PZ4                             |
|  | BW 866PE  | ○ 7-8-10-12-14 mm                      |
|  | BW 866TX  | ⊗ T40-T45-T50-T55-T60-T70              |
|  | BW 42     | 7-8-9-10-11-12-13-14-15-16-17-18-19 mm |
|  | BW 96/SC9 | ○ 1,5-2-2,5-3-4-5-6-8-10 mm            |



020476008



**1/4" 1/2"**

## BW 2047E/C108

Tool case with assortment  
of 108 general maintenance tools,  
in plastic case

**X  
108**

**£ 229.00**

555x370x92 mm



**1/4"**

|  |            |   |                                       |
|--|------------|---|---------------------------------------|
|  | BW 900     | ○ | 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm |
|  | BW 900E/55 | ⊗ | 126 mm                                |
|  | BW 900/25  |   |                                       |
|  | BW 900/20  |   | 50 mm                                 |
|  | BW 900/20L |   | 100 mm                                |
|  | BW 900/30  |   | 150 mm                                |
|  | BW 900/42  |   | 115 mm                                |

### BW 860EA/31

|  |          |                                                |
|--|----------|------------------------------------------------|
|  | BW 861LP | 0,5x3-0,6x4,5-0,8x5,5-1,0x5,5-1,2x6,5-1,6x8 mm |
|  | BW 861PH | 1-2-3                                          |
|  | BW 861PZ | 1-2-3                                          |
|  | BW 861PE | 2-3-4-5-6-8 mm                                 |
|  | BW 861TX | T8-T9-T10-T15-T20-T25-T27-T30-T40              |
|  | BW 861PQ | 1-2-3 mm                                       |
|  | BW 862M1 | ○ 1/4 - ● 1/4                                  |



**1/2"**

|  |            |                 |                                                       |
|--|------------|-----------------|-------------------------------------------------------|
|  | BW 920A    | ○               | 10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm |
|  | BW 956C    | ○               | 16 mm (5/8") - 21 mm (13/16")                         |
|  | BW 920E/55 | ⊗               | 264 mm                                                |
|  | BW 920/25  |                 |                                                       |
|  | BW 920/21  |                 | 125 mm                                                |
|  | BW 920/22  |                 | 250 mm                                                |
|  | BW 910/16F | □ 3/8" - ■ 1/2" |                                                       |

|  |           |                 |                                        |
|--|-----------|-----------------|----------------------------------------|
|  | BW 895/1  | □ 1/4" - ○ 1/4" |                                        |
|  | BW 42     | ⊗               | 7-8-9-10-11-12-13-14-15-16-17-18-19 mm |
|  | BW 96/SC9 | ○               | 1,5-2-2,5-3-4-5-6-8-10 mm              |
|  | BW 1048   |                 | 250 mm                                 |
|  | BW 1082BM | ⌘               | 160 mm                                 |
|  | BW 1150BM | ≡               | 180 mm                                 |
|  | BW 1166BM | ●               | 160 mm                                 |
|  | 1201E     | ●               | 3x75-4x100-5,5x125 6,5x150mm           |
|  | 1202E     | ⊕               | PH1-PH2                                |
|  | BW 1370   | ⬮               | 300 g                                  |

020546001



14"

 X  
100

# BW 2054E-100

Tool case with assortment  
of 100 GENERAL MAINTENANCE TOOLS

- Integrated soft foam tray

£ 220.00

400x300x140 mm



|  |              |                                       |
|--|--------------|---------------------------------------|
|  | BW 42        | 6-7-8-9-10-11-12-13-14-15-16-17-19 mm |
|  | BW 96BPC/SC9 | 1,5-2-2,5-3-4-5-6-8-10 mm             |
|  | BW 1048      | 250 mm                                |
|  | BW 1082BM    | 160 mm                                |
|  | BW 1150BM    | 180 mm                                |
|  | BW 1166BM    | 160 mm                                |
|  | 1201E        | 3x75-5,5x100-6,5x150 mm               |
|  | 1202E        | PH0x60-PH1x80-PH2x100 mm              |
|  | BW 1253      | 3,5x100 mm                            |
|  | BW 1370      | 300 g                                 |
|  | BW 1692/3    | 3 m                                   |
|  | 1770A        | 9 mm                                  |
|  | BW 1770RL    | 10x                                   |
|  | BW 1778SCL   | 170 mm                                |
|  | BW 1725CR    | 150 mm                                |

## BW 860EA/31

|  |          |                                                |
|--|----------|------------------------------------------------|
|  | BW 861LP | 0,5x3-0,6x4,5-0,8x5,5-1,0x5,5-1,2x6,5-1,6x8 mm |
|  | BW 861PH | 1-2-3                                          |
|  | BW 861PZ | 1-2-3                                          |
|  | BW 861PE | 2-3-4-5-6-8 mm                                 |
|  | BW 861TX | T8-T9-T10-T15-T20-T25-T27-T30-T40              |
|  | BW 861PQ | 1-2-3 mm                                       |
|  | BW 882M1 | 1/4 -  1/4                                     |



|  |            |                                       |
|--|------------|---------------------------------------|
|  | BW 882P/80 | 1/4 -  1/4                            |
|  | BW 895/1   | 1/4 -  1/4                            |
|  | BW 900     | 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm |
|  | BW 900/20  | 50 mm                                 |
|  | BW 900/20L | 100 mm                                |
|  | BW 900/25  |                                       |
|  | BW 900/30  | 150 mm                                |
|  | BW 900/42  | 115 mm                                |
|  | BW 900/55  | 150 mm                                |



020546002



1/4" 3/8"

## BW 2054E-128

Tool case with assortment  
of 128 GENERAL MAINTENANCE TOOLS

- Integrated soft foam tray

£ 254.00



### BW 860EA/31

|  |          |                                                |
|--|----------|------------------------------------------------|
|  | BW 861LP | 0,5x3-0,6x4,5-0,8x5,5-1,0x5,5-1,2x6,5-1,6x8 mm |
|  | BW 861PH | 1-2-3                                          |
|  | BW 861PZ | 1-2-3                                          |
|  | BW 861PE | 2-3-4-5-6-8 mm                                 |
|  | BW 861TX | T8-T9-T10-T15-T20<br>T25-T27-T30-T40           |
|  | BW 861PQ | 1-2-3 mm                                       |
|  | BW 882M1 | 1/4 - 1/2 - 3/4                                |



### BW 1256/C21-1



|      |            |                            |
|------|------------|----------------------------|
|      | BW 1256LP  | 1,5-2-2,5 mm               |
|      | BW 1256PH  | PH0-PH1                    |
|      | BW 1256PZ  | PZ0-PZ1                    |
|      | BW 1256PE  | 0,7-0,9-1,3-1,5-2-2,5-3 mm |
|      | BW 1256TX  | T4-T5-T6-T7                |
|      | BW 1256RTX | T8-T10-T15                 |
| 4 mm |            | 99 mm                      |



400x300x140 mm

X  
128

|  |              |  |                                       |
|--|--------------|--|---------------------------------------|
|  | BW 42        |  | 7-8-9-10-11-12-13-14-15-16-17-19 mm   |
|  | BW 96BPC/SC9 |  | 1,5-2-2,5-3-4-5-6-8-10 mm             |
|  | BW 1048      |  | 250 mm                                |
|  | BW 1082BM    |  | 160 mm                                |
|  | BW 1150BM    |  | 180 mm                                |
|  | BW 1166BM    |  | 160 mm                                |
|  | 1201E        |  | 3x75-5,5x100-6,5x150 mm               |
|  | 1202E        |  | PH0x60-PH1x80-PH2x100 mm              |
|  | BW 1128BMX   |  | 150 mm                                |
|  | BW 1370      |  | 300 g                                 |
|  | BW 1692/3    |  | 3 m                                   |
|  | 1771         |  | 18 mm                                 |
|  | BW 1771RL    |  | 10x                                   |
|  | BW 1833S     |  | 105 mm Batteries: 1xAA (not included) |

1/4"

|  |            |  |                                    |
|--|------------|--|------------------------------------|
|  | BW 895/1   |  | 1/4 - 1/2                          |
|  | BW 900     |  | 4-4,5-5-5,5-6-7-8-9-10-11-12-13 mm |
|  | BW 900/20L |  | 100 mm                             |
|  | BW 900/25  |  |                                    |
|  | BW 900/30  |  | 150 mm                             |
|  | BW 900/42  |  | 115 mm                             |
|  | BW 900/55  |  | 150 mm                             |

3/8"

|  |            |  |                         |
|--|------------|--|-------------------------|
|  | BW 910A    |  | 14-15-17-18-19-22-24 mm |
|  | BW 910/22  |  | 150 mm                  |
|  | BW 910/25  |  |                         |
|  | BW 910/55  |  | 200 mm                  |
|  | BW 920/15F |  | 1 1/2" - 3/8"           |

020566010



1/4" 1/2"

## BW 2056E

Tool case with assortment  
of 163 GENERAL MAINTENANCE TOOLS

- Removable interior tool panel
- Integrated soft foam tray

£ 331.00

465x330x170 mm



020566110



1/4" 1/2"

## BW 2056T/E

Tool trolley with assortment  
of 163 GENERAL MAINTENANCE TOOLS

- Adjustable telescopic handle
- Removable interior tool panel
- Integrated soft foam tray

£ 365.00

465x330x225 mm



+

## SUITCASE 163 TOOLS

|  |              |  |                                            |  |            |  |                   |
|--|--------------|--|--------------------------------------------|--|------------|--|-------------------|
|  | BW 42        |  | 8-9-10-11-12-13-14-15-16-17-18-19 mm       |  | 1202E      |  | PH1x80-PH2x100 mm |
|  | BW 96BPC/SC9 |  | 1,5-2-2,5-3-4-5-6-8-10 mm                  |  | 1209E/PZ   |  | PZ1x80-PZ2x100 mm |
|  | BW 111       |  | 250 mm                                     |  | BW 1128BMX |  | 150 mm            |
|  | BW 1048      |  | 250 mm                                     |  | BW 1253    |  | 3,5x100 mm        |
|  | BW 1082BM    |  | 160 mm                                     |  | BW 1370    |  | 300 g             |
|  | BW 1150BM    |  | 180 mm                                     |  | BW 1692/5  |  | 5 m               |
|  | BW 1166BM    |  | 160 mm                                     |  | BW 1725CR  |  | 150 mm            |
|  | 1201E        |  | 2,5x50-3x75-4x125-5,5x150-6,5x150-8x150 mm |  | 1771       |  | 18 mm             |

1/4"

|  |            |  |                                       |
|--|------------|--|---------------------------------------|
|  | BW 895/1   |  | 1/4 - 1/4                             |
|  | BW 900     |  | 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm |
|  | BW 900/20  |  | 50 mm                                 |
|  | BW 900/20L |  | 100 mm                                |
|  | BW 900/25  |  |                                       |
|  | BW 900/30  |  | 150 mm                                |
|  | BW 900/42  |  | 115 mm                                |
|  | BW 900/55  |  | 150 mm                                |

1/2"

|  |            |  |                                           |
|--|------------|--|-------------------------------------------|
|  | BW 920A    |  | 10-11-12-13-14-15-16-17-18-19-21-22-24 mm |
|  | BW 920/21  |  | 125 mm                                    |
|  | BW 920/22  |  | 250 mm                                    |
|  | BW 910/16F |  | 3/8" - 1/2"                               |
|  | BW 920/25  |  |                                           |
|  | BW 920/55  |  | 260 mm                                    |

### BW 861/C61

|  |          |                                                                              |
|--|----------|------------------------------------------------------------------------------|
|  | BW 861LP | 0,5x3 (2)-0,5x4 (2)-0,6x4,5 (2)-0,8x5 (2)-1,0x5,5 (2)-1,0x6 (2)-1,6x8 (2) mm |
|  | BW 861PH | PH0(2)-PH1(7)-PH2(7)-PH3(2)                                                  |
|  | BW 861PZ | PZ0(2)-PZ1(3)-PZ2(3)-PZ3(2)                                                  |
|  | BW 861PE | 1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm                                               |
|  | BW 861TX | T9-T10-T15-T20-T25 T27-T30-T40                                               |
|  | BW 882M1 | 1/4 - 1/2                                                                    |



### BW 1256/C21-1

|  |            |                            |
|--|------------|----------------------------|
|  | BW 1256LP  | 1,5-2-2,5 mm               |
|  | BW 1256PH  | PH0-PH1                    |
|  | BW 1256PZ  | PZ0-PZ1                    |
|  | BW 1256PE  | 0,7-0,9-1,3-1,5-2-2,5-3 mm |
|  | BW 1256TX  | T4-T5-T6-T7                |
|  | BW 1256RTX | T8-T10-T15                 |
|  | 4 mm       | 99 mm                      |





020566022



1/4"

X  
147

## BW 2056E 12V/19P

Tool case with assortment of 147 tools for general maintenance and 12V ultracompact drill

- Removable interior tool panel
- Integrated soft foam tray

£ 382.00



|  |              |  |                                            |
|--|--------------|--|--------------------------------------------|
|  | BW 42        |  | 8-9-10-11-12-13-14-15-16-17-18-19 mm       |
|  | BW 96BPC/SC9 |  | 1,5-2-2,5-3-4-5-6-8-10 mm                  |
|  | BW 111       |  | 250 mm                                     |
|  | BW 1048      |  | 250 mm                                     |
|  | BW 1082BM    |  | 160 mm                                     |
|  | BW 1150BM    |  | 180 mm                                     |
|  | BW 1166BM    |  | 160 mm                                     |
|  | 1201E        |  | 2,5x50-3x75-4x125-5,5x150-6,5x150-8x150 mm |
|  | 1202E        |  | PH1x80-PH2x100 mm                          |
|  | 1209E/PZ     |  | PZ1x80-PZ2x100 mm                          |
|  | BW 1128BMX   |  | 150 mm                                     |
|  | BW 1253      |  | 3,5x100 mm                                 |
|  | BW 1370      |  | 300 g                                      |
|  | BW 1692/5    |  | 5 m                                        |
|  | BW 1725CR    |  | 150 mm                                     |
|  | 1771         |  | 18 mm                                      |
|  | BW 1696      |  | 300 mm                                     |

|  |                |               |
|--|----------------|---------------|
|  | 1972/12V-10    |               |
|  | 1994BL 12V-2AH |               |
|  | 1994CB 12V     |               |
|  | 410/SEL19      | Ø 1÷10x0,5 mm |

1/4"

|  |            |  |                                       |
|--|------------|--|---------------------------------------|
|  | BW 895/1   |  | 1/4 - 1/4                             |
|  | BW 900     |  | 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm |
|  | BW 900/20  |  | 50 mm                                 |
|  | BW 900/20L |  | 100 mm                                |
|  | BW 900/25  |  |                                       |
|  | BW 900/30  |  | 150 mm                                |
|  | BW 900/42  |  | 115 mm                                |
|  | BW 900/55  |  | 150 mm                                |

### BW 861/C61

|  |          |                                                                        |
|--|----------|------------------------------------------------------------------------|
|  | BW 861LP | 0,5x3 (2)-0,5x4(2)-0,6x4,5(2)-0,8x5(2)-1,0x5,5(2)-1,0x6(2)-1,6x8(2) mm |
|  | BW 861PH | PH0(2)-PH1(7)-PH2(7)-PH3(2)                                            |
|  | BW 861PZ | PZ0(2)-PZ1(3)-PZ2(3)-PZ3(2)                                            |
|  | BW 861PE | 1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm                                         |
|  | BW 861TX | T9-T10-T15-T20-T25 T27-T30-T40                                         |
|  | BW 862M1 | 1/4 - 1/4                                                              |



021206911

12"

## BW 2120L-E/T91

Cantilever tool box with assortment of 91 general maintenance tools, made of sheet metal, integrated ABS thermoformed tray

 X  
91

£ 271.00



550x200x210 mm

12"



|           |   |                                                          |    |
|-----------|---|----------------------------------------------------------|----|
| BW 920A   | ⊙ | 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm | 20 |
| BW 920/55 | ⊙ | 250 mm                                                   |    |
| BW 920/25 |   |                                                          |    |



|            |                 |        |   |
|------------|-----------------|--------|---|
| BW 920/21  | ⊙               | 125 mm | 5 |
| BW 920/22  |                 | 250 mm |   |
| BW 910/16F | □ 3/8" - ■ 1/2" |        |   |
| BW 1048    |                 | 250 mm |   |
| 1771       |                 | 18 mm  |   |



|           |   |                                   |    |
|-----------|---|-----------------------------------|----|
| BW 42     | ⊙ | 8-9-10-11-12-13-14-15-16-17-19 mm | 20 |
| BW 96/SC9 | ⊙ | 1,5-2-2,5-3-4-5-6-8-10 mm         |    |



|        |   |                                      |   |
|--------|---|--------------------------------------|---|
| 1201E  | ⊙ | 2,5x50-3x75-4x100-5,5x125-6,5x150 mm | 6 |
| 1201EN | ⊙ | 4x30 mm                              |   |



|             |               |                          |    |
|-------------|---------------|--------------------------|----|
| BW 860EA/31 | ⊙ ⊙ ⊙ ⊙ ⊙ ⊙ ⊙ |                          | 37 |
| BW 895/1    | ⊙ 1/4 - □ 1/4 |                          |    |
| BW 900/30   |               | 150 mm                   |    |
| 1202E       | ⊕             | PH0x60-PH1x80-PH2x100 mm |    |
| 1202EN      | ⊕             | PH1x30 mm                |    |



|           |   |        |   |
|-----------|---|--------|---|
| BW 1082BM | ⊙ | 160 mm | 3 |
| BW 1150BM | ⊙ | 180 mm |   |
| BW 1166BM | ⊙ | 160 mm |   |



022006130


## BW C22E

### Portable tool chest with 3 drawers

- 3 drawers (435x210x50 mm), with ball bearing slides
- Upper compartment (505x256x60 mm)
- Front centralized lock
- Handle on lid
- Retractable side handles for ease of handling

£ 106.00

| n° | h     | max  |
|----|-------|------|
| 3  | 50 mm | 5 kg |



20 kg

022006201

## BW 2200E/21

### Portable tool chest with assortment of 159 tools, integrated soft foam tray



£ 348.00

1/4"  
1/2"



|               |        |            |                                       |
|---------------|--------|------------|---------------------------------------|
| BW 861/C61    | 4 mm   | BW 900     | 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14 mm |
| BW 1256/C21-1 | 4 mm   | BW 900/55  | 150 mm                                |
| BW 900/55     | 150 mm | BW 900/20L | 100 mm                                |
| BW 920/55     | 260 mm | BW 920/25  | 12"                                   |
| BW 900/25     | 115 mm | BW 920/22  | 250 mm                                |
| BW 900/42     | 115 mm | BW 910/16F | 3/8" - 1/2"                           |
| BW 895/1      | 115 mm | BW 920A    | 13-14-15-16-17-18-19-21-22 mm         |



|           |                              |           |        |
|-----------|------------------------------|-----------|--------|
| BW 42     | 8-10-11-12-13-14-15-17-19 mm | BW 1150BM | 180 mm |
| BW 1082BM | 160 mm                       | BW 1770A  | 9 mm   |
|           |                              | BW 1770RL | 10x    |



|              |                               |         |                 |
|--------------|-------------------------------|---------|-----------------|
| BW 96BPC/SC9 | 1.5-2-2.5-3-4-5-6-8-10 mm     | 1202E   | PH1X80- PH2X100 |
| 1201E        | 2.5x50-3x75- 4x100-5.5x125 mm | 1202EN  | PH1X30 mm       |
| 1201EN       | 4X30                          | BW 1253 | 3.5x100 mm      |

X  
159

|  |            |        |
|--|------------|--------|
|  | BW 1048    | 250 mm |
|  | BW 1128BMX | 150 mm |
|  | BW 1370    | 300 g  |
|  | BW 1692    | 5 m    |


043006003

## BW C43

£ 149.00

### Three-module tool trolley

- Sheet metal frames and plastic tops
- 3 detachable modules:
  - 1 upper tool box, 220 mm high
  - 1 central module, 165 mm high, with 2 drawers, 60 mm high
  - 1 lower module, 330 mm high, with up-and-over door, 280 mm high, with castors
- Castors ø 128 mm
- Telescopic handle, can be adjusted in 4 positions
- Module release system with access to all tool compartments
- Upper tool box with removable interior object compartment and 2 tote-trays built into cover



**3 stackable modules**





043006201

# BW 4300E/21

Three-module tool trolley C43  
with assortment of 212 general maintenance tools

£ 467.00

X  
212



|  |                |  |                                           |
|--|----------------|--|-------------------------------------------|
|  | BW 42          |  | 7-8-9-10-11-12-13-14-15-16-17-18-19-22 mm |
|  | BW 96BPC/SC9   |  | 1,5-2-2,5-3-4-5-6-8-10 mm                 |
|  | BW 111         |  | 200 mm                                    |
|  | BW 1048        |  | 250 mm                                    |
|  | BW 1052        |  | 240 mm                                    |
|  | BW 1082BM      |  | 160 mm                                    |
|  | BW 1150BM      |  | 180 mm                                    |
|  | BW 1166BM      |  | 160 mm                                    |
|  | 1201E          |  | 2,5x50-3x75-4x100-5,5x150-6,5x150 mm      |
|  | 1201EN         |  | 4x30 mm                                   |
|  | 1202E          |  | PH0x60-PH1x80-PH2x100 mm                  |
|  | 1202EN         |  | PH1x30 mm                                 |
|  | BW 1128BMX     |  | 150 mm                                    |
|  | BW 1253        |  | 3,5x100 mm                                |
|  | BW 1370        |  | 300 g                                     |
|  | BW 1390        |  | Ø 35 mm                                   |
|  | BW 1692        |  | 3 m                                       |
|  | BW 1696        |  | 300 mm                                    |
|  | 1771           |  | 18 mm                                     |
|  | BW 1771RL      |  | 10x                                       |
|  | BW 1725CR      |  | 150 mm                                    |
|  | BW 1098        |  | 220 mm                                    |
|  | BW 1719BMA...P |  | 200 mm                                    |
|  | BW 1719BMA...M |  | 200 mm                                    |
|  | BW 1719BMA...R |  | 200 mm                                    |
|  | BW 1833S       |  | 105 mm Batteries: 1xAA (not included)     |

## BW 861/C61

|  |          |                                                                        |
|--|----------|------------------------------------------------------------------------|
|  | BW 861LP | 0,5x3 (2)-0,5x4(2)-0,6x4,5(2)-0,8x5(2)-1,0x5,5(2)-1,0x6(2)-1,6x8(2) mm |
|  | BW 861PH | PH0(2)-PH1(7)-PH2(7)-PH3(2)                                            |
|  | BW 861PZ | PZ0(2)-PZ1(3)-PZ2(3)-PZ3(2)                                            |
|  | BW 861PE | 1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm                                         |
|  | BW 861TX | T9-T10-T15-T20-T25 T27-T30-T40                                         |
|  | BW 882M1 | 1/4 - 1/4                                                              |



## BW 1256/C21-1

|  |            |                            |
|--|------------|----------------------------|
|  | BW 1256LP  | 1,5-2-2,5 mm               |
|  | BW 1256PH  | PH0-PH1                    |
|  | BW 1256PZ  | PZ0-PZ1                    |
|  | BW 1256PE  | 0,7-0,9-1,3-1,5-2-2,5-3 mm |
|  | BW 1256TX  | T4-T5-T6-T7                |
|  | BW 1256RTX | T8-T10-T15                 |
|  | 4 mm       | 99 mm                      |



## BW 903E/C42 1/4"

|  |            |  |                                       |
|--|------------|--|---------------------------------------|
|  | BW 900     |  | 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm |
|  | BW 900E/55 |  | 126 mm                                |
|  | BW 900/25  |  |                                       |
|  | BW 900/20  |  | 50 mm                                 |
|  | BW 900/20L |  | 100 mm                                |
|  | BW 900/42  |  | 115 mm                                |
|  | BW 900/30  |  | 150 mm                                |
|  | BW 96      |  | 1,3-1,5-2-2,5 mm                      |
|  | BW 895/1   |  | 1/4 - 1/4                             |
|  | BW 861LP   |  | 0,6x4-0,8x5,5-1,2x6,5 mm              |
|  | BW 861PH   |  | PH1-PH2-PH3                           |
|  | BW 861PZ   |  | PZ1-PZ2-PZ3                           |
|  | BW 861PE   |  | 3-4-5-6 mm                            |
|  | BW 861TX   |  | T10-T15-T20-T25-T30                   |



## BW 923E/C25 1/2"

|  |            |  |                                                              |
|--|------------|--|--------------------------------------------------------------|
|  | BW 920A    |  | 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm |
|  | BW 920E/55 |  | 264 mm                                                       |
|  | BW 920/25  |  |                                                              |
|  | BW 920/21  |  | 125 mm                                                       |
|  | BW 920/22  |  | 250 mm                                                       |
|  | BW 910/16F |  | 3/8" - 1/2"                                                  |





## BW 5000S/3M

### Service trolley with three drawers and assortment of 189 tools

- Thermoplastic worktop
- 3 drawers 588x367 mm height 70 mm, with ball bearing slides
- Drawer bases protected by foamed rubber mats
- Front centralized safety lock
- Practical side screwdriver holder included
- Two side screwdriver holders integrated in the structure
- Large lower shelf protected with oil and petrol-proof rubber mat
- Four castors Ø 125 mm: 2 fixed and 2 steering (one with brake)
- Static load capacity: 400 kg
- Static load capacity: 15 kg evenly distributed

X  
189

400 kg



| n° | h     | max   |
|----|-------|-------|
| 3  | 70 mm | 15 kg |

£ 701.00





050006331



050006332



050006333



- BW 42** 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24 mm  
**1201E** 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm  
**1202E** PH0x60-PH1x80-PH2x100-PH3x150 mm  
**1201EN** 4x30 mm  
**1202EN** PH1x30 mm



- BW 32** Ø 4 mm  
**BW 34** 150 mm  
**BW 36** 150 mm  
**BW 1048** 250 mm  
**BW 1082BM** 160 mm  
**BW 1150BM** 180 mm  
**BW 1166BM** 200 mm  
**BW 1370** 500 g  
**BW 1390** Ø 35 mm  
**1032** 180 mm  
**1034** 170 mm  
**1036** 175 mm  
**1038** 175 mm



- 1/4"** **BW 900** 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm  
**BW 900ME** 3-4-5-6-7-8 mm  
**BW 900TX** T06-T07-T08-T09-T10-T15-T20-T25  
**BW 900/20** 50 mm  
**BW 900/20L** 100 mm  
**BW 900/25** 150 mm  
**BW 900/30** 150 mm  
**BW 900/42** 115 mm  
**BW 900/55** 150 mm  
**BW 895/1** 1/4" - 1/4"

- BW 96BPC/SC9** 1,5-2-2,5-3-4-5-6-8-10 mm  
**BW 111** 250 mm

- 1/2"** **BW 920A** 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm  
**BW 920PE** 5-6-7-8-9-10-12-14 mm  
**BW 920TX** T27-T30-T40-T45-T50-T55-T60  
**BW 920/21** 125 mm  
**BW 920/22** 250 mm  
**BW 910/16F** 3/8" - 1/2"  
**BW 920/25**  
**BW 920/55** 260 mm

### BW 861/C61

|   |          |                                                                        |
|---|----------|------------------------------------------------------------------------|
| ⊖ | BW 861LP | 0,5x3 (2)-0,5x4(2)-0,6x4,5(2)-0,8x5(2)-1,0x5,5(2)-1,0x6(2)-1,6x8(2) mm |
| + | BW 861PH | PH0(2)-PH1(7)-PH2(7)-PH3(2)                                            |
| + | BW 861PZ | PZ0(2)-PZ1(3)-PZ2(3)-PZ3(2)                                            |
| ○ | BW 861PE | 1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm                                         |
| ⊗ | BW 861TX | T9-T10-T15-T20-T25 T27-T30-T40                                         |
| ⊗ | BW 882M1 | 1/4" - 1/4"                                                            |





024006201



## BW C04BOX-A VU

Mobile roller cab with 6 drawers with assortment of 196 tools for universal use, in soft EVA foam trays

- ABS worktop with 6 tool trays
- 6 drawers 570x410 mm, with ball bearing slides
- Drawer bases protected by foamed rubber mats.
- Four castors Ø 125 mm: 2 fixed and 2 steering with brake.
- Front centralized safety lock
- Static load capacity: 150 kg



X  
196



| n° | h      | max   |
|----|--------|-------|
| 1  | 80 mm  | 20 kg |
| 4  | 110 mm | 20 kg |
| 1  | 160 mm | 25 kg |



£ 654.00



36

**BW 42** 6-7-8-9-10-11-12-13-14-15-16-17-19-21-22-24 mm  
**BW 96BPC/SC9** 1200 mm  
**BW 1719BMA8/P** 200 mm  
**BW 1719BMA8/M** 200 mm  
**BW 1719BMA8/R** 200 mm

**BW 1128BMX 1201E**  
**1201EN**  
**1202E**  
**1202EN**


150 mm  
 3,5x100-5,5x150-6,5x150 mm  
 4x30 mm  
 PH1x80-PH2x100 mm  
 PH1x30



33

**BW 31 1771** Ø 2-3-4-5-6 mm  
**BW 1048** 18 mm  
**BW 1082BM** 250 mm  
**BW 1150BM** 160 mm  
 180 mm

**BW 1166BM** 160 mm  
**BW 1692/3** 3 m  
**BW 1370** 300 g  
**BW 1390** Ø 35 mm  
**BW 1771RL** 10x 18 mm



14

**BW 900** 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm  
**BW 900L** 6-7-8-9-10-11-12-13 mm  
**BW 895/1** 1/4 - 1/4  
**BW 900/20** 50 mm  
**BW 900/20L** 100 mm  
**BW 900/25** 150 mm  
**BW 900/30** 115 mm  
**BW 900/42** 150 mm  
**BW 900/55** 150 mm

### BW 861/C61

|   |          |                                                                        |
|---|----------|------------------------------------------------------------------------|
| ● | BW 861LP | 0,5x3 (2)-0,5x4(2)-0,6x4,5(2)-0,8x5(2)-1,0x5,5(2)-1,0x6(2)-1,6x8(2) mm |
| + | BW 861PH | PH0(2)-PH1(7)-PH2(7)-PH3(2)                                            |
| + | BW 861PZ | PZ0(2)-PZ1(3)-PZ2(3)-PZ3(2)                                            |
| + | BW 861PE | 1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm                                         |
| + | BW 861TX | T9-T10-T15-T20-T25 T27-T30-T40                                         |
| + | BW 882M1 | 1/4 - 1/4                                                              |

12

**BW 920A** 12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm  
**BW 920AL** 14-15-17-19 mm  
**BW 920/21** 125 mm  
**BW 920/22** 250 mm  
**BW 910/16F** 3/8" - 1/2"  
**BW 920/25** 260 mm  
**BW 920/55** 16-20,8 mm  
**BW 956C**

### BW 1256/C21-1

|      |            |                            |
|------|------------|----------------------------|
| ●    | BW 1256LP  | 1,5-2-2,5 mm               |
| +    | BW 1256PH  | PH0-PH1                    |
| +    | BW 1256PZ  | PZ0-PZ1                    |
| +    | BW 1256PE  | 0,7-0,9-1,3-1,5-2-2,5-3 mm |
| +    | BW 1256TX  | T4-T5-T6-T7                |
| +    | BW 1256RTX | T8-T10-T15                 |
| 4 mm |            | 99 mm                      |

137

## BW 2400S 7/E-S

Mobile roller cab with 7 drawers,  
with assortment of 240 tools

- 7 drawers (588x367 mm),  
with ball bearing slides:  
5 drawers, 70 mm high  
1 drawer, 140 mm high  
1 drawer, 210 mm high
- Drawer bases protected  
by foamed rubber mats.
- Four castors Ø 125 mm:  
2 fixed and 2 steering (one with brake)
- Front centralized safety lock
- Static load capacity: 800 kg
- Thermoplastic worktop
- Built-in side bottle holder

**X  
240**

**800 kg**

**£ 977.00**



**024006221**





**024006222**



**024006223**


| n° | h      | max   |
|----|--------|-------|
| 5  | 70 mm  | 25 kg |
| 1  | 140 mm | 30 kg |
| 1  | 210 mm | 30 kg |



Sturdy nylon front



Castors with metal cores  
for enhanced sturdiness







- 1201E 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm  
1201EN 4x30 mm  
1202E PH0x60-PH1x80-PH2x100-PH3x150 mm  
1202EN PH1x30 mm  
1207E/TX T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40  
BW 96BPC/SC9 1,5-2-2,5-3-4-5-6-8-10 mm



- BW 42 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24 mm  
BW 55 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm  
BW 90 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm  
BW 111 250 mm



- BW 32 Ø 4 mm  
BW 34 150 mm  
BW 36 150 mm  
1032 19+60 mm  
1034 19+60 mm  
1036 19+60 mm  
1038 19+60 mm  
BW 1048 250 mm  
BW 1082BM 160 mm  
BW 1150BM 180 mm  
BW 1166BM 200 mm  
BW 1370 500 g  
BW 1390 Ø 35 mm



- 1/4" BW 900 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm  
BW 900L 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm  
BW 900ME 3-4-5-6-7-8 mm  
BW 900TX T6-T7-T8-T9-T10-T15-T20-T25  
BW 895/1 1/4 - 1/4  
BW 900/20 50 mm  
BW 900/20L 100 mm  
BW 900/25 150 mm  
BW 900/30 150 mm  
BW 900/42 115 mm  
BW 900/55 150 mm

- 1/2" BW 920A 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm  
BW 920AL 10-12-13-14-15-16-17-18-19-21-22 mm  
BW 920PE 5-6-7-8-9-10-12-14 mm  
BW 920TX T27-T30-T40-T45-T50-T55-T60  
BW 920/21 125 mm  
BW 920/22 250 mm  
BW 910/16F 3/8" - 1/2"  
BW 920/25 250 mm  
BW 920/55 260 mm

### BW 861/C61

|   |          |                                                                        |
|---|----------|------------------------------------------------------------------------|
| ⊖ | BW 861LP | 0,5x3 (2)-0,5x4(2)-0,6x4,5(2)-0,8x5(2)-1,0x5,5(2)-1,0x6(2)-1,6x8(2) mm |
| + | BW 861PH | PH0(2)-PH1(7)-PH2(7)-PH3(2)                                            |
| + | BW 861PZ | PZ0(2)-PZ1(3)-PZ2(3)-PZ3(2)                                            |
| ○ | BW 861PE | 1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm                                         |
| ⊗ | BW 861TX | T9-T10-T15-T20-T25 T27-T30-T40                                         |
| ⊖ | BW 862M1 | 1/4 - 1/4                                                              |



## BW 2400S 7/E-M

Mobile roller cab with 7 drawers,  
with assortment of 309 tools

- 7 drawers (588x367 mm),  
with ball bearing slides:  
5 drawers, 70 mm high  
1 drawer, 140 mm high  
1 drawer, 210 mm high
- Drawer bases protected  
by foamed rubber mats
- Four castors Ø 125 mm:  
2 fixed and 2 steering (one with brake)
- Front centralized safety lock
- Static load capacity: 800 kg
- Thermoplastic worktop
- Built-in side bottle holder

**X**  
**309**

**800 kg**

**£ 1,164.00**





024006224




024006225



024006226



| n° | h      | max   |
|----|--------|-------|
| 5  | 70 mm  | 25 kg |
| 1  | 140 mm | 30 kg |
| 1  | 210 mm | 30 kg |



Sturdy nylon front



Castors with metal cores  
for enhanced sturdiness







- BW 32** Ø 4 mm  
**BW 34** 150 mm  
**BW 36** 150 mm  
**1032** ○ 19+60 mm  
**1034** ○ 19+60 mm  
**1036** ● 19+60 mm  
**1038** ● 19+60 mm
- BW 1048** 250 mm  
**BW 1082BM** 160 mm  
**BW 1150BM** 180 mm  
**BW 1166BM** 200 mm  
**BW 1370** 500 g  
**BW 1390** Ø 35 mm



- BW 42** 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm  
**BW 96BPC/SC9** ○ 1,5-2-2,5-3-4-5-6-8-10 mm



- 14"** **BW 900** ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm  
**BW 900L** ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm  
**BW 900ME** ○ 3-4-5-6-7-8 mm  
**BW 900TX** ○ T6-T7-T8-T9-T10-T15-T20-T25  
**BW 895/1** ○ 1/4 - □ 1/4  
**BW 900/20** 50 mm  
**BW 900/20L** 100 mm  
**BW 900/25** 150 mm  
**BW 900/30** 150 mm  
**BW 900/42** 115 mm  
**BW 900/55** 260 mm
- 12"** **BW 920A** ○ 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm  
**BW 920AL** ○ 10-12-13-14-15-16-17-18-19-21-22 mm  
**BW 920PE** ○ 5-6-7-8-9-10-12-14 mm  
**BW 920TX** ○ T27-T30-T40-T45-T50-T55-T60  
**BW 920/21** 125 mm  
**BW 920/22** 250 mm  
**BW 910/16F** □ 3/8" - ■ 1/2"  
**BW 920/25** 260 mm  
**BW 920/55** 260 mm

### BW 861/C61

|   |          |                                                                        |
|---|----------|------------------------------------------------------------------------|
| ● | BW 861LP | 0,5x3 (2)-0,5x4(2)-0,6x4,5(2)-0,8x5(2)-1,0x5,5(2)-1,0x6(2)-1,6x8(2) mm |
| + | BW 861PH | PH0(2)-PH1(7)-PH2(7)-PH3(2)                                            |
| + | BW 861PZ | PZ0(2)-PZ1(3)-PZ2(3)-PZ3(2)                                            |
| ○ | BW 861PE | 1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm                                         |
| ⊗ | BW 861TX | T9-T10-T15-T20-T25 T27-T30-T40                                         |
| □ | BW 862M1 | ○ 1/4 - ● 1/4                                                          |



- 38"** **BW 55** 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm  
**BW 90** 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm  
**BW 910A** ○ 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm  
**BW 910AL** ○ 8-10-11-12-13-14-17-19 mm  
**BW 910PE** ○ 4-5-6-7-8-9-10 mm  
**BW 910TX** ○ T15-T20-T25-T27-T30-T40-T45  
**BW 910/21** 125 mm  
**BW 910/22** 150 mm  
**BW 910/25** 205 mm  
**BW 910/55** 1/2" - ■ 3/8"  
**BW 920/15F** 1/2" - ■ 3/8"



- 1201E** 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm  
**1202E** PH0x60-PH1x80-PH2x100-PH3x150 mm  
**1201EN** 4x30 mm  
**1202EN** PH1x30 mm  
**1207E/TX** ○ T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45

### BW 1256/C21-1

|      |            |                            |
|------|------------|----------------------------|
| ●    | BW 1256LP  | 1,5-2-2,5 mm               |
| +    | BW 1256PH  | PH0-PH1                    |
| +    | BW 1256PZ  | PZ0-PZ1                    |
| ○    | BW 1256PE  | 0,7-0,9-1,3-1,5-2-2,5-3 mm |
| ⊗    | BW 1256TX  | T4-T5-T6-T7                |
| ⊗    | BW 1256RTX | T8-T10-T15                 |
| 4 mm |            | 99 mm                      |



## BW 2400S 8/E-L

Mobile roller cab with 8 drawers,  
with assortment of 398 tools

- 8 drawers (588x367 mm),  
with ball bearing slides:  
7 drawers, 70 mm high  
1 drawer, 210 mm high
- Drawer bases protected  
by foamed rubber mats
- Four castors Ø 125 mm:  
2 fixed and 2 steering (one with brake)
- Front centralized safety lock
- Static load capacity: 800 kg
- Thermoplastic worktop
- Built-in side bottle holder

**£ 1,572.00**



**024006241**





**024006242**




**024006243**



**800 kg**



| n° | h      | max   |
|----|--------|-------|
| 7  | 70 mm  | 25 kg |
| 1  | 210 mm | 30 kg |



**BW 42** 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm  
**BW 96BPC/SC9** 1,5-2-2,5-3-4-5-6-8-10 mm

**31**




**1201E** 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm  
**1201EN** 4x30 mm  
**1202E** PH0x60-PH1x80-PH2x100-PH3x150 mm  
**1202EN** PH1x30 mm  
**1207E/TX** T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45  
**BW 1253** 0,5x100 mm

**25**



196



1/4"

- BW 900
- BW 900L
- BW 900FTX
- BW 900ME
- BW 900TX
- BW 900LP
- BW 900PH
- BW 895/1
- BW 900/20
- BW 900/20L
- BW 900/25
- BW 900/30
- BW 900/42
- BW 900/55
- 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- E4-E5-E6-E7-E8-E10
- 3-4-5-6-7-8 mm
- T6-T7-T8-T9-T10-T15-T20-T25
- 0,8x4-1x5,5-1,2x6,5-1,2x8 mm
- PH0-PH1-PH2-PH3
- 1/4" - 1/4"
- 50 mm
- 100 mm
- 150 mm
- 115 mm
- 150 mm

3/8"

- BW 910A
- BW 910AL
- BW 910FTX
- BW 910PE
- BW 910TX
- BW 910/21
- BW 910/22
- BW 910/25
- BW 910/55
- BW 920/15F
- 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24 mm
- 8-10-11-12-13-14-17-19 mm
- E6-E7-E8-E10-E11-E12-14
- 4-5-6-7-8-9-10 mm
- T15-T20-T25-T27-T30-40-T45
- 125 mm
- 150 mm
- 205 mm
- 1/2" - 3/8"

### BW 861/C61 1/4"

|      |          |                                                                        |
|------|----------|------------------------------------------------------------------------|
| 1/4" | BW 861LP | 0,5x3 (2)-0,5x4(2)-0,6x4,5(2)-0,8x5(2)-1,0x5,5(2)-1,0x6(2)-1,6x8(2) mm |
| 1/4" | BW 861PH | PH0(2)-PH1(7)-PH2(7)-PH3(2)                                            |
| 1/4" | BW 861PZ | PZ0(2)-PZ1(3)-PZ2(3)-PZ3(2)                                            |
| 1/4" | BW 861PE | 1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm                                         |
| 1/4" | BW 861TX | T9-T10-T15-T20-T25 T27-T30-T40                                         |
| 1/4" | BW 882M1 | 1/4" - 1/4"                                                            |

### BW 1256/C21-1 4 mm

|      |            |                            |
|------|------------|----------------------------|
| 4 mm | BW 1256LP  | 1,5-2-2,5 mm               |
| 4 mm | BW 1256PH  | PH0-PH1                    |
| 4 mm | BW 1256PZ  | PZ0-PZ1                    |
| 4 mm | BW 1256PE  | 0,7-0,9-1,3-1,5-2-2,5-3 mm |
| 4 mm | BW 1256TX  | T4-T5-T6-T7                |
| 4 mm | BW 1256RTX | T8-T10-T15                 |



78

1/2"

- BW 920A
- BW 920AL
- BW 920FTX
- BW 920PE
- BW 920PE-L
- BW 920TX
- BW 920TX-L
- BW 920/21
- BW 920/22
- BW 910/16F
- BW 920/25
- BW 920/55
- 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
- 10-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm
- E10-E12-E14-E16-E18-E20-E22-E24
- 5-6-7-8-9-10-12-14 mm
- 5-6-7-8-9-10-12-14 mm
- T27-T30-T40-T45-T50-T55-T60
- T30-T40-T45-T50-T55-T60-T70
- 125 mm
- 250 mm
- 3/8" - 1/2"
- 260 mm



30

- BW 55
- BW 90
- BW 97TX/SC8
- 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm
- 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm
- T9-T10-T15-T20-T25-T27-T30-T40



73

- 1032
- 1034
- 1036
- 1038
- BW 1048
- BW 1052
- 19+60 mm
- 19+60 mm
- 19+60 mm
- 19+60 mm
- 250 mm
- 190 - 240 mm
- BW 1098
- BW 1082BM
- BW 1150BM
- BW 1166BM
- BW 1168BM
- BW 1128BMX
- 220 mm
- 160 mm
- 180 mm
- 200 mm
- 200 mm
- 150 mm



25

- BW 30
- BW 31
- BW 32
- BW 34
- BW 36
- BW 1370
- BW 1390
- BW 1692/3
- 1712T
- BW 1719BMA8/Q
- BW 1719BMA8/T
- BW 1719BMA8/P
- BW 1719BMA8/M
- BW 1719BMA8/R
- BW 1737NX
- 1771
- 150+590 mm
- 200 mm
- 200 mm
- 200 mm
- 200 mm
- 200 mm
- 270 mm
- 18 mm
- 2-3-4 mm
- 2-3-4-5-6-8 mm
- 4 mm
- 125-150-175 mm
- 150 mm
- 500 g
- 35 mm
- 3 m

## BW 2400S XL9/E-XL

Mobile roller cab with 9 drawers, with anti-tilt system, long model, with assortment of 487 tools

- 9 drawers (882x367 mm), with ball bearing slides: 8 drawers, 70 mm high 1 drawer, 140 mm high.
- Sturdy ABS worktop, with 6 tote-trays
- Study nylon front, with built-in label holder
- Drawer bases protected by foamed rubber mats
- Four castors Ø 125 mm: 2 fixed and 2 steering (one with brake)
- Front centralized safety lock
- Static load capacity: 1000 kg
- Built-in side bottle holder

1000 kg



£ 2,337.00



024006251



024006252





024006253



| n° | h      | max   |
|----|--------|-------|
| 8  | 70 mm  | 30 kg |
| 1  | 140 mm | 35 kg |

|     |     |
|-----|-----|
| 882 | 367 |
| 1/2 | 1   |



|             |            |                                         |
|-------------|------------|-----------------------------------------|
| <b>1/4"</b> | BW 900     | ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm |
|             | BW 900L    | ○ 4,4-5-5,5-6-7-8-9-10-11-12-13-14 mm   |
|             | BW 900FTX  | ○ E4-E5-E6-E7-E8-E10                    |
|             | BW 900ME   | ○ 3-4-5-6-7-8 mm                        |
|             | BW 900TX   | ○ T6-T7-T8-T9-T10-T15-T20-T25           |
|             | BW 900LP   | ● 0,8x4-1x5,5-1,2x6,5-1,2x8 mm          |
|             | BW 900PH   | ⊕ PH0-PH1-PH2-PH3                       |
|             | BW 895/1   | ○ 1/4" - □ 1/4"                         |
|             | BW 900/20  | 50 mm                                   |
|             | BW 900/20L | 100 mm                                  |
|             | BW 900/25  | 150 mm                                  |
|             | BW 900/30  | 115 mm                                  |
|             | BW 900/42  | 115 mm                                  |
|             | BW 900/55  | ⊗ 150 mm                                |

|             |            |                                                        |
|-------------|------------|--------------------------------------------------------|
| <b>3/8"</b> | BW 910A    | ○ 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24 mm |
|             | BW 910AL   | ○ 8-10-11-12-13-14-17-19 mm                            |
|             | BW 910FTX  | ⊗ E6-E7-E8-E10-E11-E12-14                              |
|             | BW 910PE   | ⊗ 4-5-6-7-8-9-10 mm                                    |
|             | BW 910TX   | ⊗ T15-T20-T25-T27-T30-40-T45                           |
|             | BW 910/21  | 125 mm                                                 |
|             | BW 910/22  | 150 mm                                                 |
|             | BW 910/25  |                                                        |
|             | BW 910/55  | ⊗ 205 mm                                               |
|             | BW 920/15F | □ 1/2" - ■ 3/8"                                        |

### BW 861/C61

|   |          |                                                                        |
|---|----------|------------------------------------------------------------------------|
| ⊕ | BW 861LP | 0,5x3 (2)-0,5x4(2)-0,6x4,5(2)-0,8x5(2)-1,0x5,5(2)-1,0x6(2)-1,6x8(2) mm |
| ⊕ | BW 861PH | PH0(2)-PH1(7)-PH2(7)-PH3(2)                                            |
| ⊕ | BW 861PZ | PZ0(2)-PZ1(3)-PZ2(3)-PZ3(2)                                            |
| ⊕ | BW 861PE | 1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm                                         |
| ⊕ | BW 861TX | T9-T10-T15-T20-T25 T27-T30-T40                                         |
| ⊕ | BW 882M1 | ○ 1/4 - ● 1/4                                                          |

### BW 1256/C21-1

|      |            |                            |
|------|------------|----------------------------|
| ⊕    | BW 1256LP  | 1,5-2-2,5 mm               |
| ⊕    | BW 1256PH  | PH0-PH1                    |
| ⊕    | BW 1256PZ  | PZ0-PZ1                    |
| ⊕    | BW 1256PE  | 0,7-0,9-1,3-1,5-2-2,5-3 mm |
| ⊕    | BW 1256TX  | T4-T5-T6-T7                |
| ⊕    | BW 1256RTX | T8-T10-T15                 |
| 4 mm |            | 99 mm                      |





**BW 42** 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm  
**BW 96BPC/SC9** 1,5-2-2,5-3-4-5-6-8-10 mm



**BW 55** 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm  
**BW 90** 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm  
**BW 97TX/SC8** T9-T10-T15-T20-T25-T27-T30-T40



**1032** 19÷60 mm  
**1034** 19÷60 mm  
**1036** 19÷60 mm  
**1038** 19÷60 mm  
**BW 1048** 250 mm  
**BW 1052** 190 - 240 mm  
**BW 1098** 220 mm  
**BW 1082BM** 160 mm  
**BW 1150BM** 180 mm  
**BW 1166BM** 200 mm  
**BW 1168BM** 200 mm  
**BW 1128BMX** 150 mm



**BW 920A** 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm  
**BW 920AL** 10-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm  
**BW 920FTX** E10-E12-E14-E16-E18-E20-E22-E24  
**BW 920PE** 5-6-7-8-9-10-12-14 mm  
**BW 920PE-L** 5-6-7-8-9-10-12-14 mm  
**BW 920TX** T27-T30-T40-T45-T50-T55-T60  
**BW 920TX-L** T30-T40-T45-T50-T55-T60-T70  
**BW 920/21** 125 mm  
**BW 920/22** 250 mm  
**BW 910/16F** 3/8" - 1/2"  
**BW 920/25** 3/8" - 1/2"  
**BW 920/55** 260 mm



**1201E** 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm  
**1201EN** 4x30 mm  
**1202E** PH0x60-PH1x80-PH2x100-PH3x150 mm  
**1202EN** PH1x30 mm  
**1207E/TX** T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45  
**BW 1253** 0,5x100 mm




**BW 720** 10-12-13-15-17-19-21-24 mm  
**BW 720L** 17-19-21-22 mm  
**BW 720/21** 125 mm  
**BW 900/16** 1/4" - 3/8"  
**BW 910/15** 3/8" - 1/4"  
**BW 910/16F** 3/8" - 1/2"  
**BW 920/15F** 1/2" - 3/8"  
**BW 920/16** 1/2" - 3/4"  
**BW 943FL** 6-7-8 mm  
**BW 1687D** 153 mm  
**BW 1687U** 153 mm  
**BW 1687A** 153 mm  
**BW 1687AC** 153 mm



**BW 1370** 500 g  
**BW 1380** 1000 g  
**BW 1390** 35 mm  
**BW 1737NX**



**BW 141** 8-9-10-11-12-13-14-15-17-19 mm  
**BW 410/SP19** 1÷10 mm x 0,5 mm  
**BW 1725CR** 260 mm



**BW 977TX** T8-T9-T10-T15-T20-T25-T27-T30-T40  
**BW 1682** 300 mm  
**BW 1650** 150 mm



**943E** 6-7-8-9-10-11-12-13 mm



**BW 30** 2-3-4 mm  
**BW 31** 2-3-4-5-6-8 mm  
**BW 32** 4 mm  
**BW 34** 125-150-175 mm  
**BW 1692/3** 3 mm  
**BW 1712T** 150÷590 mm  
**BW 1725** 420 mm  
**BW 1719BMA8/T** 200 mm  
**BW 1719BMA8/P** 200 mm  
**BW 1719BMA8/M** 200 mm  
**BW 1719BMA8/R** 200 mm  
**BW 1719BMA8/Q** 200 mm  
**1771** 18 mm  
**BW 1833S** 200 lumen



**BW 1149F** 175 mm  
**BW 1602** 0,75÷6 mm<sup>2</sup>  
**BW 1603** 1,25÷5,5 mm<sup>2</sup>  
**BW 1606T** 0,1÷10 mm<sup>2</sup>  
**BW 1608** 0,5÷6 mm<sup>2</sup>



**BW 96T** 2-2,5-3-4-5-6-7-8 mm

## BW 2400S XL9/E-XXL

Mobile roller cab with 9 drawers, with anti-tilt system, long model, with assortment of 716 tools

- 9 drawers (882x367 mm), with ball bearing slides: 8 drawers, 70 mm high 1 drawer, 140 mm high.
- Sturdy ABS worktop, with 6 tote-trays
- Study nylon front, with built-in label holder
- Drawer bases protected by foamed rubber mats
- Four castors Ø 125 mm: 2 fixed and 2 steering (one with brake)
- Front centralized safety lock
- Static load capacity: 1000 kg
- Built-in side bottle holder

1000 kg



£ 2,719.00



024006254





024006255



024006256



| n° | h      | max   |
|----|--------|-------|
| 8  | 70 mm  | 30 kg |
| 1  | 140 mm | 35 kg |



BW 97TX/SC8 ○ T9-T10-T15-T20-T25-T27-T30-T40  
 BW 97TTX ○ T8-T9-T10-T15-T20-T25-T27-T30-T40

**3/8"** BW 910A ○ 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24 mm  
 BW 910AL ○ 8-10-11-12-13-14-17-19 mm  
 BW 910FTX ○ E6-E7-E8-E10-E11-E12-E14  
 BW 910PE ○ 4-5-6-7-8-9-10 mm  
 BW 910TX ○ T15-T20-T25-T27-T30-T40-T45

BW 910/20 75 mm  
 BW 910/22 150 mm  
 BW 910/25 100 mm  
 BW 910/55 200 mm  
 BW 920/15F 1/2" - 3/8"

**1/4"** BW 900 ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm  
 BW 900L ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm  
 BW 900FTX ○ E4-E5-E6-E7-E8-E10  
 BW 900ME ○ 3-4-5-6-7-8-10 mm  
 BW 900TX ○ T6-T7-T8-T9-T10-T15-T20-T25  
 BW 900LP ● 0,8x4-1,0x5,5-1,2x6,5-1,2x8 mm

BW 900PH PH0-PH1-PH2-PH3  
 BW 895/1 1/4"  
 BW 900/20 50 mm  
 BW 900/20L 100 mm  
 BW 900/25 150 mm  
 BW 900/30 115 mm  
 BW 900/42 115 mm  
 BW 900/55 150 mm

### BW 861/C61

|   |          |                                                                        |
|---|----------|------------------------------------------------------------------------|
| ● | BW 861LP | 0,5x3 (2)-0,5x4(2)-0,6x4,5(2)-0,8x5(2)-1,0x5,5(2)-1,0x6(2)-1,6x8(2) mm |
| + | BW 861PH | PH0(2)-PH1(7)-PH2(7)-PH3(2)                                            |
| + | BW 861PZ | PZ0(2)-PZ1(3)-PZ2(3)-PZ3(2)                                            |
| ○ | BW 861PE | 1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm                                         |
| ⊗ | BW 861TX | T9-T10-T15-T20-T25 T27-T30-T40                                         |
| ○ | BW 882M1 | 1/4 - 1/4                                                              |

### BW 1256/C21-1

|      |            |                            |
|------|------------|----------------------------|
| ●    | BW 1256LP  | 1,5-2-2,5 mm               |
| +    | BW 1256PH  | PH0-PH1                    |
| +    | BW 1256PZ  | PZ0-PZ1                    |
| ○    | BW 1256PE  | 0,7-0,9-1,3-1,5-2-2,5-3 mm |
| ⊗    | BW 1256TX  | T4-T5-T6-T7                |
| ⊗    | BW 1256RTX | T8-T10-T15                 |
| 4 mm |            | 99 mm                      |





97

- 12"** BW 720L ○ 10-12-13-15-17-19-21-24-27-30 mm  
 BW 720/21 125 mm  
 BW 720/25 64 mm  
 BW 910/16F □ 3/8" - ■ 1/2"  
 BW 920/16 □ 1/2" - ■ 3/4"  
 BW 920A ○ 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm  
 BW 920AL ○ 10-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm  
 BW 920FTX ○ E10-E12-E14-E16-E18-E20-E22-E24  
 BW 920PE ○ 5-6-7-8-9-10-12-14 mm  
 BW 920PE-L ○ 5-6-7-8-9-10-12-14 mm  
 BW 920PE-XL ○ 10-12-14 mm  
 BW 920TX ○ T27-T30-T40-T45-T50-T55-T60  
 BW 920TX-L ○ T30-T40-T45-T50-T55-T60-T70  
 BW 920TX-XL ○ T45-T50-T55  
 BW 920/21 125 mm  
 BW 920/22 250 mm  
 BW 920/25 260 mm  
 BW 920/55 260 mm



35

- 943E ○ 5-5-5-6-7-8-9-10-11-12-13-14 mm  
 1201E ● 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm  
 1202E ● PH0x60-PH1x80-PH2x100-PH3x150 mm  
 1201EN ● 4x30 mm  
 1202EN ● PH1x30 mm  
 1207E/TX ○ T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45



45

- BW 42 ○ 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm  
 BW 55 ○ 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm  
 BW 141 ○ 8-9-10-11-12-13-14-15-16-17-18-19 mm



235

- BW 96BPC/SC9 ○ 1,5-2-2,5-3-4-5-6-8-10 mm  
 BW 410/SP19 1+10 mm x 0,5 mm  
 BW 666N/20 40+20 Nm  
 BW 720 ○ 10-12-13-15-17-19-21-24-27-30 mm  
 BW 867PE ○ 4-5-6-7-8-10-12 mm  
 BW 867PE/L ○ 4-5-6-7-8-10-12 mm  
 BW 867XZN ○ 4-5-6-7-8-10-12 mm  
 BW 867XZN/L ○ 5-6-8-10-12 mm  
 BW 867TX ○ T20-T25-T30-T40-T45-T50-T55  
 BW 867TX/L ○ T20-T25-T30-T40-T45-T50-T55  
 BW 867RTX ○ T20-T25-T30-T40-T45-T50-T55  
 BW 867RTX/L ○ T20-T25-T30-T40-T45-T50-T55  
 BW 867RIB/L ○ 5-6-7-8-9-10-11-12-13 mm  
 BW 1253 ● 0,5x100 mm  
 BW 1257LP ● 2,0-2,5-3,0 mm  
 BW 1257PH ● PH00-PH0-PH1  
 BW 1257TX ○ T5-T6-T7-T8-T9-T10  
 BW 1728BM  
 BW 1728LA



27

- BW 30 Ø 2-3-4 mm  
 BW 31 Ø 2-3-4-5-6-8 mm  
 BW 32 Ø 4 mm  
 BW 34 150-175 mm  
 BW 36 150 mm  
 1032 ○ 19+60 mm  
 1034 ○ 19+60 mm  
 1036 ● 19+60 mm  
 1038 ● 19+60 mm  
 BW 1048 250 mm  
 BW 1052 190-240 mm  
 BW 1082BM 160 mm  
 BW 1150BM 180 mm  
 BW 1168BM ● 200 mm  
 BW 1168BM ● 200 mm  
 BW 1370 300 g  
 BW 1380 1000 g  
 BW 1390 Ø 35 mm



30

- BW 90 ● 6x7-8x9-10x11-12x13-14x15-16x17-18x19 mm  
 BW 96T ○ 2-2,5-3-4-5-6-7-8-10 mm  
 BW 1098 220 mm  
 BW 1650 150 mm  
 BW 1682 300 mm  
 BW 1687/S4  
 BW 192 8x10/12x13 mm  
 BW 192 16x17/18x19 mm  
 BW 1719BMA8/Q ■ 200 mm  
 BW 1719BMA8/T ▲ 200 mm  
 BW 1719BMA8/P ▮ 200 mm  
 BW 1719BMA8/M ▴ 200 mm  
 BW 1719BMA8/R ● 200 mm



33

- BW 943FL ○ 6-7-8 mm  
 BW 1692/5 5 mm  
 BW 1712T 148+665 mm  
 BW 1606T 0,08+6 mm²  
 BW 1608 0,5+6 mm²  
 BW 1725 420 mm  
 BW 1725CR 250 mm  
 BW 1737NX 270 mm  
 1771 18 mm  
 BW 1771RL 18 mm  
 BW 1833S 200 lumen  
 BW 1715  
 BW 1720/B6  
 BW 1128BMX 150 mm  
 BW 1149F 0,2+6 mm²  
 BW 1602 0,75+6 mm²  
 BW 1603 1,25+5,5 mm²




059456301

## BW 5945/2023

Assortment of 268 tools for universal use,  
in soft EVA tray

£ 807.00

X  
268



for **C45PRO 2.0**



- BW 96T** ○ 2-2.5-3-4-5-6-7-8 mm  
**BW 34** 150-175 mm  
**BW 1370** 300 g  
**BW 1390** Ø 35 mm
- BW 1719BMA8/Q** ■ 200 mm  
**BW 1719BMA8/T** ▲ 200 mm  
**BW 1719BMA8/P** ▮ 200 mm  
**BW 1719BMA8/M** ▨ 200 mm  
**BW 1719BMA8/R** ● 200 mm



- BW 96BPC/SC9** ○ 1,5-2,2-2,5-3-4-5-6-8-10 mm  
**BW 42** 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm



- BW 97TTX** ○ T10-T15-T20-T25-T30  
**1038** ● 19÷60 mm  
**1036** ● 19÷60 mm  
**1034** ○ 19÷60 mm  
**1032** ○ 19÷60 mm  
**BW 1166BM** ● 160 mm  
**BW 1150BM** = 180 mm  
**BW 1082BM** ≥ 160 mm  
**BW 1052** 240 mm  
**BW 1048** 250 mm

### BW 1256/C21-1

|      |            |                            |
|------|------------|----------------------------|
| ⊖    | BW 1256LP  | 1,5-2-2,5 mm               |
| ⊕    | BW 1256PH  | PH0-PH1                    |
| ⊕    | BW 1256PZ  | PZ0-PZ1                    |
| ⊖    | BW 1256PE  | 0,7-0,9-1,3-1,5-2-2,5-3 mm |
| ⊖    | BW 1256TX  | T4-T5-T6-T7                |
| ⊖    | BW 1256RTX | T8-T10-T15                 |
| 4 mm |            | 99 mm                      |



- 1202E** ● PH0x60-PH1x80-PH2x100-PH3x150 mm  
**1202EN** ● PH1X30 mm  
**1207E/TX** ○ T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45  
**1201EN** ● 4x30 mm  
**1201E** ● 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm  
**BW 1253** ● 3x100 mm



- 1/4"** **BW 900** ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm  
**BW 900L** ○ 5-6-7-8-9-10-11-12-13 mm  
**BW 900LP** ● 0,8x4-1,0x5-1,2x6,5-1,2x8,0 mm  
**BW 900PH** ● PH1-PH2-PH3  
**BW 900ME** ○ 3-4-5-6-7 mm  
**BW 900TX** ○ T10-T15-T20-T25-T27-T30  
**BW 900/20** 50 mm  
**BW 900/20L** 100 mm  
**BW 900/25** 150 mm  
**BW 900/30** 150 mm  
**BW 895/1** ○ 1/4" - □ 1/4"  
**BW 895/3** ○ 1/4" - □ 3/8"  
**BW 895/6** ○ 5/16" - □ 1/2"  
**BW 900/42** 115 mm  
**BW 900/55** ● 150 mm

### BW 861/C61

|   |          |                                                                        |
|---|----------|------------------------------------------------------------------------|
| ⊖ | BW 861LP | 0,5x3 (2)-0,5x4(2)-0,6x4,5(2)-0,8x5(2)-1,0x5,5(2)-1,0x6(2)-1,6x8(2) mm |
| ⊕ | BW 861PH | PH0(2)-PH1(7)-PH2(7)-PH3(2)                                            |
| ⊕ | BW 861PZ | PZ0(2)-PZ1(3)-PZ2(3)-PZ3(2)                                            |
| ⊖ | BW 861PE | 1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm                                         |
| ⊖ | BW 861TX | T9-T10-T15-T20-T25 T27-T30-T40                                         |
| ⊖ | BW 882M1 | ○ 1/4 - ● 1/4                                                          |

- 1/2"** **BW 895/6** ○ 5/16" - □ 1/2"  
**BW 956C** ○ 16 mm - 20,8 mm  
**BW 920/15F** □ 1/2" - ■ 3/8"  
**BW 910/22** 150 mm  
**BW 910/55** ● 205 mm  
**BW 920/55** ● 260 mm  
**BW 920A** ○ 8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm  
**BW 920/25** 125 mm  
**BW 920/21** 125 mm  
**BW 920/22** 255 mm

- 3/8"** **BW 895/6** ○ 5/16" - □ 1/2"  
**BW 910A** ○ 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm  
**BW 910/20** 75 mm  
**BW 910/22** 150 mm  
**BW 910/25** 150 mm  
**BW 910/16F** □ 3/8" - ■ 1/2"



 **Beta**  
WORKER





