

RSCS02.00

THE NEW, REVOLUTIONARY SYSTEM

70-CM-DEEP WORKTOP

Promotion valid until 28/02/2026 PRICES DO NOT INCLUDE V.A.T.

Beta keeps evolving in line with **The new, revolutionary**







Beta keeps evolving in line with market trends, to successfully take up the challenges of the future. As a result, the workshop equipment combination, RSC50, has been upgraded into the new, revolutionary system, RSC50 2.0.

The new 70-cm-deep worktop, the three types of material to choose from (sheet metal, multi-ply wood and stainless steel coated MDF) make RSC50 2.0 a one-of-a-kind ITALIAN-MADE line. RSC50 2.0 means a perfect combination of modern design and unparalleled functionality. Designed to satisfy today's professionals' requirements.



Our acclaimed care in choosing the materials, painstaking attention for detail and, last but not least, the captivating design make the RSC50 2.0 a one-of-a-kind workshop equipment range.





Each workshop equipment combination can be extended or modified at any time as required. You can choose the material of your worktop: sheet metal, multi-ply wood or stainless steel coated MDF.


COMPATIBILITY

The drawers in Beta's standard dimensions (588x367 mm) can accommodate the numerous tool modules, which are available in both soft and hard versions, made from EVA and ABS respectively.





The 70-cm-deep worktop



means having a large, convenient, functional work surface available. It can be fitted with a vice, thereby allowing heavy-duty jobs to be carried out.





The new workshop equipment range, RSC50 2.0, comprises preassembled combinations, developed by Beta for professionals; alternatively, you can design your workplace on your own, choosing from many under-bench modules, wall-mounted cabinets and furnishing accessories. The workshop equipment range, RSC50 2.0, comprises preassembled combinations, developed by Beta for professionals; alternatively, you can design your workplace on your own, choosing from many under-bench modules, wall-mounted cabinets and furnishing accessories.

Configure your workshop in 3D online on www.beta-tools.com/rsc50



3 J







050001046 804 Kg

- 1 worktop, 2,240x700 mm (RSC50 2.0 NPG/3-2.2MT)
- 1 worktop, 1,495x700 mm (RSC50 2.0 NPG/2-1,5MT)
- 1 fixed module with 7 drawers (RSC50 2.0 M7)
- 1 mobile roller cab with 7 drawers (RSC50 2.0 C7)
- 1 fixed service module with 2 drawers (RSC50 2.0 MS-2C)
- 1 self-supporting complete corner (RSC50 2.0 NAC-G)
- 1 fixed module with 5 drawers (RSC50 2.0 M5)
- 1 fixed two-door module (RSC50 2.0 MA)
- 5 wall-mounted cabinets (RSC50 2.0 PM)
- 5 upper perforated tool panels (RSC50 2.0 PFS)
- 5 lower perforated tool panels (RSC50 2.0 PFI)
- 5 pairs of right/left uprights (RSC50 2.0 P/2MDX-SX)
- 2 single-door cabinets (RSC50 2.0 A1)










りのい





🖳 050001051 720 Kg

- 1 worktop, 2,240x700 mm (RSC50 2.0 NPG/3-2.2MT)
- 1 worktop, 750x700 mm (RSC50 2.0 NPG/1-0.7MT)
- 1 fixed service module (RSC50 2.0 MS-2AVV) with compressed air hose reel item 1900S 8x10 and cable reel item 1844 15-H05/SCK (included)
- 1 mobile roller cab with 7 drawers (RSC50 2.0 C7)
- 1 fixed module with 7 drawers (RSC50 2.0 M7)
- 1 self-supporting complete corner (RSC50 2.0 NAC-G)
- 1 fixed two-door module (RSC50 2.0 MA)
- 1 tool wall system with aluminium shutter and framework (RSC50 2.0 PS)
- 2 wall-mounted cabinets (RSC50 2.0 PM)
- 2 upper perforated tool panels (RSC50 2.0 PFS)
- 2 lower perforated tool panels (RSC50 2.0 PFI)
- 2 pairs of right/left uprights (RSC50 2.0 P/2MDX-SX)
- 2 single-door cabinets (RSC50 2.0 A1)










🖳 050001001 604 Kg

- 1 single-door cabinet (RSC50 2.0 A1)
- 1 worktop, 750x700 mm (RSC50 2.0 NPG/1-0.7MT)
- 1 worktop, 2,240x700 mm (RSC50 2.0 NPG/3-2.2MT)
- 1 mobile roller cab with 7 drawers (RSC50 2.0 C7)
- 1 fixed module with 4 drawers (RSC50 2.0 M4)
- 1 fixed module with 7 drawers (RSC50 2.0 M7)
- 1 fixed service module (RSC50 2.0 MS-AVV) with compressed air hose reel item 1900S 8x10 (included)
- 1 tool wall system with aluminium shutter and framework (RSC50 2.0 PS)
- 2 wall-mounted cabinets (RSC50 2.0 PM)
- 2 upper perforated tool panels (RSC50 2.0 PFS)
- 2 lower perforated tool panels (RSC50 2.0 PFI)
- 2 pairs of right/left uprights (RSC50 2.0 P/2MDX-SX)
- 1 two-door cabinet (RSC50 2.0 A2)







SUPPLIED







🖳 050001041 464 Kg

Workshop equipment combination RSC50 2.0


2.000

- 1 worktop, 2,240x700 mm (RSC50 2.0 NPG/3-2.2MT)
- 1 fixed service module with 2 drawers (RSC50 2.0 MS-2C)
- 1 mobile roller cab with 7 drawers (RSC50 2.0 C7)
- 1 fixed module with 7 drawers (RSC50 2.0 M7)
- 1 fixed module with built-in sink (RSC50 2.0 ML)
- 4 wall-mounted cabinets (RSC50 2.0 PM)
- 4 upper perforated tool panels (RSC50 2.0 PFS)
- 4 lower perforated tool panels (RSC50 2.0 PFI)
- 4 pairs of right/left uprights (RSC50 2.0 P/2MDX-SX)
- 1 single-door cabinet (RSC50 2.0 A1)





£12,720.00 £ 6,068.00





416 Kg

Workshop equipment combination RSC50 2.0

400

625

8

Beta

2.240

Π

3.155

B

Beta

2.000

975 945

- 1 worktop, 2,240x700 mm (RSC50 2.0 NPG/3-2.2MT)
- 1 fixed service module (RSC50 2.0 MS-2AVV) with compressed air hose reel item 1900S 8x10 and cable reel item 1844 15-H05/SCK (included)
- 1 mobile roller cab with 7 drawers (RSC50 2.0 C7)
- 1 fixed module with 4 drawers (RSC50 2.0 M4)

£ 10,740.00 £ 5,185.00

- 3 wall-mounted cabinets (RSC50 2.0 PM)
- 3 upper perforated tool panels (RSC50 2.0 PFS)
- · 3 lower perforated tool panels (RSC50 2.0 PFI)
- 3 pairs of right/left uprights (RSC50 2.0 P/2MDX-SX)
- 1 two-door cabinet (RSC50 2.0 A2)


SUPPLIED




915



1844 15-H05/SCK








T





- 1 worktop, 2,240x700 mm (RSC50 2.0 NPG/3-2.2MT)
- 1 fixed module with 7 drawers (RSC50 2.0 M7)
- 1 mobile roller cab with 7 drawers (RSC50 2.0 C7)
- 1 fixed service module with 2 drawers (RSC50 2.0 MS-2C)
- 3 wall-mounted cabinets (RSC50 2.0 PM)
- 3 upper perforated tool panels (RSC50 2.0 PFS)
- 3 lower perforated tool panels (RSC50 2.0 PFI)
- 3 pairs of right/left uprights (RSC50 2.0 P/2MDX-SX)
- 1 two-door cabinet (RSC50 2.0 A2)






🕮 050001031 🛛 411 Kg



RSC50 2.0







050001032

RSC50 2.0 FX

• 1 worktop (2,240x700 mm) made from stainless steel coated MDF (RSC50 2.0 PX/3-2.2MT)

11

RSC50 2.0 FW

Beta

 1 worktop (2,240x700 mm) made from multi-ply wood (RSC50 2.0 PW/3-2.2MT)

3-1





405 Kg





050001033

386 Kg



£ 10,.070.00 £ 4,900.00







🔜 050001026 310 Kg

Workshop equipment combination RSC50 2.0

- 1 worktop, 2,240x700 mm (RSC50 2.0 NPG/3-2.2MT)
- 1 fixed service module with 2 drawers (RSC50 2.0 MS-2C)
- 1 fixed module with 7 drawers (RSC50 2.0 M7)
- 1 fixed two-door module (RSC50 2.0 MA)
- 3 wall-mounted cabinets (RSC50 2.0 PM)
- 3 upper perforated tool panels (RSC50 2.0 PFS)
- 3 lower perforated tool panels (RSC50 2.0 PFI)
- 3 pairs of right/left uprights (RSC50 2.0 P/2MDX-SX)



£8,640.00 £4,105.00








📕 050001016 279 Kg

- 1 worktop, 1,495x700 mm (RSC50 2.0 NPG/2-1.5MT)
- 1 fixed service module with 2 drawers (RSC50 2.0 MS-2C)
- 1 fixed module with 7 drawers (RSC50 2.0 M7)
- 2 wall-mounted cabinets (RSC50 2.0 PM)
- 2 upper perforated tool panels (RSC50 2.0 PFS)
- 2 lower perforated tool panels (RSC50 2.0 PFI)
- 2 pairs of right/left uprights (RSC50 2.0 P/2MDX-SX)
- 1 single-door cabinet (RSC50 2.0 A1)









Workshop equipment combination RSC50 2.0

- 1 worktop, 1,495x700 mm (RSC50 2.0 NPG/2-1.5MT)
- 1 fixed two-door module (RSC50 2.0 MA)
- 1 fixed module with 7 drawers (RSC50 2.0 M7)
- 1 tool wall system with aluminium shutter and framework (RSC50 2.0 PS)





- 1 worktop, 1,495x700 mm (RSC50 2.0 NPG/2-1.5MT)
- 1 fixed module with 7 drawers (RSC50 2.0 M7)
- 1 fixed service module with 2 drawers (RSC50 2.0 MS-2C)
- 2 wall-mounted cabinets (RSC50 2.0 PM)
- 2 upper perforated tool panels (RSC50 2.0 PFS)
- 2 lower perforated tool panels (RSC50 2.0 PFI)
- 2 pairs of right/left uprights (RSC50 2.0 P/2MDX-SX)









RSC50 2.0 NP

Worktop



 Designed for application of aluminium profiles with LED strips item 5000 RSC50/PLED or 5000 RSC50/PLED-ST (to be ordered separately), to light under-workbench modules.

• Supplied complete with two exterior side pads.

Painted sheet metal worktop, covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons.

· Holes for a vice (1599P/125, to be ordered separately) on both sides

RAL 7046	L mm	D mm	kg		;	£
RSC50 2.0 NPG/1-0,7MT	750	700	16,7	050001118	£.530.00	£ 270.00
RSC50 2.0 NPG/2-1,5MT	1.495	700	31	050001125	_ £714.00 _	£ 373.00
RSC50 2.0 NPG/3-2,2MT	2.240	700	49,6	050001133	_ £1,003.0 0	£ 513.00

RAL 7016	L mm	D mm	kg			£
RSC50 2.0 NPA/1-0,7MT	750	700	16,7	050001117	£ 521.00-	£ 270.00
RSC50 2.0 NPA/2-1,5MT	1.495	700	31	050001124	£714.00	£ 373.00
RSC50 2.0 NPA/3-2,2MT	2.240	700	49,6	050001132	_ £ 1,003.0 0	£ 513.00

Worktop made from multi-ply wood Supplied complete with two exterior side pads

F

pplied complete with two e						
WOOD	L mm	D mm	kg			£
RSC50 2.0 PW/1-0,7MT	750	700	7	050001126	£ 261.00	£ 136.00
RSC50 2.0 PW/2-1,5MT	1.495	700	14,5	050001130	£ 377.00	£ 196.00
RSC50 2.0 PW/3-2,2MT	2.240	700	21	050001136	£ 540.00	£ 270.00

Worktop made form stainless steel coated MDF Supplied complete with two exterior side pads.

applied complete with two e						
INOX	L mm	D mm	kg			£
RSC50 2.0 PX/1-0,7MT	750	700	13,5	050001127	£ 309.00	£ 159.00
RSC50 2.0 PX/2-1,5MT	1.495	700	27	050001131	£ 478.00	£ 248.00
RSC50 2.0 PX/3-2,2MT	2.240	700	40,5	050001137	<u>£637.00</u>	£ 317.00




RSC50 2.0 T3 50001253 23 Kg

3-tier tool trolley, for workshop equipment combination

- 4 swivel castors, Ø 100 mm (two with brakes)
- Static load capacity: 200 kg (distributed over 3 shelves)









Can accommodate a vice

• Can accommodate a vice (1599P/125, to be ordered separately)

(1599P/125, to be ordered separately)

Mobile roller

4 swivel castors, Ø 100 mm (2 with brakes)
Drawer bases protected by foamed rubber mats

Front centralized lock

Handles built into frame for improved ease of handling
Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays

• Each drawer can accommodate up to 4 EVA foam of ABS thermoformed tray



Mobile roller cab with 5 drawers

• 5 drawers (588x367 mm) with ball bearing slides





Mobile roller cab with 7 drawers

• 7 drawers (588x367 mm) with ball bearing slides





64 Kg

Mobile roller cab with 6 drawers

RSC50

• 6 drawers (588x367 mm) with ball bearing slides



RSC50 2.0 C8 .050001208

- Mobile roller cab with 8 drawers
- \bullet 8 drawers (588x367 mm) with ball bearing slides




Fixed module

· Drawer bases protected by foamed rubber mats Front centralized lock • With vertically adjustable feet · Each drawer can accommodate up to 4 EVA foam

or ABS thermoformed trays





£ 822.00 £ 1,520.00

RSC50 2.0 M

Fixed module with 6 drawers








588 h 🚊 max 70 mm 25 kg 367 140 mm 30 kg 280 mm 35 kg £ 841.00 £ 1,555.00

• 6 drawers (588x367 mm) with ball bearing slides






63,5 Kg

Fixed module


Drawer bases protected by foamed rubber mats
Front centralized lock
With vertically adjustable feet
Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays




RSC50 2.0 M10

Fixed module with 10 drawers

• 10 drawers (588x367 mm) with ball bearing slides







050001231

76 Kg

RSC50 2.0 MS-20

🚢 050001283 🛛 49 Kg



- Two drawers, 310x370 mm, 180 mm high, with ball bearing slides (interior dimensions)
- With vertically adjustable feet







Built-in waste bin



Paper roll compartment

49 Kg



55

Fixed service module

RSC50

Can accommodate one reel, to be chosen from the following models:

- compressed air hose reel item 1900S 8x10
- cable reels items 1843 15-H05, 1844 10-H05, 1844 15-H05, 1844 15-H07, 1844 15-H05/SCK, 1844 15-H07/SCK, 1845 12-H05, 1846 10-H05, 1846 10-H07 and 1846 15-H05 (to be ordered seperately)
- Built-in waste bin
- Paper roll compartment
- With vertically adjustable feet



RSC50 2.0 MS-2AVV

Fixed service module

Can accommodate two reels, to be chosen from the following

- compressed air hose reel item 1900S 8x10 - cable reels items 1843 15-H05, 1844 10-H05,
- cable reels items 1643 15-H05, 1844 10-H05, 1844 15-H05, 1844 15-H07, 1844 15-H05/SCK, 1844 15-H07/SCK, 1845 12-H05, 1846 10-H05,
- 1846 10-H07 and 1846 15-H05 (to be ordered seperately)

£ 632.00

- Built-in waste bin
- Paper roll compartment
- · With vertically adjustable feet




RSC50 2.0 MA


- Fixed two-door module
- With lock
- Vertically adjustable interior shelf
- Interior dimensions: 615x435x740 mm
- With vertically adjustable feet

£ 1,230.00






()









RSC50 2.0 CS

🚚 050001285 🛛 48 Kg

Fixed sorted waste collection module

- Pull-out waste compartment (588x355x580 mm) with ball bearing slides
- · 2 capacious pull-out interior containers for sorting waste
- With vertically adjustable feet





670

39 Kg

945

740

🖳 050001284



RSC50 2.0 ML

Fixed module with built-in sink

- Stainless steel basin
- Supplied complete with:
- 1 mixer tap
- 1 drain unit
- 1 sink stopper
- 1 filter cap
- 1 soap dispenser

Fixed two-door module with lock:

- Usable interior dimensions: 615x435x575 mm
- With vertically adjustable feet




RSC50 2.0 MDO


Fixed oil distribution

- 2 hose reels 7 m 1/2" included
- Complete with 2 guns with digital litre counter and automatic drip catcher.
- Max. flow rate: 30 l/min
- Viscosity: 8÷2000 mPas
- · With vertically adjustable feet





£3,150.00 £ 1,682.00





Sheet metal single-door tool cabinet Sheet metal two-door tool cabinet 4 removable, vertically adjustable shelves 4 removable, vertically adjustable shelves • With lock With lock Interior dimensions: 590x615 mm Interior dimensions: 910x615 mm • With vertically adjustable feet · With vertically adjustable feet Beta Beta 00 2.000 915 ۰N 2.000 £ 439.00 £ 654.00 £847.00 £ 1,300.00 **RSC50 2.0 RSC50 2.0** Δ1/ 🚚 050001913 3,1 Kg 🔜 050001914 🛛 3,4 Kg Interior shelf, for tool cabinet RSC50 2.0 A1 Interior shelf for tool cabinet RSC50 2.0 A1, with clothes rail 🛍 30 ka 🖽 605x596 mm i 30 kg 🋍 10 kg 🚍 605x596 mm £62.50 £ 33.00 £52.50 £ 27.00

RSC50 2.0 A1 . 050001411 67 Kg

RSC50 2.0 A2 - 050001412 85 Kg



Sheet metal two-door tool cabinet with 3 drawers,

- 4 removable, vertically adjustable shelves
- Supplied complete with 3-drawer
- (681x360 mm) module
- Front lock
- Interior dimensions: 910x615 mm
- With vertically adjustable feet





£1,550.00 £775.00

RSC50 2.0 A2/R91

Interior shelf, for tool cabinet RSC50 2.0 A2









3-drawer module for two-door tool cabinets RSC50 2.0 A2

- 3 fully removable (661x360 mm), with ball bearing slides
- Drawer height: 78 mm

£252.00

- · Drawer bases protected by foamed rubber mats
- Supplied complete with assembly kit



£ 133.00



20,5 Kg

088880485







RSC50 2.0/CLL - 050001710 1 Kg

Linear guard

To be applied to perforated tool panels

• Designed for application of aluminium profiles with LED strip item 5000 RSC50 2.0/PLEDC or 5000 RSC50 2.0/PLED-ST (to be ordered separately), to light working area beneath



RSC50 2.0/MP - 050001705 2,0 Kg

Shelf


• Designed for application of aluminium profiles with LED strip item 5000 RSC50 2.0/PLEDC or 5000 RSC50 2.0/PLED-ST (to be ordered separately), to light working area beneath





Lower corner module

Fixed corner module with large storage compartment
 With vertically adjustable feet



RSC50 2.0 KNAI

• Worktop (964x964 mm) made from painted sheet metal covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons





RSC5	0 2.0	KNAI-X	
🚚 050001338	85 Kg		

 Corner worktop (964x964 mm) made from stainless steel coated MDF

RSC5	0 2.0	KNAI-W
	76 Kg	

 Corner worktop (964x964 mm) made from multi-ply wood



£2,300.00 £ 1,196.00





30



Self-supporting complete corner

Suspended corner cabinet with lock and gas springs, making it easier to open and close door
 2 perforated tool panels (869x1,027 mm)
 Lower corner module with large storage compartment
 With vertically adjustable feet





 Corner worktop (964x964) made from painted sheet metal covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons



148 Kg


made from stainless steel coated MDF

Corner worktop (964x964 mm)

RSC50

050001328

(TBeta)		
	Puote	
	i i	



RSC50	2.0	NAC-W

📕 050001327 139 Kg

 Corner worktop (964x964 mm) made from multi-ply wood



£4,160.00 £ 2,188.00



C

£4,220.00 £ 2,188.00



Assortment of 85 tools for universal maintenance Fixing accessories included.





Assortment recommended in combination with:

RSC50 2.0 - RSC50 2.0 E - RSC50 2.0 F RSC50 2.0 G - RSC50 2.0 H RSC50 2.0 I - RSC50 2.0 L

Quantity/Description

17	combination wrenches 6+22 mm	42
	offset hexagon key wrenches O 2÷10 mm	96N/SC12
	1/2" square drive hexagon sockets with rail © 10÷22 mm	920A/SB13
	1/2" square drive hexagon sockets with rail © 23÷32 mm	920A/SB8
1	1/2" drive extension bar 125 mm	920/21
1	1/2" drive extension bar 255 mm	920/22
1	1/2" drive universal joint	920/25
1	1/2" drive sliding T-handle	920/42
1	1/2" drive reversible ratchet @	920/55
	circlip pliers straight, internal 🖸 180 mm	1032
1	circlip pliers straight, external 175 mm	1036

Quantity/Description

QU	analy bescription	
1	250 mm slip joint plier	1048N
1	self - locking pliers 240 mm	1052
1	heavy-duty diagonal cutting nippers \$ 160 mm	1084BM
1	electrician's scissors, straight blades	1128BMX
1	combination plier bi-material 💳 180 mm	1150BM
1	extra-long needle nose pliers ● 160 mm	1166BM
7	screwdrivers for slotted head screws ● 3x75 - 3,5x100 - 4x125	1260
	5,5x150 - 6,5x150 - 8x200 - 10x200 mm	
4	screwdrivers for cross head Phillips [®] screws O PH0x60	1262/S4
	PH1x80 - PH2x100 - PH3x150 mm	
1	engineer's hammer 300 g	1370
1	soft face hammer Ø 35 mm	1390
1	measuring tape 5 m	1692
5	set of 5 second-cut files, with handles 200 mm	1719BMA/S5
1	hacksaw frame, aluminium handle	1725
1	plastic oil can 150 cc	1754
1	snap - off blade utility knife	1771



Assortment of 133 tools for universal maintenance Fixing accessories included.





Qu	antity/Description	Beta N.
6	pin punches 2 ÷ 8 mm	31/SP6
6	2 drift punches, 1 centre punch, 3 flat chisels with metal holder	38/SP6
17	combination wrenches 6÷22 - 24 - 27 - 30 mm	42/S17X
12	double open end wrenches 6x7 ÷ 30x32 mm	55/S12X
8	offset hexagon key wrenches 2 ÷ 10 mm	96T/S8
8	offset key wrenches,	97TX/SC8
	for Torx [®] head screws ◯ T9 ÷ T40	
1	Adjustable wrench 250 mm	111E
13	$1/2^{"}$ square drive hexagon sockets with rail \bigcirc 10 ÷ 22 mm	920A/SB13
8	1/2" square drive hexagon sockets with rail ○ 23 ÷ 32 mm	920A/SB8
7	socket drivers for cross head Phillips [®] screws ● ● 1,2x65 -	920LH/SB7
	1,2x8 - 1,6x9 - 2x12mm - PH1-PH2-PH3	
1	circlip pliers straight, internal ☉ 180 mm	1032
1	circlip pliers bent, internal 🖸 170 mm	1034
1	circlip pliers straight, external @ 175 mm	1036
1	circlip pliers bent, external 175 mm	1038
1	slip Joint Plier 250 mm	1048N
1	self - locking pliers 240 mm	1052
1	tin snips 250 mm	1112
1	electrician's scissors, straight blades	1128BMX
8	set of screwdrivers 2,5x50 - 3x75 - 4x100 - 5,5x125 -	1263/D8
	6,5x150 - PH0 - PH1 - PH2	
2	engineer's hammer 300 - 600 g	1370
1	soft face hammer 35	1390
•		

Assortment recommended in combination with: RSC50 2.0 I - RSC50 2.0 L


Qu	antity/Description	Beta N.
1	measuring tape 5 m	1692/5
1	flexible magnetic pick-up tool	1712E/2
1	two cutting edges scraper 200 mm	1717A
1	three - cutting edges scraper 200 mm	1717B
5	second cut files 200 mm	1719BMA8/S5
1	metal pressure oil can 200 cc	1751N
1	snap - off blade utility knife	1771BM
1	1/2" drive extension bar 125 mm	920/21
1	1/2" drive extension bar 250 mm	920/22
1	1/2" drive universal joint	920/25
1	1/2" drive sliding T-handle	920/42
1	1/2" drive reversible ratchet @	920/55
1	pry bar	963
1	diagonal cutting nippers 🕻 160 mm	1082BM
1	heavy duty diagonal cutting nippers 🕻 160 mm	1084BM
1	toggle lever assisted end cutting nippers \$ 180 mm	1092V
1	Combination plier bi-material = 180 mm	1150BM
1	Extra-long needle nose pliers 160 mm	1166BM
1	Extra-long bent needle nose pliers 160 mm	1168BM
2		
1	screwdrivers for cross head Phillips® screws	1262
	● PH3 8x150mm	4050
1	sliding gauge 235 mm	1650
1	hacksaw frame, aluminium handle 420 mm	1725

1900S 8X10

Automatic hose reel with 8x10 mm hose

- · Shockproof plastic body, for air or water
- · Max. operating pressure: 15 bar
- · Braided polyurethane hose
- · Polypropylene frame
- · Device for automatically fixing hose at required length
- · Rack mechanism can be disabled to keep hose pulled
- Operating temperature range: -5 °C / +50 °C
- Supplied with a 180° swivel bracket and an additional quick connection bracket





Έ

CE

(6

IP42 🗆


D	D1	L	kg		£	
Ø 12 mm	Ø8mm	10 m	3,9	019000080	<u>£ 166.00</u>	£ 89.00

1843 15-H05

Automatic cable reel with 2x1.5 mm² cable

- H05VV-F 2x1,5 mm² cable
- With thermal protection switch
- Coiled cable length: 15 m
- Cable length out of drum: 1 m
- Supplied without incoming cable
- Rack can be disabled to keep cable pulled
- Max. power (rolled up): 1300W (230V-20°C)
- Max. power (unrolled): 2300W (230V-20°C)
- Supplied with a 180° swivel bracket and an additional quick connection bracket





L 15	+1


Cable		ka		C
Capie	L.	kg		L
H05VV-F	15+1 m	4,2	018430215	£220.00 £ 121.00

1844

Automatic cable reel with 3Gx1,5 mm² cable

- · 3Gx1.5 mm² cable
- · With thermal protection switch
- · Cable length out of drum: 1 m
- Supplied without incoming cable
- · Rack mechanism can be disabled
- to keep cable pulled • Max. power (rolled up): 1500W (230V-20°C)
- Max. power (unrolled): 2500W (230V-20°C)
- Supplied with a 180° swivel bracket and an additional quick connection bracket






9	Cable	L	kg		£
1844 10-H05	H05VV-F	10+1 m	3,9	018440310	£196.50 £ 111.00
1844 15-H05	H05VV-F	15+1 m	4,6	018440315	£215.00 £ 124.00
1844 15-H07	H07RN-F	14+1 m	5,2	018440317	£233.50 £ 133.00

Automatic cable reel with 3Gx1.5 mm² cable and SCHUKO type socket

- 3Gx1.5 mm² cable
- With thermal protection switch
- Length of cable out of drum: 1 m
- Supplied with 1.5 m incoming cable and SCHUKO type socket
- Rack mechanism can be disabled to keep cable pulled
- Max. power (rolled up): 1500W (230V-20°C)
- Max. power (unrolled): 2500W (230V-20°C)
- Supplied with a 180° swivel bracket and an additional quick connection bracket







	Cable	L	kg		£
1844 15-H05/SCK	H05VV-F	15+1 m	5,0	018440316	<u>£224.50</u> £ 130.00
1844 15-H07/SCK	H07RN-F	14+1 m	5,7	018440318	£243.00 £139.00

1845 12-H05

Automatic cable reel with 3Gx2.5 mm² cable


- 3Gx2.5 mm² cable
- With thermal protection switch
- Cable length out of drum: 1 m
- Supplied without incoming cable
- Rack mechanism can be disabled to keep cable pulled
- Max. power (rolled up): 2000W (230V-20°C)
- Max. power (unrolled): 3000W (230V-20°C)
- Supplied with a 180° swivel bracket and an additional guick connection bracket



Cable H05W-F

12+1 m

4,9



£ 443.00

L	kg	£


018450365

1846


Automatic cable reel with 4Gx1.5 mm² cable

- 4Gx1.5 mm² cable
- · Without thermal protection switch
- Cable length out of drum: 1 m
- Supplied without incoming cable
- Rack mechanism can be disabled to keep cable pulled
- Max. power (rolled up): 1400W (400V-20°C)
- Max. power (unrolled): 1900W (400V-20°C)
- Supplied with a 180° swivel bracket
- and an additional quick connection bracket





	Cable	L	kg		£
1846 10-H05	H05VV-F	10+1 m	4,4	018460405	£239.00 £ 130.00
1846 10-H07	H07RN-F	10+1 m	5,2	018460407	£246.50 £139.00
1846 15-H05	H05VV-F	15+1 m	5,4	018460415	£246.50 £139.00



£ 139.00

(€€) IP42 □

35

5000 RSC50 2.0/PLEDC

5000 RSC50 2.0/PLED-ST

🖳 050001715 🛛 80 g

SOFT TOUCH switch

Aluminium profile with LED strip and

6.5W IP20 LED strip; length: 50 cm
 Supplied complete with cables

Aluminium profile with LED strip

80 g

Supplied complete with cables

050001712


Convenient fixing through magnets




Convenient fixing through magnets



To be applied under worktops, under/in suspended cabinets, under shelves and linear/corner guards, to light working areas.



• **SOFT TOUCH switch** for switching on and lighting power adjustment





£ 21.00

Power supply, for LED strip,

- for workshop equipment combination RSC50 2.0
- 24VDC 22W power supply

£ 37.50

Can supply power to up to 3 6.5W LED strips



5000 RSC50 2.0/KFC



1,7 Kg



To customize colour of drawer fronts for workshop equipment combination RSC50. Recommended for use in combination with worktops in anthracite grey RAL7016 (-A).



LED strip controller, with RF remote control 🖽 86x40x7 mm for workshop equipment combination 5000 RSC50 2.0/PLEDC Kit contents: Specifications of mini receiver: • Input voltage: 5V -24VDC •1 mini receiver 1 wireless RF remote control Rated output current: 5A • Peak output current: 12A Specifications of RF remote control: • Operating temperature: -20 °C ÷ +35 °C ON/OFF button Beta • BRIGHT +/- button: allows manual adjustment Integrated features: of lighting power Memory 25%/50%/100% button: allows automatic · Mode (manual/automatic brightness) adjustment of lighting power Brightness adjustment • Battery: 3V CR2025 (included) • Dimensions: 86 (L) x 40 (W) x 7 (H) mm £ 9.00 £ 15.60 5000 RSC50 2.0/PLED-ST 5000 RSC50 2.0/PLEDC 5000 RSC50 2.0/ASL 5000 RSC50 2.0/CTR ouch here A 1x 1x В -1x 1x 1x

050001721

25 g

1x

1x

5000 RSC50 2.0/CTF

Α

В

Α

в

1x

-

1x

-

Kit of 10 coloured drawer fronts

1x

2x

2x

3x

1x

1x

1x

1x



ACCESSORIES AND TOOL HOOKS





SB

Socket rails

		1	
=			2

	Lmm		S	gross prices VAT not included
SB1	210	088880201	10pc	£ 3.65
SB2	280	088880202	10pc	£ 4.05
SB3	360	088880203	10pc	£ 4.25

GM

Snap hooks with expansion bolts VE1

		t)	gross prices VAT not included
GM6,5	088880250	5рс	£ 6.65
GM9,5	088880251	5рс	£ 6.95
GM13	088880252	5рс	£ 6.95
GM16	088880253	5рс	£ 8.25
GM19	088880254	5рс	£ 8.60
GM25	088880255	5рс	£ 8.10



MB



			S	gross prices VAT not included
MB0	1/4	088880210	50pc	£ 1.09
MB1	3/8	088880211	50pc	£ 1.09
MB2	1/2	088880212	50pc	£ 1.09

KIT/GPS

8889C2

Kit of 40-m	nm GP	S hool	ks with screv	
				40 mm 90 mm
	L	5		gross price not inclu

	L	S		gross prices VAT not included
KIT/GPS	40 mm	50pc	088880119	£ 2.09
KIT/GPS	90 mm	50pc	088880117	£ 3.05




🚍 588x367 mm

gross prices VAT not included £ 57.50




ACCESSORIES FOR PERFORATED PANELS



ACCESSORIES

gross prices VAT not included £ 15.10



gross prices VAT not included £ 17.00




3D PLANNER

CONFIGURE YOUR WORKSHOP IN 3D ONLINE

DRAW THE WALLS

Create the walls according to the dimensions of your workshop.











VIEW the result in 3D

The combination is immediately displayed in 3D and can be viewed from different angles.

REQUEST a quote

Print the detail of the arrangement in PDF format and take it to your dealer to get a quote.

CUSTOMIZED MODULES ON REQUEST

FILL YOUR DRAWERS WITH CUSTOMIZED MODULES IN SIX STEPS






Determine your needs and send your project to the Beta dealer

		2
Image	Product	Cod. Beta
0	Self-locking pliers	010540022
100	Pliers	010440025
	Pliers	011500046
	Screwdrivers for slotted head screws	012011039
	Screwdrivers for cross head Phillips [®] screws	012021018

We will receive and codify your initial assortment of the project



We will execute the design



We will submit the final layout for your approval



We will build the soft modules in Beta's factory in Sovico



We will deliver the tools in the customized modules





Beta Tools (UK) Limited, Unit D - Horton Enterprise Park, Hortonwood 50, Telford, Shropshire, TF1 7GZ Sales: Tel (01952) 677977 www.beta-tools.com

sales@beta-tools.com

The images are for reference only. Beta Utensili S.p.A. reserves the right to update and upgrade its product range without notice.