



NEW RANGE MODULAR WORKBENCHES


Promotion valid until 28/02/2026

NEW RANGE MODULAR WORKBENCHES

Beta has launched the new range of workbenches, MODULAR, designed to make it possible for professionals
TO CONFIGURE THEIR WORKPLACES FROM SCRATCH, adapting them to their individual needs.



The range comes in a wide choice of **PREASSEMBLED COMBINATIONS**; alternatively, **YOU CAN FULLY CUSTOMIZE YOUR CONFIGURATION**, including the worktops, legs, mobile roller cabs and tool chests, tool wall systems and accessories.



THE 75-cm-DEEP WORKTOP means having a large, convenient, functional work surface available. It can be fitted with a vice, thereby allowing heavy-duty jobs to be carried out.

THE NEW MODULAR RANGE, DESIGNED ACCORDING TO THE **LATEST ERGONOMICS STUDIES**, IS ENHANCED BY **BETA'S WELL-KNOWN STURDINESS AND QUALITY**, THEREBY **STANDING OUT AS AN ESSENTIAL WORK PARTNER.**



PREASSEMBLED COMBINATIONS

Choose from Beta's predefined combinations for a convenient, complete solution.



WORKBENCHES

Discover the benches with a 2.1 m (pages 5-9) or 1.6 m (pages 10-11) worktop, in wood or MDF covered in stainless steel. Available in a simple version, with a chest of drawers from 1 to 8 drawers and with a door module.





DISCOVER MORE

12÷17

SINGLE COMPONENTS

Configure your workstation from scratch by choosing between worktops, semi-shelves and legs (page 12), drawer units and modules with doors (pages 13-15) and upper components (pages 16-17) such as perforated panels and shelves.



18÷22

ACCESSORIES

Customize your workbench with the wide range of Beta accessories: lights (page 18), clamps, thermoformed trays and drawer dividers (page 19), small parts holders and supports (page 20), hooks and tool holders for the wall (pages 21-22).



PREASSEMBLED COMBINATIONS

► 2,1m MULTI-PLY WOOD

- **Worktop (2,100x750 mm)** made from multi-ply wood, 38 mm thick
- Steel frame with 4 supporting legs
- Holes for a vice (1599F/150 - 1599GI/150, to be ordered separately)
- 2 lower half-shelves for objects, 1,788x335 mm; thickness: 40 mm
- Can be fixed to floor
- Drawer bases protected by foamed rubber mats
- Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays
- Front centralized lock

Kit with 4 perforated tool panels, comprising the following:

- 3 supporting brackets
- 6 400-mm uprights
- 2 1,015-mm supports; can accommodate 1 19" rack multi-socket (not included)
- 4 perforated tool panels, 1,015x25x400 mm

SVR

C58BC-W2,1 4C+SVR

Workbench, 2.1 m long, with 4 drawers

4 drawers (367x588 mm)
with ball bearing slides:
2 drawers 70 mm high
2 drawers 140 mm high



Ral 2011

Ral 7016

058000723

Ral 7016

058000727



C58BC-W2,1 4CA+SVR

Workbench, 2.1 m long, with 4 drawers and door module

- 1 module with door and lock
- 4 drawers (367x588 mm) with ball bearing slides:
2 drawers 70 mm high
2 drawers 140 mm high



Ral 2011

Ral 7016

058000733

Ral 7016

058000738



WORKBENCHES

► 2,1m MULTI-PLY WOOD

- **Worktop (2,100x750 mm)** made from multi-ply wood, 38 mm thick
- Steel frame with 4 supporting legs
- Holes for a vice (1599F/150 - 1599GI/150, to be ordered separately)
- Can be fixed to floor



Following accessories can be added:

- Perforated side panel C58PFL
- Anti-fall edge, 2,100 mm, C58BAC 2.1

C58BC-W2,1

Simple workbench with wood worktop, 2.1 m long

Lower half-shelf for objects,
1,788x335 mm; thickness: 40 mm




058000621

C58BC-W2,1 2C

Workbench, 2.1 m long, with wood worktop and 2 drawers


- 2 drawers (367x588 mm) with ball bearing slides:
1 drawer 70 mm high
1 drawer 140 mm high.
- Drawer bases protected by foamed rubber mats
- **Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays**
- 2 lower half-shelves for objects, 1,788x335 mm; thickness: 40 mm



C58CS 2C



Ral 2011	Ral 7016
Ral 7016	
058000631	058000636



h	max
70 mm	25 kg
140 mm	30 kg

WORKBENCHES

2,1m MULTI-PLY WOOD

- **Worktop (2,100x750 mm)**
made from multi-ply wood, 38 mm thick
- Steel frame with 4 supporting legs
- Holes for a vice (1599F/150 - 1599GI/150, to be ordered separately)
- 2 lower half-shelves for objects, 1,788x335 mm; thickness: 40 mm
- Can be fixed to floor
- Drawer bases protected by foamed rubber mats

- Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays
- Front centralized lock

Following accessories can be added:

- Perforated side panel C58PFL
- Anti-fall edge, 2,100 mm, C58BAC 2.1


C58BC-W2,1 4C

Workbench, 2.1 m long, with wood worktop and 4 drawers

4 drawers (367x588 mm)
with ball bearing slides:
2 drawers 70 mm high
2 drawers 140 mm high



Ral 2011	Ral 7016
Ral 7016	Ral 7016
058000632	058000637



h	max
70 mm	25 kg
140 mm	30 kg


C58BC-W2,1 4CA

Workbench, 2.1 m long, with wood worktop, 4 drawers and door

- 4 drawers (367x588 mm) with ball bearing slides:
2 drawers 70 mm high
2 drawers 140 mm high.
- 1 module with door and lock



Ral 2011	Ral 7016
Ral 7016	Ral 7016
058000633	058000638



h	max
70 mm	25 kg
140 mm	30 kg

WORKBENCHES

2,1m MULTI-PLY WOOD

- Worktop (2,100x750 mm) made from multi-ply wood, 38 mm thick
- Steel frame with 4 supporting legs
- Holes for a vice (1599F/150 - 1599GI/150, to be ordered separately)
- 2 lower half-shelves for objects, 1,788x335 mm; thickness: 40 mm
- Can be fixed to floor
- Drawer bases protected by foamed rubber mats

- Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays
- Front centralized lock

Following accessories can be added:

- Perforated side panel C58PFL
- Anti-fall edge, 2,100 mm, C58BAC 2.1


C58BC-W2,1 6CA

Workbench, 2.1 m long, with wood worktop, 6 drawers and door module

- 6 drawers (367x588 mm) with ball bearing slides:
 - 1 drawer 210 mm high
 - 4 drawers 70 mm high
 - 1 drawer 140 mm high.
- 1 module with door and lock



Ral 2011	Ral 7016
Ral 7016	Ral 7016
058000634	058000639




C58BC-W2,1 8CA

Workbench, 2.1 m long, with wood worktop, 8 drawers and door module

- 8 drawers (367x588 mm) with ball bearing slides:
 - 5 drawers 70 mm high
 - 2 drawers 140 mm high
 - 1 drawer 210 mm high.
- 1 module with door and lock



Ral 2011	Ral 7016
Ral 7016	Ral 7016
058000635	058000640



WORKBENCHES

► 2,1m STAINLESS STEEL COATED MDF

- **Worktop (2,100x750 mm)** made from stainless steel coated MDF, 38 mm thick
- Steel frame with 4 supporting legs
- Holes for a vice (1599F/150 - 1599GI/150, to be ordered separately)
- Can be fixed to floor

Following accessories can be added:

- Perforated side panel C58PFL
- Anti-fall edge, 2,100 mm, C58BAC 2.1


C58BC-X2,1

Simple workbench with worktop made from stainless steel coated MDF, 2.1 m long

Lower half-shelf for objects, 1,788x335 mm; thickness: 40 mm



058000626



C58BC-X2,1 4C

Workbench, 2.1 m long, with worktop made from stainless steel coated MDF and 4 drawers


- 4 drawers (367x588 mm) with ball bearing slides: 2 drawers 70 mm high, 2 drawers 140 mm high.
- Drawer bases protected by foamed rubber mats
- **Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays**
- 2 lower half-shelves for objects, 1,788x335 mm; thickness: 40 mm



C58CSH 4C



Ral 2011	Ral 7016
Ral 7016	
058000623	058000627



h	max
70 mm	25 kg
140 mm	30 kg

WORKBENCHES

2,1m STAINLESS STEEL COATED MDF

- Worktop (2,100x750 mm) made from stainless steel coated MDF, 38 mm thick
- Steel frame with 4 supporting legs
- Holes for a vice (1599F/150 - 1599GI/150, to be ordered separately)
- 2 lower half-shelves for objects, 1,788x335 mm; thickness: 40 mm
- Can be fixed to floor
- Drawer bases protected by foamed rubber mats

- Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays
- Front centralized lock

Following accessories can be added:

- Perforated side panel C58PFL
- Anti-fall edge, 2,100 mm, C58BAC 2.1


C58BC-X2,1 4CA

Workbench, 2.1 m long, with worktop made from stainless steel coated MDF, 4 drawers and door module

- 4 drawers (367x588 mm) with ball bearing slides: 2 drawers 70 mm high 2 drawers 140 mm high.
- 1 module with door and lock



Ral 2011	Ral 7016
Ral 7016	Ral 7016
058000624	058000628



h	max
70 mm	25 kg
140 mm	30 kg


C58BC-X2,1 8CA

Workbench, 2.1 m long, with worktop made from stainless steel coated MDF, 8 drawers and door module

- 8 drawers (367x588 mm) with ball bearing slides: 5 drawers 70 mm high 2 drawers 140 mm high 1 drawer 210 mm high.
- 1 module with door and lock



Ral 2011	Ral 7016
Ral 7016	Ral 7016
058000625	058000629



h	max
70 mm	25 kg
140 mm	30 kg
210 mm	30 kg

WORKBENCHES

► 1,6 m MULTI-PLY WOOD

- **Worktop (1,600x750 mm)**, made from multi-ply wood, 38 mm thick
- Steel frame with 4 supporting legs
- Holes for a vice (1599F/150 - 1599GI/150, to be ordered separately)
- Can be fixed to floor


Following accessories can be added:

- Perforated side panel C58PFL
- Anti-fall edge, 1,600 mm, C58BAC 1,6

C58BC-W1,6

Simple workbench with wood worktop, 1.6 m long

Lower half-shelf for objects,
1,288x335 mm; thickness: 40 mm



058000601


C58BC-W1,6 2C

Workbench, 1.6 m long, with wood worktop and 2 drawers

- 2 drawers (367x588 mm) with ball bearing slides:
1 drawer 70 mm high
1 drawer 140 mm high.
- Drawer bases protected by foamed rubber mats
- **Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays**
- Lower half-shelf for objects, 1,288x335 mm; thickness: 40 mm



C58CS 2C



h	max
70 mm	25 kg
140 mm	30 kg



Ral 2011

Ral 7016

Ral 7016
058000611

058000613


C58BC-W1,6 4C

Workbench, 1.6 m long with wood worktop and 4 drawers

- 4 drawers (367x588 mm) with ball bearing slides:
1 drawer 210 mm high
3 drawers 70 mm high.
- Drawer bases protected by foamed rubber mats
- **Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays**
- Lower half-shelf for objects, 1,288x335 mm; thickness: 40 mm



Ral 2011	Ral 7016
Ral 7016	
058000612	058000614



h	max
70 mm	25 kg
210 mm	30 kg

WORKBENCHES


1,6 m STAINLESS STEEL COATED MDF

C58BC-X1,6

Simple workbench with worktop made from stainless steel coated MDF, 1.6 m long

- Steel frame with 4 supporting legs
- Holes for a vice (1599F/150 - 1599GI/150, to be ordered separately)
- Lower half-shelf for objects, 1,288x335 mm; thickness: 40 mm
- Can be fixed to floor

058000606



SINGLE COMPONENTS

C58PLT-W

Worktop made from multi-ply wood



		Dimension mm	kg	
C58PLT-W 2,1	058000651	2.100 x 750	41	
C58PLT-W 1,6	058000641	1.600 x 750	35,5	

- Thickness: 38 mm
- Holes for a vice (1599F/150 - 1599GI/150, to be ordered separately)



C58PLT-X

Worktop made from stainless steel coated MDF



		Dimension mm	kg	
C58PLT-X 2,1	058000656	2.100 x 750	63,5	
C58PLT-X 1,6	058000646	1.600 x 750	48,5	

- Thickness: 38 mm
- Holes for a vice (1599F/150 - 1599GI/150, to be ordered separately)



C58SP

Supporting half-shelf

		Dimension mm	kg	kg	
C58SP 2,1	058000691	1.788 x 335	150	13,3	
C58SP 1,6	058000690	1.288 x 335	160	9,7	



- Thickness: 40 mm
- Fixing material included

LEGS

- Sturdy sheet metal frame, with holes for fixing shelves
- Colour: anthracite grey RAL7016

C58GF

Fixed height leg

Can be fixed to floor

058000660



C58GT

Vertically adjustable leg

Vertically adjustable height allows individual requirements to be satisfied, thereby translating into optimally ergonomic workbenches.

- Hole pitch: 25 mm
- Can be fixed to floor

058000661



C58GRGM

Leg with steering castors and handle

- 2 steering castors, Ø 125 mm, with brakes
- Side handle for convenient carrying of workbench

058000662



C58GRF

Leg with fixed castors

2 fixed castors, Ø 125 mm

058000663



SINGLE COMPONENTS

TOOL CHEST 257 mm high

- Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays
- Front centralized safety lock
- Drawer base protected by foamed rubber mat

C58CS 1C

Tool chest, 257 mm high, with 1 drawer

1 fully removable drawer (367x588 mm), with ball bearing slides, 210 mm high



Ral 2011
Ral 7016

058000671




Ral 7016

058000674



18,5 kg



C58CS 2C

Tool chest, 257 mm high, with 2 drawers

2 fully removable drawers (367x588 mm), with ball bearing slides:
1 drawer 70 mm high
1 drawer 140 mm high



Ral 2011
Ral 7016

058000672




Ral 7016

058000675



21 kg



C58CS 3C

Tool chest, 257 mm high, with 3 drawers

3 fully removable drawers (367x588 mm), with ball bearing slides, 70 mm high



Ral 2011
Ral 7016

058000673




Ral 7016

058000676



24 kg



ORGANIZE YOUR WORKBENCH DRAWERS

Choose the best thermoformed tray that suits your needs

3D PLANNER



DISCOVER MORE



SINGLE COMPONENTS

TOOL CHEST 479 mm high

- Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays
- Front centralized safety lock
- Drawer base protected by foamed rubber mat



C58CSH 3C

Tool chest, 479 mm high, with 3 drawers

3 fully removable drawers (367x588 mm), with ball bearing slides:

- 1 drawer 70 mm high
- 1 drawer 140 mm high
- 1 drawer 210 mm high



Ral 2011

Ral 7016

058000682

Ral 7016


058000686



31 kg



h	max
70 mm	25 kg
140 mm	30 kg
210 mm	30 kg



C58CSH 4C

Tool chest, 479 mm high, with 4 drawers

4 fully removable drawers (367x588 mm), with ball bearing slides:

- 2 drawers 70 mm high
- 2 drawers 140 mm high



Ral 2011

Ral 7016

058000683

Ral 7016


058000687



35 kg



h	max
70 mm	25 kg
140 mm	30 kg



C58CSH 5C

Tool chest, 479 mm high, with 5 drawers

5 fully removable drawers (367x588 mm), with ball bearing slides:

- 4 drawers 70 mm high
- 1 drawer 140 mm high



Ral 2011

Ral 7016

058000684

Ral 7016


058000688



37,5 kg



h	max
70 mm	25 kg
140 mm	30 kg



C58CSH 6C

Tool chest, 479 mm high, with 6 drawers

6 fully removable drawers (367x588 mm), with ball bearing slides, 70 mm high



Ral 2011

Ral 7016


058000685

Ral 7016


058000689



40 kg



h	max
70 mm	25 kg



C58MA

Module, 479 mm high, with door

- Front safety lock
- Sheet metal door can be installed with right or left opening
- Usable interior dimensions: 440x640x447 mm



Ral 2011

Ral 7016


058000680

Ral 7016

058000681



15 kg



C58PFL

Perforated side panel

- Dimensions: 560x25x545 mm
- Fixing material included

058000696




21

C58BAC

Anti-fall edge

Can accommodate 2 electrical outlets and 1 19" rack multi-socket (not included)



		Dimension mm	Compatible with workbench	
C58BAC 2,1	058000693	2.100 x 55 x 120	L = 2,1 m	
C58BAC 1,6	058000692	1.600 x 55 x 120	L = 1,6 m	

SINGLE COMPONENTS

▶ 2,1m PERFORATED TOOL PANELS WITH FRAMES

C58K/2PF-2,1M

Kit of 2 perforated tool panels with frames, for modular workbenches C58BC, 2.1 m long



Kit contents:

- 3 supporting brackets
- 3 400-mm uprights
- 2 1,015-mm supports; can accommodate 1 19" rack multi-socket (not included)
- 2 perforated tool panels, 1,015x25x400 mm

058000812



17 kg



C58K/4PF-2,1M

Kit of 4 perforated tool panels with frames, for modular workbenches C58BC, 2.1 m long


Kit contents:

- 3 supporting brackets
- 6 400-mm uprights
- 2 1,015-mm supports; can accommodate 1 19" rack multi-socket (not included)
- 4 perforated tool panels, 1,015x25x400 mm

058000814



28,2 kg



C58MP-1M

Shelf for modular workbenches C58BC, 2.1 m long

- Dimensions: 1,024x250 mm
- Designed for application of aluminium profiles with LED strip item 5000 RSC50 2.0/PLEDC or 5000 RSC50 2.0/PLED-ST (to be ordered separately), to light under-workbench modules

058000841



kg
5

4,5 kg

SINGLE COMPONENTS

▶ 1,6 m PERFORATED TOOL PANELS WITH FRAMES

C58K/2PF-1,6M

Kit of 2 perforated tool panels with frames, for modular workbenches C58BC, 1.6 m long

Kit contents:

- 3 supporting brackets
- 3 400-mm uprights
- 2 765-mm supports; can accommodate 1 19" rack multi-socket (not included)
- 2 perforated tool panels, 765x25x400 mm


058000802



21



14,4 kg



C58K/4PF-1,6M

Kit of 4 perforated tool panels with frames, for modular workbenches C58BC, 1.6 m long

Kit contents:

- 3 supporting brackets
- 6 400-mm uprights
- 2 765-mm supports; can accommodate 1 19" rack multi-socket (not included)
- 4 perforated tool panels, 765x400 mm


058000804



21



23,9 kg




C58MP-0,8M

Shelf for modular workbenches C58BC, 1.6 m long

- Dimensions: 774x250 mm
- Designed for application of aluminium profiles with LED strip item 5000 RSC50 2.0/PLEDC or 5000 RSC50 2.0/PLED-ST (to be ordered separately), to light under-workbench modules

058000840




5 kg

3,5 kg



C58BLP


LED lamp track



C58PLED

LED lamp for modular workbenches C58BC

- Light temperature: 6400k
- Light beam: 180°
- Degree of protection: IP20
- Average life: >20,000 hours
- Operating temperature: -10 °C ÷ +45 °C
- Operating voltage: 220-240AC, 50/60 Hz
- Supplied with fixing clips



		Dimensions mm	Compatible with workbench	Compatible with light	kg
C58BLP-1M	058000851	1.024 x 79 x 480	L = 2,1 m	C58PLED-90	3,8
C58BLP-1,6M	058000850	1.500 x 79 x 480	L = 1,6 m	C58PLED-150	5,2

		Dimensions mm	Compatible with workbench	Compatible with lamp track	Power	Brightness
C58PLED-90	058000861	900 x 23 x 75	L = 2,1 m	C58BLP-1M	24W	2.200 Lumens
C58PLED-150	058000860	1.500 x 25 x 78	L = 1,6 m	C58BLP-1,6M	48W	4.320 Lumens

5000 RSC50 2.0/PLEDC

Aluminium profile with LED strip



050001712

- 6.5W IP20 LED strip; length: 50 cm
- Supplied complete with cables
- Convenient fixing through magnets

5000 RSC50 2.0/PLED-ST

Aluminium profile with LED strip and SOFT TOUCH switch



050001715

SOFT TOUCH switch
for switching on and lighting power adjustment

5000 RSC50 2.0/ASL

Power supply, for LED strip



- 24VDC 22W power supply
- Can supply power to up to 3 6.5W LED strips



050001716

5000 RSC50 2.0/CTR

LED strip controller, with RF remote control

To be used with item
5000 RSC50 2.0/PLEDC led strip

Specifications of mini receiver:

- Input voltage: 5V -24VDC
- Rated output current: 5A
- Peak output current: 12A
- Operating temperature: -20 °C ÷ +35 °C

Integrated features:

- Memory
- Mode (manual/automatic brightness)
- Brightness adjustment



050001721

1599P 150

Parallel bench vices

- Hardened jaws
- Anvil with large lacquered surface
- Square steel base



015990050

1599GI 150

Parallel bench vices with interchangeable jaws

- With square guide for heavy-duty jobs
- Interchangeable jaws with hardened surface



015990250

VPM0

Soft thermoformed tray with tote tray



147x367 mm

088870350

VPM3

Soft thermoformed tray with 4 tote trays



147x367 mm

088870353

VP3

Thermoformed tray with tote trays



147x367 mm

088880353

VP4

Thermoformed tray with tote trays



147x367 mm

088880354

VP5

Thermoformed tray with tote trays



588x122 mm

088880355

VP6

Thermoformed tray with tote trays



588x122 mm

088880359

8889P2

Parallel partitions for standard drawer




588x367 mm

088890107

8889C2

Crossed partitions for standard drawer



588x367 mm

088890117

ACCESSORIES

CONTAINERS

PM/5C

5-tray tool holder, made of plastic, with support

- Interior dimensions of tray: 95x120 mm



PM/6C

6-tray tool holder, made of plastic, with support

- Interior dimensions of tray: 80x60 mm



CPMB/3C

Workbench small parts containers with 3 drawers

- Interior drawer dimensions: 160x107x105h mm



- Outer frame made of PP
- Small parts drawers made of PET
- Stackable

Specifications of drawers:

- Unbreakable
- Glass effect transparency unchanged over time
- Scratchproof
- Resistant to oil, acids and aggressive chemicals
- Also suitable for use in food environment

CPMB/5C

Workbench small parts containers with 5 drawers

- Interior drawer dimensions: 90x86x62h mm




KIT 6VC/3C

Kit of 6 removable trays for small parts containers CPMB/3C



KIT 10VC/5C

Kit of 10 removable trays for small parts containers CPMB/5C



CP

Wall-mounted bottle holder rack, made of steel



SP5S

Wall-mounted support with 5 compartments

- Made from sheet metal
- 5 tool compartments varying in height



SPC

Computer wall bracket



SB

Socket rails



		L mm		
SB1	088880201	210	10 pc	
SB2	088880202	280	10 pc	
SB3	088880203	360	10 pc	

MB

Socket clips for rails SB



MB0	088880210	1/4	50 pc	
MB1	088880211	3/8	50 pc	
MB2	088880212	1/2	50 pc	

GM


Snap hooks with expansion bolts VE1



GM6,5	088880250	5 pc	
GM9,5	088880251	5 pc	
GM13	088880252	5 pc	
GM16	088880253	5 pc	
GM19	088880254	5 pc	
GM25	088880255	5 pc	

KIT/GPS

Kit GPS hooks with screws VE1



		L mm		
KIT/GPS-40	088880119	40	50 pc	
KIT/GPS-90	088880117	90	50 pc	




ACCESSORIES

PANELS TOOL HOLDER

S55/8

Supports for 8 double open end wrenches,
made from sheet metal

≡ 173x113x36 mm




088880420

S55/12

Supports for 12 double open end wrenches,
made from sheet metal

≡ 286x138x44 mm




088880421

ST2P

Pliers pockets,
made from sheet metal

≡ 116x60x31 mm




088880422

TSP

Tool pockets,
made from plastic material

≡ 167x55x16 mm




088880402

S952/10

Supports for 10 T-handles,
made from sheet metal

≡ 385x97x26 mm



088880423

S1719BM

Supports for 5 files,
made from sheet metal

≡ 165x48x32 mm




1719BMA: Q-T-P-M-R
1719BMD: Q-T-P-M-R
1719BMX: Q-T-P-M-R

088880404

SGN

Supports for 2 mini screwdrivers,
made from sheet metal

≡ 60x23x26 mm




1290N-1292N-1299N/PZ
1260N-1262N-1269N/PZ
1201EN-1202EN-1209EN/PZ

088880405

S42/17

Supports for 17 combination wrenches,
made from sheet metal

≡ 577x42 mm




42/S17 - 42MP/S17
42/S17X - 42AS/17
142/S17

088880428

S951/6

Supports for 6 T handle wrenches with hexagon male ends,
made from sheet metal

≡ 161x50x43 mm




951/S6
951AS/S6X
951TX/S6

088880429

SPG11

Supports for screwdrivers,
made from sheet metal

≡ 283x49x35 mm




n.8 Ø = 7 mm
n.2 Ø = 10 mm
n.1 Ø = 12 mm

088880910

S1203/8

Supports for screwdrivers,
made from sheet metal

≡ 283x49x35 mm




1203E/S8
1263/D8
1293/S8

088880430

S96T/8

Supports for 8 offset hexagon key wrenches,
with high torque handles,
made from sheet metal

≡ 282x49x45 mm




96T/S8
97TTX/S8
96T/AS8

088880431

96T/SPV

Supports for 11 offset hexagon key wrenches,
with high torque handles,
made from sheet metal

≡ 282x49x50 mm



96T/S11
97TTX/S11

000960958



DISCOVER MORE




3D PLANNER

► **CONFIGURE YOUR WORKSHOP
IN 3D ONLINE**

DRAW THE WALLS

Create the walls according to the dimensions of your workshop.



DESIGN YOUR WORKBENCH SYSTEM

Select and assemble the component parts, to make your own combination.

VIEW THE RESULT IN 3D

The combination is immediately displayed in 3D and can be viewed from different angles.



REQUEST A QUOTE

Print the detail of the arrangement in PDF format and take it to your dealer to get a quote.





ALONSO LÓPEZ

FERMÍN ALDEGUER



2024 MOT2 WORLD CHAMPIONSHIP

Beta Utensili S.p.A.

via Volta, 18 | 20845 Sovico (MB)
tel +39 039 20771 | www.beta-tools.com