




RANGE OF LIGHTING INSTRUMENTS



PROMOTION VALID FROM 01/09/2026 TO 28/02/2027

RANGE OF LIGHTING INSTRUMENTS

BETA'S FAMILY OF **LIGHTING INSTRUMENTS** COMPRISES A WIDE RANGE OF RELIABLE, HIGH-PERFORMANCE SOLUTIONS, DESIGNED TO SATISFY ALL OPERATIONAL REQUIREMENTS, RANGING FROM INSPECTION TO THE LIGHTING OF LARGE WORK AREAS.



WIRELESS LIGHTING

 4÷9

Beta's wireless range of lighting instruments includes **LED torches, headlamps, lamps and spotlights**, which can be easily charged via one **charging base**.



LAMPS

 10÷12

Beta's work lamps mean a perfect balance between **design, convenience and performance**. The accurately selected materials and the functional details, including hooks, magnets and rotation systems, are the name for remarkably flexible and versatile lamps. Ongoing development in LED technology, increased battery life and reduced charging time are also among the strengths of the range. **A functional under bonnet lamp**, designed for automotive specialists, is also available.



TORCHES

 12

Beta's torches stand out as both **handy and versatile**, suiting any working environment.



SPOTLIGHTS

 13-14

Beta's spotlights make it possible to light **large surfaces**, ensuring **high light output** and **optimal visibility**.





WIRELESS LIGHTING

WIRELESS LIGHTING IS THE NAME FOR A **CONVENIENT, INNOVATIVE, FUNCTIONAL SOLUTION**, FOR IMPROVED EFFICIENCY IN THE WORKPLACE.

Beta's wireless range of lighting instruments includes **LED torches, headlamps, lamps and spotlights**, which can be easily charged via either one wireless charging base or a conventional USB-C cable.

The versatile **wireless charging base** with two positions can be fixed to the wall and **allows the lighting instruments to be always ready for use**, thus helping to **maintain order and organisation** within the working space.

The pull-out support can also be used to charge mobile phones.

**DISCOVER
THE ENTIRE
RANGE**



► **1839W/P1**

018390800

**KIT OF WIRELESS LAMPS
1833MW, 1836AW,
WITH COMPATIBLE WIRELESS
CHARGING BASE 1839BRW**

- High-brightness LED torch **1833MW**, wireless rechargeable
- LED headlamp **1836AW**, wireless rechargeable, dual brightness
- Wireless charging base **1839BRW**, compatible with kit lamps



The kit offers a complete solution with multifunctional, cable-free products for a convenient and uncluttered charging station.



PROMO

**KIT OF WIRELESS LAMPS
1838SW, 1838POCKET,
WITH COMPATIBLE WIRELESS
CHARGING BASE 1839BRW**

- Articulated LED lamp **1838SW**, wireless rechargeable
- Articulated, adjustable pocket LED lamp **1838POCKET**, with dual light beam, wireless rechargeable
- Wireless charging base **1839BRW**, compatible with kit lamps

018390805

1839W/P2 ◀



NEW ► 1838/13LED-W

INSPECTION LAMP, WIRELESS RECHARGEABLE

- Dual light emission (front: 430 lumens; spot: 90 lumens)
- Charging time: 10.5 h with wireless base 1839BRW; 5 h with USB-C cable included
- Battery life: front+spot 4 h; front 5 h; spot 10 h
- 4-LED battery level indicator
- Swivel hook
- Magnets on base and back
- IP65; IK07



018380112

► 1838SW

ARTICULATED LAMP, WIRELESS RECHARGEABLE

- Dual light emission (front: 250-500-1000 lumens; spot: 200 lumens)
- Charging time: 6.5 h with wireless base 1839BRW; 4.5 h with USB-C cable included
- Battery life: front 2-8 h; spot 7 h
- 3-LED battery level indicator
- Base can be rotated 180°
- Nonslip rubber body
- Double swivel hook
- Magnets on base and back
- IP65; IK07



018380142



► **1836BW NEW**

**HEADLAMP WITH RED LIGHT
AND CONTACTLESS ON/OFF SENSOR,
WIRELESS RECHARGEABLE**

- 4 brightness settings
(main+spot: 500 lumens; main: 250 lumens;
spot: 225 lumens; red light: 20 lumens)
- Charging time: 6 h with wireless base 1839BRW;
4.5 h with USB-C cable included
- Battery life: main+spot 2.5 h;
main 4 h; spot 4 h; red light 18 h
- 4-LED battery level indicator
- Can be rotated 40°
- Contactless ON/OFF sensor
- IP65; IK06



018360201

► **1836AW**

**HEADLAMP,
WIRELESS RECHARGEABLE**

- Dual light emission
(main: 30-200-400 lumens;
spot: 400 lumens)
- Charging time:
2.5 h with wireless base 1839BRW
and USB-C cable included
- Battery life: main 4-18 h; spot 4 h
- Battery level indicator
- Can be rotated 125°
- IP65; IK07



018360051

► **1833XSW**

**INSPECTION TORCH,
WIRELESS RECHARGEABLE**

- 2 brightness settings: 80-250 lumens
- Charging time:
2 h with wireless base 1839BRW;
2 h with USB-C cable included
- Battery life: 8-2 h
- Lighting range: 50 m
- LED battery level indicator
- Magnets on base and back
- Belt/pocket clip
- IP54; IK07



018330011

► **1833MW**

**HIGH-BRIGHTNESS TORCH,
WIRELESS RECHARGEABLE**

- 4 brightness settings:
5-30-400-1000 lumens
- Charging time:
6 h with wireless base 1839BRW;
4 h with USB-C cable included
- Battery life: 2-200 h
- Lighting range: 200 m
- 3-LED battery level indicator
- on-off button on bottom
- Light brightness adjustment button
on torch body
- Magnet on back
- IP68; IK07



018330013

► 1838POCKET

ARTICULATED POCKET SPOTLIGHT, WIRELESS RECHARGEABLE

- Dual light emission
(main: 160-400-800 lumens; spot: 250 lumens)
- Charging time:
4.5 h with wireless base 1839BRW;
4 h with USB-C cable included
- Battery life: main 3-9 h; spot 4.5 h
- Lighting angle: main light 160°, spot light 18°
- 3-LED battery level indicator
- Can be rotated 210°
- Nonslip rubber body
- Magnet on base
- IP65




018380080

► 1839BRW

WIRELESS CHARGING BASE, COMPATIBLE WITH LAMPS 1833XSW, 1833MW, 1836AW, 1836BW, 1838/13LED-W, 1838SW, 1838POCKET

- Two charging positions,
with magnetic connection, for simultaneous use
- With pull-out support for wireless
mobile phone charging
- Charging status LED indicator
- Max. input: 10W x2
- Input: AC 100-240V 50/60Hz
- Output: DC 12V 1.5A / DC 9V 2A / DC 5V 3A
- USB-C port
- To use the two charging positions simultaneously,
use the included cables: - cable QC3.0 USB-C
fast charger (1839/R5) – battery charger QC3.0
USB-C fast charger (1839/R6)
- 3 magnets on back, 2 screw holes
- IP20; IK07



018390002



► 1838PN

RECHARGEABLE PEN LIGHT

- Double light emission (main: 175-350 lumens; spot: 120 lumens)
- Charging time: 2.5 h, with USB-C cable included
- Battery life: main 6-3 h; spot 6 h
- Magnet on base
- Magnetic belt/pocket clip



018380008

► 1838COMPACT

RECHARGEABLE COMPACT LAMP

- Dual light emission (main: 120-300 lumens; spot: 150 lumens)
- Charging time: 2.5 h, with USB-C cable included
- Battery life: main 7-3.5 h; spot 6 h
- Magnetic base; can be rotated 180°
- Swivel hook; can be rotated 360°
- Nonslip rubber body
- Belt/pocket clip
- IP65; IK07



018380011



► 1838F

RECHARGEABLE MAGNETIC LAMP WITH FLEXIBLE HEAD

- Dual light emission (main: 50-500 lumens; spot: 120 lumens)
- Charging time: 4 h with USB-C cable included
- Battery life: main 22-2 h; spot 9 h
- 3-LED battery level indicator
- Magnet on base
- Swivel hook on base; can be rotated 90°
- IP54; IK07



018380040

► 1838AM



RECHARGEABLE, ADJUSTABLE, ARTICULATED INSPECTION LAMP

- Dual light emission (main: 80-800 lumens, can be adjusted with potentiometer; spot: 120 lumens, with ON-OFF switch)
- Charging time: 4 h with USB-C cable included
- Battery life: main 16-2.5 h; spot 10 h
- 3-LED level battery indicator
- Articulated, can be rotated 180° (± 90° compared to axis)
- Magnetic base, can be rotated 90°
- Swivel base hook
- IP54; IK07



018380400

► 1838SLIM



RECHARGEABLE, ARTICULATED SLIM LAMP

- Triple light emission (front: 100-200 lumens; back: 180 lumens; spot: 80 lumens)
- Charging time: 2.5 h, with USB-C cable included
- Battery life: front and back 3.5-2 h; spot: 3 h
- Magnet on base
- IP54; IK07




018380221



NEW ► 1842/13LED

HIGH-BRIGHTNESS LAMP WITH CABLE

- Dual light emission (front: 430 lumens; spot 90 lumens)
- Swivel hook
- 10-m-long cable
- IP65; IK07



100÷240V

1842/13LED-BM

018420302



12-24V AC/DC
8W

1842/13LED-ABM

018420312





► **1838E**

RECHARGEABLE UNDER BONNET LAMP

- 3 brightness settings (500-1000-2000 lumens)
- 2 charging modes, via USB socket from lamp or internal battery
- Battery life: 3-9 h
- Battery included
- Nonslip rubber hooks
- Can be rotated 360°
- Adjustable length: 116 ÷ 188 cm
- Aluminium body
- Supplied with battery charger
- IP20; IK07



018380270

► **TORCHES**

► **1833XS/2**

**INSPECTION TORCH,
MADE OF ANODIZED ALUMINIUM**

- 200 lumens
- Battery life: 10 h with 2xAAA batteries (not included)
- Adjustable focus
- Lighting range: 112 m
- IP66



018330001

► **1833S/USB NEW**

**HIGH-BRIGHTNESS TORCH,
MADE OF ANODIZED ALUMINIUM,
RECHARGEABLE**

- 4 brightness settings (100-250-500 lumens + intermittent)
- Charging time: 3 h, with USB-C cable included
- Battery life: 5-2-1 h; intermittent 2 h
- Battery level indicator
- Adjustable focus
- Lighting range: 100 m
- With lace, for safe, convenient transportation
- IP66; K07



018330022





► **1838CLAMP**

RECHARGEABLE CLAMP SPOTLIGHT

- 4 brightness settings (100-300-700-1600 lumens)
- Charging time: 3.5 h, with USB-C cable included
- Battery life: 24-8.5-5-3 h
- 3-LED battery level indicator
- Can be rotated 315°
- With built-in clamp, can be easily clamped everywhere
- Magnet on back
- IP65; IK07



018380310

NEW ► **1838FLASHPRO**

RECHARGEABLE, ULTRACOMPACT SPOTLIGHT

- 3 brightness settings (800 - 1000 - 1200 lumens)
- Charging time: 7 h 45 m, with USB-C cable and power supply included
- Battery life: 11.5-9.5-8.5 h
- 4-LED battery level indicator
- Hook can be rotated 360°
- Removable magnet on base
- Articulated head and adjustable beam
- Compatible with telescoping tripod 1837S
- IP65; IK07




018380301

▶ 1837C

RECHARGEABLE SPOTLIGHT FOR BUILDING YARDS

- 3 brightness settings (1100-2100-4300 lumens)
- Charging time: 4 h, with battery charger included (input: 100-240V AC - 50/60Hz; output: 15V 1.5A)
- Battery life: 6-1.5 h
- 3-LED battery level indicator
- Compatible with telescoping tripod 1837S
- Can be rotated 180°
- IP65; K07



018370430


▶ 1837S

TELESCOPING TRIPOD FOR WORK LIGHT

- Made of metal
- Adjustable height: 70÷170 cm
- **Compatible with items 1837C and 1838FLASHPRO**



018370500



► WIRELESS LIGHTING

WIRELESS LAMPS

ITEM	DESCRIPTION	LUMEN	BATTERY	CHARGING TIME	BATTERY LIFE	IP/IK
1838/13LED-W	Inspection lamp	430 (front); 90 (spot)	Li-Ion 3.6 V; 6000 mAh	5 h (USB-C) 10.5 h (wireless base)	4 h (front + spot); 5 h (front); 10 h (spot)	IP65 - IK07
1838SW	Articulated lamp	250 - 500 - 1000 (front); 200 (spot)	Li-Ion 3.6 V; 3350 mAh	4.5 h (USB-C) 6.5 h (wireless base)	2-8 h (front); 7 h (spot)	IP65 - IK07

WIRELESS HEADLAMPS

ITEM	DESCRIPTION	LUMEN	BATTERY	CHARGING TIME	BATTERY LIFE	IP/IK
1836BW	Headlamp with red light and contactless ON/OFF sensor	500 (main+spot); 250 (main); 225 (spot); 20 (red)	Li-Ion 3.6 V; 3000 mAh	4.5 h (USB-C) 6 h (wireless base)	2.5 h (main + spot); 4 h (main); 4 h (spot); 18 h (red)	IP65 - IK06
1836AW	Headlamp	30 - 200 - 400 (main); 400 (spot)	Li-Ion 3.7 V; 1500 mAh	2.5 h	4 - 18 h (main); 4 h (spot)	IP65 - IK07

WIRELESS TORCHES

ITEM	DESCRIPTION	LUMEN	BATTERY	CHARGING TIME	BATTERY LIFE	IP/IK
1833XSW	Inspection torch	80 - 250	Li-Ion 3.7 V; 2600 mAh	2 h	8 - 2 h	IP54 - IK07
1833MW	High-brightness torch	5 - 30 - 400 - 1000	Li-Ion 3.7 V; 2600 mAh	4 h (USB-C) 6 h (wireless base)	2.0 - 200 h	IP68 - IK07

WIRELESS SPOTLIGHT

ITEM	DESCRIPTION	LUMEN	BATTERY	CHARGING TIME	BATTERY LIFE	IP/IK
1838POCKET	Articulated pocket spotlight	160 - 400 - 800 (main); 250 (spot)	Li-Ion 3.7 V; 2600 mAh	4 h (USB-C) 4.5 h (wireless base)	3 - 9 h (main); 4.5 h (spot)	IP65

► LAMPS

SMALL-SIZED LAMPS

ITEM	DESCRIPTION	LUMEN	BATTERY	CHARGING TIME	BATTERY LIFE	IP/IK
1838PN	Pen light	175 - 350 (main); 120 (spot)	Li-Ion 3.7 V; 1600 mAh	2.5 h	6 - 3 h (main); 6 h (spot)	IP65 - IK07
1838COMPACT	Compact lamp	120 - 300 (main); 150 (spot)	Li-Ion 3.7 V; 1500 mAh	2.5 h	7-3.5 h (main); 6 h (spot)	IP65 - IK07
1838F	Magnetic lamp with flexible head	50 - 500 (main); 120 (spot)	Li-Ion 3.7 V; 2600 mAh	4 h	22 - 2h (main); 9 h (spot)	IP54 - IK07

INSPECTION LAMPS

ITEM	DESCRIPTION	LUMEN	BATTERY	CHARGING TIME	BATTERY LIFE	IP/IK
1838AM	Articulated, adjustable inspection lamp	80-800 (main); 120 (spot)	Li-Ion 3.7 V; 2600 mAh	4 h	16 - 2.5 h (main); 10h (spot)	IP54 - IK07
1838SLIM	Slim inspection lamp	100 - 200 (front); 180 (back); 80 (spot)	Li-Ion 3.7 V; 700 mAh	2.5 h	3.5 - 2 h (front and back); 3 h (spot)	IP54 - IK07
1842/13LED-BM	High-brightness lamp, 100-240V	430 (front); 90 (spot)	-	-	-	IP65 - IK07
1842/13LED-ABM	High-brightness lamp, 12-24 V AC/DC	430 (front); 90 (spot)	-	-	-	IP65 - IK07

UNDER BONNET LAMP

ITEM	DESCRIPTION	LUMEN	BATTERY	CHARGING TIME	BATTERY LIFE	IP/IK
1838E	Under bonnet lamp	500 - 1000 - 2000	Li-Ion 3.6 V; 3350 mAh	4 h	3 - 9 h	IP20 - IK07

► TORCHES

ITEM	DESCRIPTION	LUMEN	BATTERY	CHARGING TIME	BATTERY LIFE	IP/IK
1833XS/2	Inspection torch made of anodized aluminium	200	2 x AAA	-	10 h	IP66
1833S/USB	High-brightness torch made of anodized aluminium	100 - 250 - 500 Intermittent	Li-Ion 3.7 V; 1800 mAh	3 h	5 - 2 - 1 h 2 h (Intermittent)	IP66 - IK07

► SPOTLIGHTS

ITEM	DESCRIPTION	LUMEN	BATTERY	CHARGING TIME	BATTERY LIFE	IP/IK
1838CLAMP	Clamp spotlight	100 - 300 - 700 - 1600	Li-Ion 3.7 V; 5200 mAh	3.5 h	24 - 8.5 - 5 - 3 h	IP65 - IK07
1838FLASHPRO	Ultracompact spotlight	800 - 1000 - 1200	2 x 3.6 V; 10000 mAh	7 h 45 m	11.5 - 9.5 - 8.5 h	IP65 - IK07
1837C	Spotlight for building yards	1100 - 2100 - 4300	Li-Ion 11.1 V; 5200 mAh	4 h	6 - 1.5 h	IP65 - IK07

The images are for reference only. Beta Utensili S.p.A. reserves the right to update and upgrade its product range without notice.

The Beta logo, consisting of a stylized orange 'B' icon followed by the word 'Beta' in a bold, orange, sans-serif font.

Beta Utensili S.p.A.
via Volta, 18 - 20845 Sovico (MB) - tel +39 039 20771
www.beta-tools.com