



# 50 Years in Motorsports

















# **WORKSHOP EQUIPMENT C55**

The modular workshop combination that allows you to create a modern work environment customized to fit your space and storage needs. Choose from a wide range of solutions sharing high quality standards, designed to make the most of your time by optimizing work.









"Made in Italy"
quality to furnish
your workshop

# MODULARITY

Modular workshop system, customized to fit your space and storage needs



# **WORKSHOP EQUIPMENT**

# **C55** <u>3 055000000</u>

# **Comprehensive** workshop equipment combination

#### **Comprehensive combination comprising:**

- Single-door tool cabinet (C55A1)
- Two-door tool cabinet (C55A2)
- Workbench (C55BO/2)
- Workbench with sockets (C55PRO BO/2)
- Mobile roller cab with 7 drawers (C55C7)
- Fixed module with 2 storage drawers (C55M2)
  Fixed module with 7 drawers (C55M7)
- Fixed service module (C55MS)
- Tool panel with suspended cabinets (C55/2PM)
- Tool panel with shutter (C55PS-0)



Cabinets fitted with 3 interior, vertically adjustable shelves



Suspended cabinets fitted with gas springs making it easier to open/close doors



Compressed air outlet with built-in roller Ø 8 mm. Hose length: 10 m





Aluminium drawer front complete with quick release system throughout length of drawer





Aluminium shutter with lock for protecting tools



# **COMBINATION**











Framework



Schuko socket 16+10A and EU Plug 10A



Drawers can accommodate thermoformed tool trays available in price list



Mobile roller cab with 2 fixed and 2 steering wheels, making it easy to pull it out



Adjustable supporting feet suitable for uneven surfaces





# **C55AB** .... 055000020 Workshop equipment combination


# Combination comprising:

- Two-door tool cabinet (C55A2)
- Workbench (C55BO/2)
- Fixed module with 7 drawers (C55M7)
- Fixed service module (C55MS)
- Tool panel with suspended cabinets (C55/2PM)











# 

#### **Combination comprising:**

- Workbench (C55BO/2)
  Mobile roller cab module with 8 drawers (C55C8)
  Fixed module with 2 storage drawers (C55M2)
  Wall tool system with shutter (C55PS-0)











# **C55PB-PRO/7** •• 055000065 Workshop equipment combination

#### Composed of:

- Workbench with worktop (C55BO/2)
- Fixed module with seven drawers (C55M7)
- Fixed service module (C55MS)
- Tool wall system (C55/2PM)
- 2 suspended cabinets (C55/PF)








# 

#### Composed of:

- Workbench with worktop (C55BO/2)
- Mobile roller cab with seven drawers (C55C7)
- Tool wall system with shutter and framework (C55PS-0)
- Fixed two-door module (C55MA)







# WORKBENCH

# Choosing the workbench means the first step in any workshop furniture project.

We at Beta offer pre-arranged solutions in versions 2, 2.8 and 4 metres in length (pages 14÷15), in grey and orange colours. However, you can configure the workbench according to your requirements, choosing the worktop (page 17) and the legs (page 16), which can be used for both sides, are fitted with vertically adjustable feet and are available in single and double versions, with power sockets and hose or cable reels.





The modules under the workbenches are the heart of the project: mobile or fixed, with drawers or service equipment (pages 18÷21).

The modular system also provides several different solutions for the upper part: plain, suspended or shuttered panels, which can accommodate power sockets (pages 20÷24, 26).






Furthermore, a wide range of accessories allows you to complete the project, adapting it to your requirements (pages 30÷31).




The modular project can be extended and changed in time, as requirements and available spaces vary.













# WORKBENCH

Vertically adjustable feet

# C55B/2

# 2-m-long workbench

Worktop (2050x700 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons

- Holes for a vice (1599F/150, to be ordered separately)
- Can accommodate 2 modules under worktop
- Vertically adjustable feet





Two versions differ in worktop colour

# C55B/2,8 2.8-m-long workbench

Worktop (2850x700 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons

- Holes for a vice (1599F/150, to be ordered separately)
- Can accommodate 3 modules under worktop
- Vertically adjustable feet







Two versions differ in worktop colour



# C55B/D4 Double 4-m-long workbench with

Worktop (4100x700 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons

- Holes for a vice 1599F/150 (to be ordered separately)
- Vertically adjustable feet
- Double central leg with compartment and slide-away door, 350x750 mm





C55BG/D4 055000119 1616 1616

**i** 129 kg

940







### WORKTOP (2050X700 MM) COVERED WITH A SHOCKPROOF, NON-SCRATCH PVC COAT, RESISTANT TO HYDROCARBONS **BUILT-IN SOCKETS AND ROLLER:**

 Schuko socket+16+10A • EU Plua 10A

- Compressed air outlet and roller, Ø 8 mm. Hose length: 10 m
  - Holes for a vice (1599F/150, to be ordered separately) • Can accommodate 2 modules under worktop
    - Vertically adjustable feet

217


# **C55PRO B/2** 2-m-long workbench

 Can accommodate 2 modules under worktop





Two versions differ in worktop colour



# C55PRO B/2,8

# 2.8-m-long workbench


 Can accommodate 3 modules under worktop







Two versions differ in worktop colour



# C55PRO B/D4 Double 4-m-long workbench with central leg

• Central double leg with slide-away door compartment, 365x750 mm





C55PRO BG/D4 **055000179** 




# LEGS FOR WORKBENCH

# C55B/G <u>• 055000096</u>

# Universal leg for workbench

- With vertically adjustable feet
- Can be used for both workbench sides Front and side opening






# C55B/GAA .... 055000099

# Universal leg for workbench with built-in hose reel

- Built-in automatic hose reel for compressed air or cold water (Ø 8 mm) item 1901BM/8
- Hose length: 10 m
- With vertically adjustable feet
- Front and side opening





# 

217


# Double leg for adjoining workbenches



# 

# Double leg for adjoining workbenches

- Paper roll holder compartment
- Compartment with door
- · With vertically adjustable feet






# C55B/GE

**3.** 055000097

### Universal leg with power sockets for workbench

- Schuko socket+16+10A
- EU Plug 10A
- With vertically adjustable feet
- Front and side opening






# C55B/GAE .... 055000094

# Universal leg with built-in electrical cable reel for workbench

- Built-in automatic cable reel with Schuko type socket item 1848.
- Cable length: 15 m
- Thermally protected
- With vertically adjustable feet
- Front and side opening







# **WORKTOPS**



C55/PL0-1,024 



1-m-long worktop for extension of workbench

Painted sheet metal worktop (1024x700 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons



# C55B PT/2 Two versions differ in worktop colour

C55B0 PT/2 . 055000106



#### 2-m-long worktop, for workbench

Painted sheet metal worktop (2050x700 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons Holes for a vice (1599F/150, to be ordered separately)



# C55B PT/2,8 Two versions differ in worktop colour





### 2.8-m-long worktop, for workbench

Painted sheet metal worktop (2850x700 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons

Holes for a vice (1599F/150, to be ordered separately)



# C55RB

**Scratch-proof PVC coat** resistant to hydrocarbons

for 700x700mm long workbench

**3.** 055000199

for 1-m-long workbench

**3** 055000198



for 2-m-long workbench

**.....** 055000195

for 2.8-m-long workbench

**3** 055000196

# C55B/VS .... 055000095

Lower workbench bracket for workshop workbenches

Dimensions 800x230x60 mm



# 1599F/150 <u>015990150</u>

Parallel bench vice with hardened top and slides



L1	ВхН	Ø	A Max
150 mm	125x62 mm	13 mm	200 mm




# WORKBENCH **MODULES**



C55T3 ..... 055000219

### **Trolley**

- 3 tops covered in antislip ribbed rubber
- Ergonomic handle
- Two fixing options for central worktop
- Four castors Ø 100 mm: 2 fixed and 2 steering with brake
- Static load capacity: 200 kg (distributed between 3 shelves)






### Mobile roller cab with 7 drawers

#### 7 drawers (588x367 mm), with ball bearing slides

- 4 castors Ø 100 mm, 2 fixed (one with brake) and 2 steering
- Aluminium opening system throughout length of drawer
- Drawer bases protected by foamed rubber mats
- Front centralized lock
- Can be fitted with foam trays

	70 70





937




# **C55C8** <u> 055000206</u>

### Mobile roller cab with 8 drawers

#### 8 drawers (588x367 mm) with ball bearing slides

- 4 castors Ø 100 mm, 2 fixed (one with brake) and 2 steering
- Aluminium opening system throughout length of drawer
- Drawer bases protected by foamed rubber mats
- Front centralized lock
- Can be fitted with foam trays






# C55M4 3 055000212

### **Fixed module with 4 drawers**

#### 4 drawers (588x367 mm) with ball bearing slides

- · Aluminium opening system throughout length of drawer
- Drawer bases protected by foamed rubber mats
- Front centralized lock







# C55M7 3 055000203

### Fixed module with 7 drawers

#### 7 drawers (588x367 mm) with ball bearing slides

- · Aluminium opening system throughout length of drawer
- Drawer bases protected by foamed rubber mats
- Front centralized lock
- Can be fitted with foam trays










# C55M8 .... 055000207

#### **Fixed module with 8 drawers**

#### 8 drawers (588x367 mm) with ball bearing slides

- Aluminium opening system throughout length of drawer
- Drawer bases protected by foamed rubber mats
- Front centralized lock
- Can be fitted with foam trays






# 

# Fixed module with 2 drawers

#### 2 drawers (588x367mm) with ball bearing slides

- Aluminium opening system throughout length of drawer
- Drawer bases protected by foamed rubber mats
- Front centralized lock







# **C55MS** <u> 055000204</u>

### **Fixed service module**

- Built-in waste bin
- Perforated paper roll compartment
- Storage drawer, 305x270 mm







367

🗓 max

40 kg

40 kg






# **C55CS** <u>3.055000208</u>

# **Fixed module for separate waste**

- Pull-out waste compartment (588x465 mm) with ball bearing slides
- 2 capacious pull-out interior containers for sorting waste










# **C55MA** <u>055000205</u>

# Fixed two-door module

- Push Pull opening
- With lock
- Interior shelf, vertically adjustable







# C55MD0 ... 055000210

### **Fixed oil distribution** module

- 2 reels with 7m 1/2" hose included
  Complete with 2 oil guns with digital litre counter with automatic drip catcher.
  - max. delivery rate: 0÷35 l/min
  - viscosity: 8÷5000 mPas















# C55PFA-1,0

055000316

Self-supporting perforated panel, 1-m-long

Perforated steel tool panel (1024x1020x25 mm)







### C55PM

**3.** 055000302

#### Suspended cabinet, 1-m-long

Dimensions: 1024x400x300 mm; fitted with gas springs, making it easier to open and close door

# C55PT1.0X0.6

**.....** 055000314

**Under-cabinet panel**, 1-m-long

Dimensions: 1024x620x25 mm



#### C55PM

**3.** 055000302

#### Suspended cabinet, 1-m-long

Dimensions: 1024x400x300 mm; fitted with gas springs, making it easier to open and close door

### C55PTE-1.0

**3.** 055000319

#### **Under-cabinet panel**, 1-m-long

Dimensions: 1024x620x25 mm Accommodates 2 power sockets (not included)



### C55PM

**3.** 055000302

#### Suspended cabinet, 1-m-long

Dimensions: 1024x400x300 mm; fitted with gas springs, making it easier to open and close door

# C55PT1,0X0,6

055000314

#### **Under-cabinet panel, 1-m-long**

Dimensions: 1024x620x25 mm


### **C**55/PF

**3** 055000307

#### Perforated under-cabinet panel, 1-m-long

Perforated tool panel (1024x620 mm) designed to match C55PT1,0X0.6








# SYSTEMS 2 m

# C55/2PM <u> 055000301</u>

# Tool wall system with 2 suspended cabinets

- 2 suspended cabinets,1024x400x300 mm, fitted with gas springs, making it easier to open and close doors
- 2 wall panels, 1024x620 mm; can accommodate perforated tool panels C55/PF (to be ordered separately)
- Supplied with framework
- Matches 2-m-long workbench





**ii** 80 kg

Beta -



C55PFA-1.0

pg 30-31

C55PFA-1,0

### C55PFA-1.0

**3** 055000316

Self-supporting perforated panel, 1-m-long

Perforated steel tool panel (1024x1020x25 mm)



# C55P/2MDX-SX

© 055000253 Right/left wall uprights, pair



#### C55PM

**.....** 055000302

#### Suspended cabinet, 1-m-long

Dimensions: 1024x400x300 mm; fitted with gas springs, making it easier to open and close door

### C55PTE-1,0

**3.** 055000319

Under-cabinet panel, 1-m-long

Dimensions: 1024x620x25 mm

Accommodates 2 power sockets

Accommodates 2 power s (not included)



# C55P/MCD

**3.** 055000257

Double central intermediate uprights



# C55PM C55PM C55PF C55/PF C55PT1,0x0,6 C55PT1,0x0,6

#### C55PM

#### Suspended cabinet, 1-m-long

Dimensions: 1024x400x300 mm; fitted with gas springs, making it easier to open and close door

# C55PT1,0X0,6

**3.** 055000314

#### **Under-cabinet panel, 1-m-long**

Dimensions: 1024x620x25 mm

### **C55/PF**

**.....** 055000307

# Perforated under-cabinet panel, 1-m-long

Perforated tool panel (1024x620 mm) designed to match **C55PT1,0X0,6** 







# C55PS








# Tool wall system with shutter

- Aluminium shutter, vertically adjustable, with lock
- Removable perforated tool panel
- Supplied with framework
- 50-hook GPS kit included
- Matches 2-m-long workbench





# C55PSE








# Tool wall system with shutter accommodating 2 power sockets

- Aluminium shutter, vertically adjustable, with lock
- Removable perforated tool panel
- Supplied with framework
- 50-hook GPS kit included
- Accommodates power sockets (not included)
- Matches 2-m-long workbench





# **C55AE** <u>3.055000325</u>

Profile, 2 m long, accommodating power sockets

Dimensions 2050x25x90 mm





# **WALL SYSTEMS ASSORTMENTS**

**Assortment of 85 tools** for universal use hooks included



Qu	antity/Description	Beta N.
17	combination wrenches 6÷22 mm	42
12	offset hexagon key wrenches O 2÷10 mm	96N/SC12
13	1/2" square drive hexagon sockets with rail ○ 10÷22 mm	920A/SB13
8	1/2" square drive hexagon sockets with rail ○ 23÷32 mm	920A/SB8
1	1/2" drive extension bar 125 mm	920/21
1	1/2" drive extension bar 255 mm	920/22
1	1/2" drive universal joint	920/25
1	1/2" drive sliding T-handle	920/42
1	1/2" drive reversible ratchet ®	920/55
1	circlip pliers straight, internal © 180 mm	1032
1	circlip pliers straight, external • 175 mm	1036
1	slip joint pliers boxed joints 250 mm	1048
1	self - locking pliers 240 mm	1052
1	heavy-duty diagonal cutting nippers \$\mathbb{L}\$ 160 mm	1084BM
1	electrician's scissors, straight blades	1128BMX
1	half-round needle nose pliers = 180 mm	1150BM
1	extra-long needle nose pliers ● 160 mm	1166BM
7	screwdrivers for cross head screws	1260
	4x125 - 5,5x150 - 6,5x150 - 8x200 - 10x200 mm	
4	screwdrivers for cross head Phillips® screws	1262/S4
	◆ PH0x60 - PH1x80 - PH2x100 - PH3x150 mm	
1	engineer's hammer 300 g	1370
1	soft face hammer Ø 35 mm	1390
1	measuring tape 5 m	1692
5	set of 5 second-cut files, with handles 200 mm	1719BMA/S5
1	hacksaw frame, aluminium handle	1725
1	plastic oil can 150 cc	1754
1	snap - off blade utility knife	1771

Assortment of 133 tools for universal use hooks included



•	andida (Danassindian	Data N
	antity/Description	Beta N.
6	pin punches 2 ÷ 8 mm	31/SP6
6	2 drift punches, 1 centre punch, 3 flat chisels with metal holder	38/SP6
17		42/S17X
12	double open end wrenches 6x7 ÷ 30x32 mm	55/S12X
8	offset hexagon key wrenches 2 ÷ 10 mm	96T/S8
8	offset key wrenches, for Torx® head screws <b>○</b> T9 ÷ T40	97TX/SC8
1	adjustable wrench 250 mm	111
13	1/2" square drive hexagon sockets with rail ○ 10 ÷ 22 mm	920A/SB13
8	1/2" square drive hexagon sockets with rail ○ 23 ÷ 32 mm	920A/SB8
7	socket drivers for cross head Phillips® screws  ◆ ◆ 1,2x65 - 1,2x8 - 1,6x9 - 2x12mm - PH1-PH2-PH3	920LH/SB7
1	circlip pliers straight, internal © 180 mm	1032
i	circlip pliers bent, internal © 170 mm	1034
i	circlip pliers straight, external • 175 mm	1036
i	circlip pliers bent, external • 175 mm	1038
i	slip joint pliers boxed joints 250 mm	1048
1	self - locking pliers 240 mm	1052
1	tin snips 250 mm	1112
1	electrician's scissors, straight blades	1128BMX
8	set of screwdrivers 2,5x50 - 3x75 - 4x100 - 5,5x125 -	1263/D8
	6,5x150 - PH0 - PH1 - PH2	
2	engineer's hammer 300 - 600 g	1370
1	soft face hammer 35	1390
1	measuring tape 5 m	1692/5
1	flexible magnetic pick-up tool	1712E/2
1	two cutting edges scraper 200 mm	1717A
1	three - cutting edges scraper 200 mm	1717B
5	second cut files 200 mm	1719BMA8/S5
1	metal oil can 200 cc	1751
1	snap - off blade utility knife	1771BM
1	1/2" drive extension bar 125 mm	920/21
1	1/2" drive extension bar 250 mm	920/22
1	1/2" drive universal joint 1/2" drive sliding T-handle	920/25 920/42
1	1/2" drive sliding 1-handle 1/2" drive reversible ratchet ®	920/42
1	pry bar	920/55
1	Diagonal cutting nippers \$\frac{1}{2}\$ 160 mm	1082BM
1	Heavy-duty diagonal cutting nippers \$ 160 mm	1084BM
i	toggle lever assisted end cutting nippers \$\mathbb{L}\$ 180 mm	1092V
i	half-round needle nose pliers = 180 mm	1150BM
i	Extra-long needle nose pliers ● 160 mm	1166BM
1	Extra-long bent needle nose pliers   160 mm	1168BM
2	screwdrivers for cross head screws	1260
-	● 8x200 - 10x200 mm	.200
1	screwdrivers for cross head Phillips® screws ◆ PH3 8x150mm	1262
1	sliding gauge	1650
1	hacksaw frame, aluminium handle 420 mm	1725
	•	



#### **SOLUTIONS**





# WALL SYSTEMS 2m + 0,80m





### C55PFA-0,8

**3** 055000315

Self-supporting perforated panel, 0.8-m-long

Perforated steel tool panel (800x1020x25 mm)



# C55P/MCD

**.....** 055000257

Double central intermediate uprights



C55PM/M0.8

C55PT0,8x0,6

C55/1PF

### C55PM/M0,8

<u>\_\_\_ 05500</u>0312

#### Suspended cabinet, 0.8-m-long

Dimensions: 800x400x300 mm; fitted with gas springs making it easier to open and close door


### C55PTE-0,8

**3.** 055000318

#### **Under-cabinet panel, 0.8-m-long**

Dimensions: 800x620x25 mm

Accommodates 1 power socket (not included)



# C55PM/M0,8

055000312

#### Suspended cabinet, 0.8-m-long

Dimensions: 800x400x300 mm; fitted with gas springs making it easier to open and close door

### C55PT0,8X0,6

055000313

#### **Under-cabinet panel, 0.8-m-long**

Dimensions: 800x620x25 mm

### C55/1PF


**3.** 055000309

# Perforated under-cabinet panel, 0.8-m-long

Perforated tool panel (800x620 mm)







Beta REE55



# Upper corner with tool wall systems

- 2 perforated tool wall systems (700x1020x25 mm)
- 2 fixing shelves (670x160 mm)









Two versions differ in worktop colour

Corner worktop, 700x700 mm combination with legs

Painted sheet metal worktop (700x700 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons










Two versions differ in worktop colour


# Extension workbench, 1-m-long Worktop (1024x700 mm) covered with a shockproof,


non-scratch PVC coat, resistant to hydrocarbons

• Universal leg with vertically adjustable feet 1 fixed module: 7 drawers (588x367 mm) with ball bearing slides














# **CABINETS**

# C55AT1 3 055000421

### **Sheet metal tool** cabinet with clear polycarbonate door

- 3 removable, vertically adjustable shelves
- With lock
- Usable interior dimensions: 1770x420x420 mm






# C55AT2 3 055000422 Sheet metal tool

# cabinet with clear polycarbonate door

- 3 removable, vertically adjustable shelves
- With lock
- Usable interior dimensions: 1770x700x420 mm






# C55A1 \_\_ 055000411

## **Sheet metal** single-door tool cabinet

- 3 removable, vertically adjustable shelves
- With lock
- Usable interior dimensions: 1770x420x420 mm






# 

### Sheet metal two-door tool cabinet

- 3 removable, vertically adjustable shelves
- With lock
- Usable interior dimensions: 1770x700x420 mm





# C55A1/R42 - 055000461

Interior shelf for tool cabinet C55A1/C55AT1

**i** 2,4 kg



400x400 mm

# 

Interior shelf for tool cabinet C55A2/C55AT2



**i** 3,5 kg

700x400 mm





# **C55C** <u>3.055000400</u>

# **Cargo cabinets**

Developed on the basis of accurate research conducted with trained, professional users, they provide ideal solutions for working comfortably and rationally.


The opening system of the perforated


panels of the two doors also allows the interior surface to be made the most of.

#### Main features:

- 1 drawer with ball bearing slides.
- Easy tool layout according to users' needs.
  Easy wall mounting by means of two slots located at the back of the cabinet.
- Safety lock for both drawers and doors.
  Empty thermoformed tray for 1/2" sockets and accessories.









# **ACCESSORIES AND TOOL HOOKS** FOR PERFORATED PANELS

# C45LMP ... 045000320

# LED lamp for workshop equipment combination RSC55

- Length: 630 mm
- Easy to fix under wall cabinet through adhesives
- ON/OFF switch
- 570 lumens

Input: 100-240V 0.6A Output: 12V 1.50A 18.0W





# **SPC** \_\_\_\_ 088880480

#### **Computer wall bracket**

- Matches tool wall systems RSC55
- Dimensions 398x243x138 mm



#### **3.** 088880470 **Wall-mounted bottle** holder rack, made of steel



# PM/6C 3088880440

6-tray tool holder, made of plastic, with support

• Interior dimensions of tray: 80x60 mm



# PM/5C 3088880450

5-tray tool holder, made of plastic, with support

• Interior dimensions of tray: 95x120 mm



088880119








	088880250	6,5	l
	088880251	9,5	
	088880252	13	
	088880253	16	
	088880254	19	
ľ	088880255	25	


# 55/8

**088880420** 




# **S55/12**


... 088880421




088880422




088880402



**088880423** 



088880404



1719BMD: Q-T-P-M-R

**088880405** 




1290N-1292N-1299N/PZ 1260N-1262N-1269N/PZ 1201N-1202N-1209N/PZ


088880428



... 088880429




088880910




### 203/8


. 088880430



... 088880431



■ 000960958









SB1 L 210 mm 🕮 088880201

**SB2** L **280** mm 3 088880202

**SB3** L **360** mm 388880203



**Socket clips for rails SB** 



MB0 □ 1/4 <u>■ 088880210</u>
MB1 □ 3/8 <u>■ 088880211</u>

MB2 - 1/2 - 088880212

# YOUR COLOURS FOR YOUR WORKSHOP

RSC55 allows you to order the benches and tool wall system with shutter in a neutral (grey) version and customize the vertical coloured inserts by choosing from 7 different adhesive tapes.

Order your modules in a neutral colour

#### **Z** Order the vertical insert


Now choose the colour to your taste or according to your company's colours.



# C55STR

#### Adhesive tape 25 m

Allows to tailor the vertical tapes of garage furniture item C55
















# **3D PLANNER**

# Imagine and create...


# Configure your workshop in 3D online



# step 1

#### Draw the walls

Create the walls according to the dimensions of your workshop.



# To be to the control of the control

# step 3

#### View the result in 3D

The combination is immediately displayed in 3D and can be viewed from different angles.



# step 2

#### Design your workbench system

Select and assemble the component parts, to make your own combination.



### step 4

#### Request a quote


Print the detail of the arrangement in PDF format and take it to your dealer to get a quote.







# CUSTOMIZED MODULES ON REQUEST




# Fill your drawers with customized modules in six steps

(Max size: 1100 x 600 mm)

Determine your needs and send your project to the Beta dealer



We will submit the final layout for your approval




We will receive and codify your initial assortment of the project

Image	Product	Code Beta
200	Self-locking pliers	010540022
	Pliers	010440250
25	Pliers	011500046
ZOvis	Screwdrivers for slotted head screws	012011039
aben (	Screwdrivers for cross head Phillips® screws	012021018

We will build the soft modules in Beta's factory in Sovico



We will execute the design



We will deliver the tools in the customized modules



Contact our dealers www.beta-tools.com/en/find-a-dealer/



is a workplace organization method of Japanese origin. The name is derived from the western transcription of 5 Japanese words:

seiri, seiton, seiso, seiketsu and shitsuke.







Following the 5 steps identified by the words allows a systematic, repeatable method to be implemented with a view to optimized working standards and enhanced operating performance.





# **BENEFITS**

#### **Reduced time loss and improved cost-effectiveness**

A proper organization and transport system for your tools will allow you to have everything you need, where you need it, and within reach.

#### **Enhanced quality and productivity**

Standard equipment does not always cater to our needs. Creating your equipment on an item-by-item basis will allow you to fully adapt it to your requirements, which will result in improved reliability and performance.

#### **Fewer work accidents**

Most accidents occur while using tools.

Arranging all necessary items so that they can be easily selected for use and removing all unnecessary items will allow you to minimize misuse and reduce hazards.

#### **Greater efficiency**

Reducing the number of defects and errors will allow you to avoid delays, optimize processes and improve the company's results and efficiency.





