









50 Years in Motorsports



















WORKSHOP EQUIPMENT C55

The modular workshop combination that allows you to create a modern work environment customized to fit your space and storage needs. Choose from a wide range of solutions sharing high quality standards, designed to make the most of your time by optimizing work.









"Made in Italy"
quality to furnish
your workshop

ODULARITY

Modular workshop system, customized to fit your space and storage needs



WORKSHOP EQUIPMENT

C55 <u>055000000</u>

Comprehensive workshop equipment combination

Comprehensive combination comprising:

- Single-door tool cabinet (C55A1)
- Two-door tool cabinet (C55A2)
- Workbench (C55BO/2)
- Workbench with sockets (C55PRO BO/2)
- Mobile roller cab with 7 drawers (C55C7)
- Fixed module with 2 storage drawers (C55M2)
 Fixed module with 7 drawers (C55M7)
- Fixed service module (C55MS)
- Tool panel with suspended cabinets (C55/2PM)
- Tool panel with shutter (C55PS-0)



Cabinets fitted with 3 interior. vertically adjustable shelves





Compressed air outlet with built-in roller Ø 8 mm. Hose length: 10 m






Aluminium drawer front complete with quick release system throughout length of drawer




Aluminium shutter with lock for protecting tools

COMBINATION











Framework



C55C7

Schuko socket 16+10A and EU Plug 10A



C55B0/2

C55MS

Drawers can accommodate thermoformed tool trays available in price list



Mobile roller cab with 2 fixed and 2 steering wheels, making it easy to pull it out



Adjustable supporting feet suitable for uneven surfaces




C55AB 055000020


Workshop equipment combination


Combination comprising:

- Two-door tool cabinet (C55A2)
- Workbench (C55BO/2)
 Fixed module with 7 drawers (C55M7)
- Fixed service module (C55MS)
- Tool panel with suspended cabinets (C55/2PM)









- Combination comprising:


 Workbench (C55BO/2)


 Mobile roller cab module with 8 drawers (C55C8)

 Fixed module with 2 storage drawers (C55M2)

 Wall tool system with shutter (C55PS-0)











C55PB-PRO/7 •• 055000065 Workshop equipment combination

Composed of:

- Workbench with worktop (C55B0/2)
- Fixed module with seven drawers (C55M7)
- Fixed service module (C55MS)
- Tool wall system (C55/2PM)
- 2 suspended cabinets (C55/PF)








C55PB-PRO/8 • 055000066 Workshop equipment combination

Composed of:

- Workbench with worktop (C55BO/2)
- Mobile roller cab with seven drawers (C55C7)
- Tool wall system with shutter and framework (C55PS-0)
- Fixed two-door module (C55MA)







WORKBENCH

Choosing the workbench means the first step in any workshop furniture project.

We at Beta offer pre-arranged solutions in versions 2, 2.8 and 4 metres in length (pages 14÷15), in grey and orange colours. However, you can configure the workbench according to your requirements, choosing the worktop (page 17) and the legs (page 16), which can be used for both sides, are fitted with vertically adjustable feet and are available in single and double versions, with power sockets and hose or cable reels.





The modules under the workbenches are the heart of the project: mobile or fixed, with drawers or service equipment (pages 18÷21).

The modular system also provides several different solutions for the upper part: plain, suspended or shuttered panels, which can accommodate power sockets (pages 20÷24, 26).






Furthermore, a wide range of accessories allows you to complete the project, adapting it to your requirements (pages 30÷31).



The modular project can be extended and changed in time, as requirements and available spaces vary.













WORKBENCH

Vertically adjustable feet

C55B/2

2-m-long workbench

Worktop (2050x700 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons

- Holes for a vice (1599F/150, to be ordered separately)
- Can accommodate 2 modules under worktop
- Vertically adjustable feet





Two versions differ in worktop colour

C55B/2,8 2.8-m-long workbench

Worktop (2850x700 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons

- Holes for a vice (1599F/150, to be ordered separately)
- Can accommodate 3 modules under worktop
- · Vertically adjustable feet



i 129 kg

940





055000281

Two versions differ in worktop colour

C55B/D4 Double 4-m-long workbench with

Worktop (4100x700 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons

- Holes for a vice 1599F/150 (to be ordered separately)
- Vertically adjustable feet
- Double central leg with compartment and slide-away door, 350x750 mm







Two versions differ in worktop colour







WORKTOP (2050X700 MM) COVERED WITH A SHOCKPROOF, NON-SCRATCH PVC COAT, RESISTANT TO HYDROCARBONS **BUILT-IN SOCKETS AND ROLLER:**

Schuko socket+16+10A

- EU Plua 10A
- Compressed air outlet and roller, Ø 8 mm. Hose length: 10 m • Holes for a vice (1599F/150, to be ordered separately)
 - Can accommodate 2 modules under worktop

217

C55PRO B/2

2-m-long workbench

 Can accommodate 2 modules under worktop






Two versions differ in worktop colour



C55PRO B/2,8

2.8-m-long workbench

• Can accommodate 3 modules under worktop




217





Two versions differ in worktop colour



C55PRO B/D4 Double 4-m-long workbench with central lea

• Central double leg with slide-away door compartment, 365x750 mm



434



C55PRO BG/D4 055000179




LEGS FOR WORKBENCH

C55B/G ... 055000096

Universal leg for workbench

With vertically adjustable feet

• Can be used for both workbench sides Front and side opening






C55B/GAA 055000099

Universal leg for workbench with built-in hose reel

- Built-in automatic hose reel for compressed air or cold water (Ø 8 mm) item 1901BM/8
- Hose length: 10 m
- With vertically adjustable feet
- Front and side opening





C55B/GDS 055000291

Double leg for adjoining workbenches

 Compartment with slide-away door, 365x750 mm



C55B/GDP ... 055000292

Double leg for adjoining workbenches

- Paper roll holder compartment
- Compartment with door
- · With vertically adjustable feet






C55B/GE

..... 055000097

Universal leg with power sockets for workbench

- Schuko socket+16+10A
- EU Plug 10A
- With vertically adjustable feet
- Front and side opening






C55B/GAE 055000094

Universal leg with built-in electrical cable reel for workbench

- Built-in automatic cable reel with Schuko type socket item 1848.
- Cable length: 15 m
- Thermally protected
- With vertically adjustable feet
- Front and side opening







WORKTOPS



C55/PL0-1.024



1-m-long worktop for extension of workbench

Painted sheet metal worktop (1024x700 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons



Two versions differ in worktop colour

C55B0 PT/2



2-m-long worktop, for workbench

Painted sheet metal worktop (2050x700 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons Holes for a vice (1599F/150, to be ordered separately)



C55B PT/2,8





Two versions differ in worktop colour

2.8-m-long worktop, for workbench

Painted sheet metal worktop (2850x700 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons

Holes for a vice (1599F/150, to be ordered separately)



C55RB

Scratch-proof PVC coat resistant to hydrocarbons

for 700x700mm long workbench

3 055000199

for 1-m-long workbench

..... 055000198



for 2-m-long workbench

3 055000195

for 2.8-m-long workbench

3. 055000196

C55B/VS <u>055000095</u>

Lower workbench bracket for workshop workbenches

Dimensions 800x230x60 mm



1599F/150 <u>015990150</u>


Parallel bench vice with hardened top and slides



L1	BxH	Ø	A Max
150 mm	125x62 mm	13 mm	200 mm




WORKBENCH **MODULES**



Trolley

- 3 tops covered in antislip ribbed rubber
- Ergonomic handle
- Two fixing options for central worktop
- Four castors Ø 100 mm: 2 fixed and 2 steering with brake
 Static load capacity: 200 kg (distributed between 3 shelves)






C55C7 (2005) 055000201

Mobile roller cab with 7 drawers

7 drawers (588x367 mm), with ball bearing slides

- 4 castors Ø 100 mm, 2 fixed (one with brake) and 2 steering
- Aluminium opening system throughout length of drawer
- Drawer bases protected by foamed rubber mats
- Front centralized lock
- Can be fitted with foam trays







937




C55C8 <u> ... 055000206</u>

Mobile roller cab with 8 drawers

8 drawers (588x367 mm) with ball bearing slides

- 4 castors Ø 100 mm, 2 fixed (one with brake) and 2 steering
- Aluminium opening system throughout length of drawer
- Drawer bases protected by foamed rubber mats
- Front centralized lock
- Can be fitted with foam trays






Fixed module with 4 drawers

4 drawers (588x367 mm) with ball bearing slides

- Aluminium opening system throughout length of drawer
- Drawer bases protected by foamed rubber mats
- Front centralized lock






Fixed module with 7 drawers

7 drawers (588x367 mm) with ball bearing slides

- Aluminium opening system throughout length of drawer
- Drawer bases protected by foamed rubber mats
- Front centralized lock
- Can be fitted with foam trays








C55M8 055000207

Fixed module with 8 drawers

8 drawers (588x367 mm) with ball bearing slides

- Aluminium opening system throughout length of drawer
- Drawer bases protected by foamed rubber mats
- Front centralized lock
- Can be fitted with foam trays






C55M2 ... 055000202

Fixed module with 2 drawers

2 drawers (588x367mm) with ball bearing slides

- · Aluminium opening system throughout length of drawer
- Drawer bases protected by foamed rubber mats
- Front centralized lock





C55MS 055000204

Fixed service module

- Built-in waste bin
- Perforated paper roll compartment
- Storage drawer, 305x270 mm







367

max max

30 kg


40 kg





Fixed module for separate waste

- Pull-out waste compartment (588x465 mm) with ball bearing slides
 2 capacious pull-out interior containers for sorting waste








C55MA ... 055000205

Fixed two-door module


- Push Pull opening
- With lock
- Interior shelf, vertically adjustable





Fixed oil distribution module

- 2 reels with 7m 1/2" hose included
- Complete with 2 oil guns with digital litre counter with automatic drip catcher.
 - max. delivery rate: 0÷35 l/min
 - viscosity: 8÷5000 mPas













C55PFA-1,0

3 055000316

Self-supporting perforated panel, 1-m-long

Perforated steel tool panel (1024x1020x25 mm)







C55PM

Suspended cabinet, 1-m-long

Dimensions: 1024x400x300 mm; fitted with gas springs, making it easier to open and close door

.OXO.6

..... 055000314

Under-cabinet panel, 1-m-long

Dimensions: 1024x620x25 mm



C55PM

3 055000302

Suspended cabinet, 1-m-long

Dimensions: 1024x400x300 mm; fitted with gas springs, making it easier to open and close door

C55PTE-1.0

..... 055000319

Under-cabinet panel, 1-m-long

Dimensions: 1024x620x25 mm Accommodates 2 power sockets (not included)



C55PM

3 055000302

Suspended cabinet, 1-m-long

Dimensions: 1024x400x300 mm; fitted with gas springs, making it easier to open and close door

55PT1.0X0.6

3 055000314

Under-cabinet panel, 1-m-long

Dimensions: 1024x620x25 mm

C55/PF

3. 055000307

Perforated under-cabinet panel, 1-m-long

Perforated tool panel (1024x620 mm) designed to match C55PT1,0X0.6








SYSTEMS

C55/2PM (3, 055000301)

Tool wall system with 2 suspended cabinets

- 2 suspended cabinets,1024x400x300 mm, fitted with gas springs, making it easier to open and close doors
- 2 wall panels, 1024x620 mm; can accommodate perforated tool panels C55/PF (to be ordered separately)
- Supplied with framework
- Matches 2-m-long workbench





å80 kg



C55PFA-1,0

C55PFA-1,0

3. 055000316

Self-supporting perforated panel, 1-m-long

(1024x1020x25 mm)

Perforated steel tool panel

C55PM C55PM C55PTE-1.0 C55PTE-1.0

C55PFA-1.0

Suspended cabinet, 1-m-long

Dimensions: 1024x400x300 mm; fitted with gas springs, making it easier to open and close door

C55PTE-1.0

3 055000319

Under-cabinet panel, **1-m-long** Dimensions: 1024x620x25 mm

Accommodates 2 power sockets (not included)



Suspended cabinet, 1-m-long

Dimensions: 1024x400x300 mm; fitted with gas springs, making it easier to open and close door

5PT1,0X0,6

..... 055000314

Under-cabinet panel, 1-m-long

Dimensions: 1024x620x25 mm

3 055000307

Perforated under-cabinet panel, 1-m-long

Perforated tool panel (1024x620 mm) designed to match C55PT1,0X0,6



C55P/MCD

..... 055000257

Double central intermediate uprights







C55PS








Tool wall system with shutter

- Aluminium shutter, vertically adjustable, with lock
- Removable perforated tool panel
- Supplied with framework
- 50-hook GPS kit included
- Matches 2-m-long workbench





C55PSE








Tool wall system with shutter accommodating 2 power sockets

- Aluminium shutter, vertically adjustable, with lock
- Removable perforated tool panel
- Supplied with framework
- 50-hook GPS kit included
- Accommodates power sockets (not included)
- Matches 2-m-long workbench





Profile, 2 m long, accommodating power sockets

Dimensions 2050x25x90 mm





WALL SYSTEMS ASSORTMENTS

5958U <u>•• 059581008</u>

Assortment of 85 tools for universal use hooks included



Qu	antity/Description	Beta N.
17	combination wrenches 6÷22 mm	42
12	offset hexagon key wrenches O 2÷10 mm	96N/SC12
13	1/2" square drive hexagon sockets with rail ○ 10÷22 mm	920A/SB13
	1/2" square drive hexagon sockets with rail ○ 23÷32 mm	920A/SB8
1	1/2" drive extension bar 125 mm	920/21
1	1/2" drive extension bar 255 mm	920/22
1	1/2" drive universal joint	920/25
1	1/2" drive sliding T-handle	920/42
1	1/2" drive reversible ratchet ®	920/55
1	circlip pliers straight, internal ⊙ 180 mm	1032
1	circlip pliers straight, external 175 mm	1036
1	slip joint pliers boxed joints 250 mm	1048
1	self - locking pliers 240 mm	1052
1	heavy-duty diagonal cutting nippers \$\mathbb{L}\$ 160 mm	1084BM
1	electrician's scissors, straight blades	1128BMX
1	half-round needle nose pliers = 180 mm	1150BM
1	extra-long needle nose pliers 160 mm	1166BM
7	screwdrivers for cross head screws ◆ 3x75 - 3,5x100 -	1260
	4x125 - 5,5x150 - 6,5x150 - 8x200 - 10x200 mm	
4	screwdrivers for cross head Phillips® screws	1262/S4
	◆ PH0x60 - PH1x80 - PH2x100 - PH3x150 mm	
1	engineer's hammer 300 g	1370
1	soft face hammer Ø 35 mm	1390
1	measuring tape 5 m	1692
5	set of 5 second-cut files, with handles 200 mm	1719BMA/S5
1	hacksaw frame, aluminium handle	1725
1	plastic oil can 150 cc	1754
1	snap - off blade utility knife	1771

5957U-P 3. 059571004

Assortment of 133 tools for universal use hooks included



Qu	uantity/Description	Beta N.
6	pin punches 2 ÷ 8 mm	31/SP6
	2 drift punches, 1 centre punch, 3 flat chisels with metal holder	38/SP6
17		42/S17X
12		
	and the second of the second o	55/S12X
8	offset hexagon key wrenches 2 ÷ 10 mm	96T/S8
8	offset key wrenches, for Torx [®] head screws ○ T9 ÷ T40	97TX/SC8
1		111
13	1/2" square drive hexagon sockets with rail ○ 10 ÷ 22 mm	920A/SB13
8	1/2" square drive hexagon sockets with rail ○ 23 ÷ 32 mm	920A/SB8
7	socket drivers for cross head Phillips® screws	920LH/SB7
	● ● 1,2x65 - 1,2x8 - 1,6x9 - 2x12mm - PH1-PH2-PH3	
1	circlip pliers straight, internal ⊙ 180 mm	1032
1	circlip pliers bent, internal ⊙ 170 mm	1034
1	circlip pliers straight, external • 175 mm	1036
i	circlip pliers bent, external • 175 mm	1038
i	slip joint pliers boxed joints 250 mm	1038
i	self - locking pliers 240 mm	1052
1		1112
1	tin snips 250 mm	1128BMX
8	electrician's scissors, straight blades	1263/D8
0	set of screwdrivers 2,5x50 - 3x75 - 4x100 - 5,5x125 -	1203/00
•	6,5x150 - PH0 - PH1 - PH2	4270
2	engineer's hammer 300 - 600 g	1370
1	soft face hammer 35	1390
1	measuring tape 5 m	1692/5
1	flexible magnetic pick-up tool	1712E/2
1	two cutting edges scraper 200 mm	1717A
1	three - cutting edges scraper 200 mm	1717B
5	second cut files 200 mm	1719BMA8/S5
1	metal oil can 200 cc	1751
1	snap - off blade utility knife	1771BM
1	1/2" drive extension bar 125 mm	920/21
1	1/2" drive extension bar 250 mm	920/22
1	1/2" drive universal joint	920/25
1	1/2" drive sliding T-handle	920/42
1	1/2" drive reversible ratchet ®	920/55
1	pry bar	963
1	Diagonal cutting nippers \$\mathbb{L}\$ 160 mm	1082BM
1	Heavy-duty diagonal cutting nippers ₹ 160 mm	1084BM
1	toggle lever assisted end cutting nippers \$\mathbb{L}\$ 180 mm	1092V
1	half-round needle nose pliers = 180 mm	1150BM
1	Extra-long needle nose pliers 160 mm	1166BM
1	Extra-long bent needle nose pliers ● 160 mm	1168BM
2		1260
-	● 8x200 - 10x200 mm	.200
1		1262
1	sliding gauge	1650
1	hacksaw frame, aluminium handle 420 mm	1725
•	namo, alaminam nama 420 mm	1120



SOLUTIONS





WALL **SYSTEMS** 2m + 0,80m





C55PFA-0,8

Self-supporting perforated panel, 0.8-m-long

Perforated steel tool panel (800x1020x25 mm)



C55P/MCD

3. 055000257

Double central intermediate uprights



C55PM/MO,8 \$\times 055000312\$

Suspended cabinet, 0.8-m-long

Dimensions: 800x400x300 mm; fitted with gas springs making it easier to open and close door


C55PTE-0.8

3 055000318

Under-cabinet panel, 0.8-m-long

Dimensions: 800x620x25 mm

Accommodates 1 power socket (not included)





3 055000312

Suspended cabinet, 0.8-m-long

Dimensions: 800x400x300 mm; fitted with gas springs making it easier to open and close door

C55PT0,8X0,6

055000313

Under-cabinet panel, 0.8-m-long

Dimensions: 800x620x25 mm

C55/1PF

3. 055000309

Perforated under-cabinet panel, 0.8-m-long

Perforated tool panel (800x620 mm)









Beta -

C55KAS

..... 055000370

Upper corner with tool wall systems

- 2 perforated tool wall systems (700x1020x25 mm)
- 2 fixing shelves (670x160 mm)














Two versions differ in worktop colour

Extension workbench, 1-m-long Worktop (1024x700 mm) covered with a shockproof,

worktop (1024x/00 mm) covered with a shockprod non-scratch PVC coat, resistant to hydrocarbons

 Universal leg with vertically adjustable feet 1 fixed module: 7 drawers (588x367 mm) with ball bearing slides








CABINETS

Sheet metal tool cabinet with clear polycarbonate door


- 3 removable, vertically adjustable shelves
- With lock
- Usable interior dimensions: 1770x420x420 mm





C55AT2 ... 055000422 Sheet metal tool cabinet with clear polycarbonate door

- 3 removable, vertically adjustable shelves
- With lock
- Usable interior dimensions: 1770x700x420 mm






C55A1 <u>3 055000411</u>

Sheet metal

single-door tool cabinet

- 3 removable, vertically adjustable shelves
- With lock
- Usable interior dimensions: 1770x420x420 mm






C55A2 ... 055000412

Sheet metal two-door tool cabinet

- 3 removable, vertically adjustable shelves
- With lock
- Usable interior dimensions: 1770x700x420 mm





Interior shelf for tool cabinet C55A1/C55AT1



1 2,4 kg

400x400 mm

Interior shelf for tool cabinet C55A2/C55AT2



i 3,5 kg

700x400 mm



C55C <u> 3055000400</u>

Cargo cabinets

Developed on the basis of accurate research conducted with trained, professional users, they provide ideal solutions for working comfortably and rationally.


The opening system of the perforated panels of the two doors also allows the interior surface to be made the most of

the interior surface to be made the most of.

Main features:

- 1 drawer with ball bearing slides.
 Easy tool layout according to users' needs.
 Easy wall mounting by means of two slots located at the back of the cabinet.
 Safety lock for both drawers and doors.
 Empty thermoformed tray for 1/2"
- sockets and accessories.







ACCESSORIES AND TOOL HOOKS FOR PERFORATED PANELS

LED lamp for workshop equipment combination RSC55

- Length: 630 mm
- Easy to fix under wall cabinet through adhesives
- ON/OFF switch
- 570 lumens

Input: 100-240V 0,6A Output: 12V 1.50A 18.0W





SPG ____088880480 Computer wall bracket

- Matches tool wall systems RSC55
- Dimensions 398x243x138 mm



3. 088880470 **Wall-mounted bottle** holder rack, made of steel



PM/6C 3088880440

6-tray tool holder, made of plastic. with support

• Interior dimensions of tray: 80x60 mm



PM/5C 3088880450

5-tray tool holder, made of plastic, with support

• Interior dimensions of tray: 95x120 mm



IT/GPS










088880255 25




..... 088880420




55/12

... 088880421 55/S12X 55AS/12 55MP/S12






... 088880402



8952/10





1719BMA: Q-T-P-M-R 1719BMD: Q-T-P-M-R

SGN




1290N-1292N-1299N/PZ 1260N-1262N-1269N/PZ 1201N-1202N-1209N/PZ


... 088880428




088880429




088880910




088880430



088880431



000960958









SB3 L 360 mm 3088880203



Socket clips for rails SB



MBO 🗆 1/4 🕮 088880210

MB1 🗆 3/8 💷 088880211

MB2 🗆 1/2 🕮 088880212

YOUR COLOURS FOR YOUR WORKSHOP

RSC55 allows you to order the benches and tool wall system with shutter in a neutral (grey) version and customize the vertical coloured inserts by choosing from 7 different adhesive tapes.

Order your modules in a neutral colour

Z Order the vertical insert


Now choose the colour to your taste or according to your company's colours.



C55STR

Adhesive tape 25 m

Allows to tailor the vertical tapes of garage furniture item C55
















3D PLANNER

Imagine and create...


Configure your workshop in 3D online



step 1

Draw the walls

Create the walls according to the dimensions of your workshop.



step 3

View the result in 3D

The combination is immediately displayed in 3D and can be viewed from different angles.



step 2

Design your workbench system

Select and assemble the component parts, to make your own combination.



step 4


Request a quote

Print the detail of the arrangement in PDF format and take it to your dealer to get a quote.





CUSTOMIZED MODULES ON REQUEST



Fill your drawers with customized modules in six steps


(Max size: 1100 x 600 mm)

1

Determine your needs and send your project to the Beta dealer




We will submit the final layout for your approval




We will receive and codify your initial assortment of the project

Image	Product	Code Beta
P	Self-locking pliers	010540022
	Pliers	010440250
-01	Pliers	011500046
_	Screwdrivers for slotted head screws	012011039
	Screwdrivers for cross head Phillips® screws	012021018

We will build the soft modules in Beta's factory in Sovico



We will execute the design



We will deliver the tools in the customized modules





Contact our dealers www.beta-tools.com/en/find-a-dealer/



is a workplace organization method of Japanese origin. The name is derived from the western transcription of 5 Japanese words:


seiri, seiton, seiso, seiketsu and shitsuke.





Following the 5 steps identified by the words allows a systematic, repeatable method to be implemented with a view to optimized working standards and enhanced operating performance.





BENEFITS

Reduced time loss and improved cost-effectiveness

A proper organization and transport system for your tools will allow you to have everything you need, where you need it, and within reach.

Enhanced quality and productivity

Standard equipment does not always cater to our needs. Creating your equipment on an item-by-item basis will allow you to fully adapt it to your requirements, which will result in improved reliability and performance.

Fewer work accidents

Most accidents occur while using tools. Arranging all necessary items so that they can be easily selected for use and removing all unnecessary items will allow you to minimize misuse and reduce hazards.

Greater efficiency

Reducing the number of defects and errors will allow you to avoid delays, optimize processes and improve the company's results and efficiency.



