

Beta Action

2026



INDUSTRY & HANDICRAFT

Promotion valid from 01/09/2026 to 28/02/2027
Prices do not include V.A.T. - Subject to availability

2/2

Beta

RSC 50 2.0




3D
view

Design your workshop
ONLINE CONFIGURATOR
Simple, fast and intuitive



www.beta-tools.com

WORKSHOP EQUIPMENT C45PRO 2.0 - RSC50 2.0**2÷7****CONTAINERS****8÷13****ASSORTMENT AND THERMOFORMED TRAYS****15÷18****WORKBENCHES****14-19****TROLLEYS AND LIFTING****19-20****TOOL CHESTS, BAGS AND CASES****21÷23****WRENCHES****24÷28****COLOUR CODE****29****SCREWDRIVERS****30-31****SOCKETS****32÷35****TORQUE WRENCHES****36÷39****PLIERS****40÷42****PINCERS, HAMMERS AND CHISELS****42-43****DRILLING AND THREADING TOOLS****44-45****POWER TOOLS AND ABRASIVES****46-47****PLUMBING TOOLS****48****GENERAL MAINTENANCE****49****LIGHTING****50÷53****MEASURING TOOLS****54-55****ELECTROTECHNICS****56****ELECTRICAL PRODUCTS****57****CUTTING TOOLS****58÷60****1000V INSULATED TOOLS****61****INOX****62****BETA CHEMICALS****63****REELS****64-65****PULLERS****66****AUTOMOTIVE****67÷69****ROBUR****70÷73****PNEUMATIC TOOLS****74÷79****SAFETY FOOTWEAR****80÷87****WORKWEAR****88÷96****BETA COLLECTION****97****Blister pack support**

NEW

PURCHASE THE WORKSHOP EQUIPMENT COMBINATION, **C45PRO**


46-cm-DEEP WORKTOP WORKSHOP EQUIPMENT COMBINATION **C45PRO**

C45PRO X/196UT

305 kg 045001987

Workshop equipment combination **C45PRO** comprising the following:

- Stainless steel coated MDF worktop, dimensions 2,040x**463** mm (C45PX/3-2.0MT)
- Fixed module with 7 drawers (C45PRO M7)
- Mobile roller cab with 7 drawers (C45PRO C7)
- Fixed service module (C45PRO MS)
- 3 perforated tool panels (C45PRO PF)
- 3 wall-mounted cabinets (C45PRO PM)
- 3 wall brackets, wide type (C45PRO SL)
- 1 wall bracket, narrow type (C45PRO SS)
- Two-door cabinet (C45PRO AS2)



* The assortment can be placed only in the fixed module



ASSORTMENT OF **196** TOOLS

Beta
WORKER



MC04-1 BW



MC04-2/N BW



MC04-3 BW



1/4"
1/2"

~~£ 6,560.00~~
£ 2,450.00



Save
£ 389.00

Compared to purchases of loose products

COMPLETE WITH ASSORTMENT THAT BEST CATERS TO YOUR NEEDS!

NEW

61.5-cm-DEEP WORKTOP WORKSHOP EQUIPMENT COMBINATION C45PRO 2.0

C45PRO 2.0 X/268UT



334 kg **045009158**

- **Stainless steel coated MDF** worktop, dimensions 2,040x**615** mm (C45PRO 2.0 PXE/3-2.0MT)

C45PRO 2.0 W/268UT




318 kg **045009159**

- **Multi-ply wood** worktop, dimensions 2,040x**615** mm (C45PRO 2.0 PWE/3-2.0MT)

Workshop equipment combination C45PRO 2.0 comprising the following:

- Fixed module with 7 drawers (C45PRO 2.0 M7)
- Mobile roller cab with 7 drawers (C45PRO 2.0 C7)
- Fixed service module (C45PRO 2.0 MS)
- 3 perforated tool panels (C45PRO 2.0 PF)
- 3 wall-mounted cabinets (C45PRO 2.0 PM)
- 3 wall brackets, wide type (C45PRO 2.0 SL)
- 1 wall bracket, narrow type (C45PRO 2.0 SS)
- Two-door cabinet (C45PRO 2.0 AS2)



ASSORTMENT OF 268 TOOLS

Beta
WORKER



MM-1 BW




MM-2 BW



MM-3 BW



MM-4/N BW



MM-5 BW

BETA'S NEW RATCHET



~~£ 7,920.00~~
£ 2,830.00

Save
£ 744.00
Compared to purchases of loose products

NEW

PURCHASE THE WORKSHOP EQUIPMENT COMBINATION, C45PRO 2.0

61.5-cm-DEEP WORKTOP

C45PRO 2.0 B7X/196UT

211 kg 045009155

- Stainless steel coated MDF worktop, dimensions 1,360x615 mm (C45PRO 2.0 PXE/2-1.3MT)


C45PRO 2.0 B7W/196UT

201 kg 045009156

- Multi-ply wood worktop, dimensions 1,360x615 mm (C45PRO 2.0 PWE/2-1.3MT)

Workshop equipment combination C45PRO 2.0 comprising the following:

- Fixed module with 7 drawers (C45PRO 2.0 M7)
- Fixed two-door module (C45PRO 2.0 MA)
- 2 wall-mounted cabinets (C45PRO 2.0 PM)
- 2 perforated tool panels (C45PRO 2.0 PF)
- 2 wall brackets, wide type (C45PRO 2.0 SL)
- 1 wall bracket, narrow type (C45PRO 2.0 SS)
- Single-door cabinet (C45PRO 2.0 AS1)



ASSORTMENT OF 196 TOOLS

Beta
WORKER



MMC45-V1 BW



MMC45-V2N BW



MMC45-V3 BW



BETA'S NEW RATCHET

14"
12"

~~£ 5,020.00~~
£ 1,895.00



Save
£ 274.00

Compared to purchases of loose products

COMPLETE WITH ASSORTMENT THAT BEST CATERS TO YOUR NEEDS!

NEW

61.5-cm-DEEP WORKTOP

C45PRO 2.0 AX/157UT

234,5 kg 045009167

- Stainless steel coated MDF worktop, dimensions 2,040x615 mm (C45PRO 2.0 PXE/3-2.0MT)

C45PRO 2.0 AW/157UT

219 kg 045009168

- Multi-ply wood worktop, dimensions 2,040x615 mm (C45PRO 2.0 PWE/3-2.0MT)

Workshop equipment combination C45PRO 2.0 comprising the following:

- Fixed service module (C45PRO 2.0 MS)
- Fixed module with 7 drawers (C45PRO 2.0 M7)
- Fixed two-door module (C45PRO 2.0 MA)
- 3 wall-mounted cabinets (C45PRO 2.0 PM)
- 3 perforated tool panels (C45PRO 2.0 PF)
- 2 wall brackets, narrow type (C45PRO 2.0 SS)
- 2 wall brackets, wide type (C45PRO 2.0 SL)

2000 mm
645 mm
2040 mm



ASSORTMENT OF 157 TOOLS

Beta
WORKER

**FIXED
ACCESSORIES
INCLUDED**



BETA'S NEW RATCHET



~~£ 5,170.00~~
£ 2,170.00

**Save
£ 209.00**

Compared to purchases of loose products

NEW

PURCHASE THE WORKSHOP EQUIPMENT COMBINATION, RSC50 2.0

70-cm-DEEP WORKTOP

RSC50 2.0 D/224UT



276 kg 050001090

- Worktop 1,495x700 mm made from sheet metal (RSC50 2.0 NPG/2-1.5MT)

RSC50 2.0 DX/224UT



275 kg 050001080


- Worktop 1,495x700 mm made from stainless steel coated MDF (RSC50 2.0 PX/2-1.5MT)

RSC50 2.0 DW/224UT



263 kg 050001081

- Worktop 1,495x700 mm made from multi-ply wood (RSC50 2.0 PW/2-1.5MT)




Workshop equipment combination RSC50 2.0 comprising the following:

- 1 fixed module with 7 drawers (RSC50 2.0 M7)
- 1 fixed two-door module (RSC50 2.0 MA)
- 2 wall-mounted cabinets (RSC50 2.0 PM)
- 2 upper perforated tool panels (RSC50 2.0 PFS)
- 2 lower perforated tool panels (RSC50 2.0 PFI)
- 2 pairs of right/left uprights (RSC50 2.0 P/2MDX-SX)
- 1 single-door cabinet (RSC50 2.0 A1)



ASSORTMENT OF 224 TOOLS

Beta



M391



M392



M394MH



M397MH



~~£ 9,010.00~~

£ 3,400.00



Save

£ 1,165.00

Compared to purchases of loose products

NEW

COMPLETE WITH ASSORTMENT THAT BEST CATERERS TO YOUR NEEDS!

70-cm-DEEP WORKTOP

RSC50 2.0 F/411UT

411 kg 050001095

- Worktop 2,240x700 mm made from sheet metal (RSC50 2.0 NPG/3-2.2MT)

RSC50 2.0 FX/411UT

405 kg 050001097

- Worktop 2,240x700 mm made from stainless steel coated MDF (RSC50 2.0 PX/3-2.2MT)

RSC50 2.0 FW/411UT

386 kg 050001098

- Worktop 2,240x700 mm made from multi-ply wood (RSC50 2.0 PW/3-2.2MT)



2000 mm
3155 mm

Workshop equipment combination RSC50 2.0 comprising the following:

- 1 fixed module with 7 drawers (RSC50 2.0 M7)
- 1 mobile roller cab with 7 drawers (RSC50 2.0 C7)
- 1 fixed service module with 2 drawers (RSC50 2.0 MS-2C)
- 3 wall-mounted cabinets (RSC50 2.0 PM)
- 3 upper perforated tool panels (RSC50 2.0 PFS)
- 3 lower perforated tool panels (RSC50 2.0 PFI)
- 3 pairs of right/left uprights (RSC50 2.0 P/2MDX-SX)
- 1 two-door cabinet (RSC50 2.0 A2)



ASSORTMENT OF 411 TOOLS

Beta



M25



M105MH

1/4" 3/8" 1/2"



M169



M245MH



M238



M320



IMPACT DRILL 20V
1972/K20V-13BMC



~~£ 15,310.00~~
£ 5,480.00



Save
£ 1,758.00
Compared to purchases of loose products

NEW

A NEW ERA OF DESIGN, INNOVATION AND FUNCTIONALITY

THE MOBILE ROLLER CAB, RSC39, DESIGNED AT OUR TECHNICAL DEPARTMENT,
HAS SET NEW STANDARDS FOR THE MOST DEMANDING PROFESSIONAL.

The modern shape, the first-rate finish and the fine appearance **PROVIDE A TOP-NOTCH SOLUTION FOR EVERY WORK ENVIRONMENT.**

The new RSC39 is available in four distinguishing colours: orange, anthracite grey, red and **THE NEW EXCLUSIVE RACING GREY.**



kg
1000

1015÷1450 mm
505 mm
800 mm

1 Built-in, retractable **'IN&OUT'** tool panel (421x407x50 mm); load capacity: up to 5 kg

2 ABS reinforced worktop, solid and sturdy

3 Standard-sized drawers (588x367 mm), compatible with Beta's wide range of tool modules, available in EVA foam or ABS thermoformed versions

Drawer bases protected by foamed rubber mats

4  Built-in handle with quick release opening system


5 Shock-resistant side centralized lock

6 4 non-marking castors, Ø 125 mm (2 fixed and 2 steering with brakes)

7 3 built-in bottle holders (can be applied on both sides)

Height: 1015 mm (with closed panel), 1450 mm (with raised panel)

RSC39



	Ral 2011	RACING GREY	Ral 3000	Ral 7016	n° ↓ max	kg	£
RSC39/5	039000451	039000452	039000453	039000457	2 70 mm 25 kg 1 140 mm 30 kg 1 210 mm 30 kg 1 240 mm 35 kg	80	£ 1,610.00 £ 785.00
RSC39/7	039000471	039000472	039000473	039000477	5 70 mm 25 kg 1 140 mm 30 kg 1 240 mm 35 kg	83	£ 1,700.00 £ 829.00
RSC39/8	039000481	039000482	039000483	039000487	7 70 mm 25 kg 1 240 mm 35 kg	86	£ 1,745.00 £ 849.00

GROUND-BREAKING 'IN&OUT' TOOL PANEL WITH CONVENIENT RETRACTABLE SYSTEM



DURING WORK
TOOLS ALWAYS WITHIN REACH



AFTER WORK
TOOLS TIDILY AND SAFELY REPLACED
IN THE MOBILE ROLLER CAB

NEW

PURCHASE THE NEW **RSC39/7** ROLLER CAB
WITH ASSORTMENT OF **288** TOOLS

3900 RSC39/7 VI

Mobile Roller cab

- 7 pull-out drawers (588x367 mm) with ball bearing slides:
5 drawers 70 mm high
1 drawer 140 mm high
1 drawer 240 mm high.



M331



M357



M353



M238



M169

~~£ 4,040.00~~
£ 1,565.00

Ral 2011	RACING GREY	Ral 3000	Ral 7016
039000701	039000702	039000703	039000707



Save over
£ 2,475.00

RSC RANGE


THE EVOLUTION OF PERFECTION



RSC24

Mobile Roller cab, empty

- ABS reinforced worktop
- Multi-purpose top with anti-fall edges and eight holes for accommodating screwdrivers
- 4 castors Ø 125 mm: 2 fixed and 2 steering (one with brake)
- Front centralized safety lock
- Built-in bottle holder (can be applied on both sides).
- Drawer bases protected by foamed rubber mats
- **Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays**




	kg	Ral 2011 Ral 7016	Ral 3000 Ral 7016	Ral 7016	Ral 2011	Ral 9006 Ral 7016	Ral 5015 Ral 7016	Ral 9005	£
RSC24/7	63	024004071	024004073	024004077	024004070	024004072	024004076	024004079	£ 1,071.00 £ 595.00
RSC24/5	60	024004051	024004053	024004057	£ 924.00	£ 499.00			
RSC24/6	62	024004061	024004063	024004067	£ 996.00	£ 559.00			
RSC24/8	66	024004081	024004083	024004087	£ 1,161.00	£ 649.00			

RSC24/7		
n°		Max
5	70 mm	25 kg
1	140 mm	30 kg
1	210 mm	30 kg

RSC24/5		
n°		Max
2	70 mm	25 kg
2	140 mm	30 kg
1	280 mm	35 kg

RSC24/6		
n°		Max
4	70 mm	25 kg
1	140 mm	30 kg
1	280 mm	35 kg

RSC24/8		
n°		Max
6	70 mm	25 kg
2	140 mm	30 kg



2400 RSC24/KA4

Kit of accessories for mobile roller cabs RSC24, RSC24A and RSC51

Composed by:

- Perforated tool panel **2400 RSC24/PF**
- Folding shelf **2400 RSC24/MP**
- Document holder **2400 RSC24/PD-A**
- Paper roll holder **2400 RSC24/PC-A**



024004884

~~£ 243.50~~
£ 141.00

PURCHASE THE ASSORTMENT THAT BEST CATERES TO YOUR NEEDS

**THE ROLLER CAB RSC24
IS INCLUDED IN THE PRICE!**



Save up to
£ 3,515.00

2400 RSC24/7-VIS

Assortment of 224 tools for Industrial Maintenance 14" 12"

~~£ 3,070.00~~

£ 1,229.00

Medium version



M391



M392



M394MH



M397MH



INCLUDED:
Mobile roller cab RSC24/7



2400
RSC24/7-VIS/FO

024004037

NEW



2400
RSC24/7-VIS/A

024004036

2400 RSC24A/8-VIL

Assortment of 411 tools for Industrial Maintenance 14" 38" 12"

~~£ 5,410.00~~

£ 1,895.00

Extra large version



M25



M105MH



M169



M245MH



M238



M320



**THE MOST COMPLETE
BETA ASSORTMENT EVER**

INCLUDED:
Mobile roller cab with
anti-tilt system RSC24A/8



2400
RSC24A/8-VIL/O

024004008

NEW




2400
RSC24A/8-VIL/A

024004003


RSC24AXL

Mobile roller cab, WITH ANTI-TILT SYSTEM, long model

- New ABS reinforced worktop with anti-fall edges, eight holes for accommodating screwdrivers and 6 tote trays
- **Sturdy nylon front, with built-in label holder**
- Drawer bases protected by foamed rubber mats
- 4 castors, Ø 125 mm: 2 fixed and 2 steering (one with brake)
- Front centralized safety lock
- Built-in side bottle holder (can be applied on both sides)
- **Each drawer can accommodate up to 6 EVA foam or ABS thermoformed trays**



	Ral 2011 Ral 7016	Ral 3000 Ral 7016	Ral 7016	n°	max	kg	£
RSC24AXL/7	024004271	024004273	024004277	5	70 mm 30 kg	84	£ 1,585.00 £ 849.00
				1	140 mm 35 kg		
				1	210 mm 35 kg		
RSC24AXL/8	024004281	024004283	024004287	6	70 mm 30 kg	88	£ 1,610.00 £ 919.00
				2	140 mm 35 kg		
				8	70 mm 30 kg		
RSC24AXL/9	024004291	024004293	024004297	1	140 mm 35 kg	90	£ 1,715.00 £ 975.00
				1	140 mm 35 kg		




RSC24AXXL

131 kg

Mobile roller cab with 8 drawers and anti-tilt system, long model


- 1 fully removable drawer (1,176x367 mm), with ball bearing slides
- 7 fully removable drawers (882x367 mm), with ball bearing slides:
6 drawers 70 mm high
1 drawer 140 mm high
- **Worktop made from stainless steel coated MDF**, with holes for vice item 1599F/125 or 1599GI/125 (to be ordered separately) and 6 tote trays
- Sturdy nylon fronts, with built-in label holders
- Drawer bases protected by foamed rubber mats
- Removable side compartment, with ball bearing slides, with shelf and lock
- 4 castors, Ø 150 mm: 2 fixed and 2 steering with brakes
- 3 safety locks
- Built-in paper roll holder
- Built-in bottle holder
- Following trays can be added: **up to 8 EVA foam or ABS thermoformed trays in drawer 1,176x367 mm**
up to 6 EVA foam or ABS thermoformed trays in drawer 882x367 mm



**YOUR WORKSHOP
ON WHEELS**



n°		Max
1	70 mm (1.176x367 mm)	40 kg
6	70 mm (882x367 mm)	30 kg
1	140 mm (882x367 mm)	35 kg



Ral 2011 Ral 7016	Ral 3000 Ral 7016	Ral 7016
024004781	024004783	024004787

~~£ 2,140.00~~
£ 1,219.00

RSC24L-CAB

Mobile roller cab with 7 drawers and TOOL CABINET

- 7 drawers (588x367 mm) with ball bearing slides:
 - 5 drawers, 70 mm high
 - 1 drawer, 140 mm high
 - 1 drawer, 210 mm high
- Drawer bases protected by foamed rubber mats
- 4 castors, Ø 125 mm: 2 fixed and 2 steering with brakes
- Front centralized lock
- **Side tool cabinet with lockable door and vertically adjustable interior shelf**
- Multi-ply wood worktop with holes for a vice (1599F/100, to be ordered separately)
- Built-in paper roll holder
- Double rear bottle holder
- Built-in side bottle holder

1100


82 kg


 973 mm
 565 mm
 1050 mm


Ral 2011	Ral 3000	Ral 7016
Ral 7016	Ral 7016	Ral 7016
024004471	024004473	024004477

£ 1,680.00
£ 945.00

n°		Max
5	70 mm	25 kg
1	140 mm	30 kg
1	210 mm	30 kg



RSC28

SuperTank trolley with wood worktop and 10 drawers

- Tool trolley with 10 drawers (588x367 mm) with ball bearing slides.
- **5 side drawers:**
 - 4 drawers, 70 mm high
 - 1 drawer, 210 mm high
- **5 front drawers:**
 - 4 drawers, 70 mm high
 - 1 drawer, 210 mm high
- Quick, safe system for opening and closing drawers, with nylon and fibreglass front
- Drawer bases protected by foamed rubber mats
- 4 high-capacity castors, Ø 150 mm: 2 fixed and 2 steering with brakes
- 2 centralized safety locks
- Multi-ply wood worktop with holes for a vice (1599F/150 - 1599GI/150, to be ordered separately)
- 4 bottle holders (2 front and 2 rear)
- 6 side tote trays
- Side compartment with foldaway door with lock
- 135-mm-high storage compartment with plastic-covered base
- Static load capacity: 1,200 kg

1200


130 kg


 943 mm
 800 mm
 1235 mm


Ral 2011	Ral 3000	Ral 7016
Ral 7016	Ral 7016	Ral 7016
028003001	028003003	028003007

£ 2,950.00
£ 1,635.00

n°		Max
8	70 mm	25 kg
2	210 mm	30 kg






C58BC-2,1/89UT

Comprehensive workbench, 2.1 m long

- 8 drawers (367x588 mm) with ball bearing slides:
5 drawers 70 mm high
2 drawers 140 mm high
1 drawer 210 mm high.
- Drawer bases protected by foamed rubber mats
- **Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays**
- Front centralized lock
- 1 door module with lock
- Steel frame with 4 supporting legs
- Holes for a vice (1599F/150 - 1599GI/150, to be ordered separately)
- 2 lower half-shelves for objects, 1,788x335 mm, 40 mm thick
- Static load capacity: 800 kg, uniformly distributed
- Can be fixed to floor
- **Kit with 4 perforated tool panels**
- **2 LED lamp tracks IP20**



kg
800

C58BC-W2,1/89UT

kg
210



- Worktop (2,100x750 mm) made from **multi-ply wood**, 38 mm thick

Ral 2011	Ral 7016
Ral 7016	Ral 7016
058000973	058000977

~~£ 3,830.00~~
£ 1,565.00

C58BC-X2,1/89UT

kg
233



- Worktop (2,100x750 mm) made from **stainless steel coated MDF**, 38 mm thick

Ral 2011	Ral 7016
Ral 7016	Ral 7016
058000983	058000987

~~£ 3,860.00~~
£ 1,565.00



**INCLUDED
IN THE PRICE**


ASSORTMENT OF 89 TOOLS




with a net worth of **£ 450.00**



MS3 BW



MS5 BW



MS60 BW




NEW

C58BC-2,1

Simple workbench, 2.1 m long

- Lower half-shelf for objects, 1,788x335 mm; thickness: 40 mm
- Steel frame with 4 supporting legs
- Holes for a vice (1599F/150 - 1599GI/150, to be ordered separately)
- Can be fixed to floor



kg
800

C58BC-W2,1

kg
70

058000621



~~£ 679.00~~
£ 375.00

- Worktop (2,100x750 mm) made from **multi-ply wood**, 38 mm thick

C58BC-X2,1

kg
93

058000626



~~£ 798.00~~
£ 375.00

- Worktop (2,100x750 mm) made from **stainless steel coated MDF**, 38 mm thick

5988VU/M

SOFT
MODULE
SYSTEM

30 kg

059880356

Assortment of 214 tools
in soft foam tray

14" 12"

£ 3,140.00
£ 1,755.00

Recommended with: RSC24 - RSC24A - RSC24AXL -
RSC24AXLP/7 - RSC24AXXL - C37 - RSC39 - C39 - C39SM
C39MD - RSC28 - C59 - C58BC - RSC55 - RSC50 2.0

Quantity/Description	Beta N.	TR
22 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32-36 mm	42	M01
11 double open end wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm	55	M30
11 double ended offset ring wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm	90	M30
9 ball head offset hexagon key wrenches ○ 1.5-2-2.5-3-4-5-6-8-10 mm	96BPC/SC9	M30
6 screwdriver for slotted head screws ● 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm	1201E	M213
1 screwdriver for slotted head screws, extra-short series ● 4x30 mm	1201EN	M213
4 screwdriver for cross head Phillips® screws ● PH0x60-PH1x80-PH2x100-PH3x150 mm	1202E	M213
1 screwdriver for cross head Phillips® screws, extra-short series ● PH1x30 mm	1202EN	M213
12 screwdrivers for Torx® head screws, with handles ● T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45	1207E/TX	M213
1 mains testing screwdriver ●	1253	M213
3 drift punches 2-3-4 mm	30	M230
6 pin punches 2-3-4-5-6-8 mm	31	M230
1 centre punch Ø 4 mm	32	M230
1 flat chisels 150 mm	34	M230
2 flat chisels, ribbed type 200-250 mm	35	M230
1 cape chisels, standard type 125 mm	36	M230
1 engineer's hammer 500 g	1370	M230
1 soft face hammer Ø 35 mm	1390	M230
1 measuring tape 3 m	1692	M230
1 telescopic magnet with flexible head	1712TF	M230
5x files 200 mm	1719BMA...Q/T/P/M/R	M230
1 steel wire brush	1737NX	M230
1 snap - off blade utility knife 18 mm	1771	M230
1 circlip pliers straight, internal ○ 180 mm	1032	M129
1 circlip pliers bent, internal ○ 170 mm	1034	M129
1 circlip pliers straight, external ● 175 mm	1036	M129
1 circlip pliers bent, external ● 175 mm	1038	M129
1 slip joint pliers 250 mm	1048N	M129
1 self - locking pliers 240 mm	1052	M129
1 diagonal cutting nippers 160 mm	1082BM	M129
1 construction worker's pincers 220 mm	1098	M129
1 compound leverage shears, straight blades 250 mm	1122	M129
1 electrician's scissors, straight blades	1128BMX	M129
1 combination pliers = 180 mm	1150BM	M129
1 extra-long needle nose pliers ● 160 mm	1166BM	M129
1 extra-long bent needle nose pliers ● 160 mm	1168BM	M129
3 sockets holder	895/1/3/6	M100MH
13 1/4" hexagon sockets ○ 4-4,5-5,5-6-7-8-9-10-11-12-13-14 mm	900	M100MH
9 hexagon hand sockets, long series ○ 5-6-7-8-9-10-11-12-13 mm	900L	M100MH
5 1/4" socket drivers for hexagon screws ○ 3-4-5-6-7 mm	900ME	M100MH



M01




M30



M213



M230



M129



M100MH

- 4 1/4" socket drivers for slotted head screws
● 0,8x4-1x5-5,1-2x6,5-1,2x8 mm
- 4 1/4" socket drivers for cross head Phillips® screws
● PH1-PH2-PH3-PH4
- 7 socket drivers for Torx® head screws
● T10-T15-T20-T25-T27-T30-T40
- 1 1/4" drive extension bar 50 mm
- 1 1/4" drive extension bar 100 mm
- 1 1/4" drive extension bar 150 mm
- 1 1/4" drive universal joint
- 1 1/4" drive spinner handle
- 1 1/4" drive swivel T-handle
- 1 1/4" reversible ratchet
- 21 1/2" square drive hexagon sockets ○ 8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm
- 1 adaptor, 1/2" female and 3/8" male drives 125 mm
- 1 1/2" drive universal joint 250 mm
- 2 angular extension bar - 1/2" 125 mm - 250 mm
- 1 1/2" drive sliding T-handle 305 mm
- 1 1/2" drive reversible ratchet
- 8 1/2" sockets for Torx® head screws
○ 10-12-14-16-18-20-22-24 mm
- 11 hexagon hand sockets ○ 10-12-13-14-15-16-17-18-19-21-22 mm
- 900LP M100MH
- 900PH M100MH
- 900TX M100MH
- 900/20 M100MH
- 900/20L M100MH
- 900/21 M100MH
- 900/25 M100MH
- 900BG/31 M100MH
- 900/42 M100MH
- 900/55 M100MH
- 920A M100MH
- 920/15 M100MH
- 920/25 M100MH
- 920AN/125/250 M100MH
- 920/42 M100MH
- 920/55 M100MH
- 920FTX M100MH
- 920AL M100MH

5904VU/M

SOFT
MODULE
SYSTEM

12 kg

059041201

Assortment of 90 tools
in soft foam tray

12"

£ 1,450.00
£ 729.00

Recommended with: RSC23T - RSC24 - RSC24A
RSC24AXL - RSC24AXLP/7 RSC24AXXL - RSC24L/7
RSC24L-CAB - RSC28 - C37 - RSC39 - C39 - C39T - C39SM
C39MD - RSC51 - RSC55 - RSC50 2.0 - C59 - C58BC

Quantity/Description	Beta N.	TR
16 combination wrenches 6÷21 mm	42	M05
8 double open end wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm	55	M33
9 offset hexagon key wrenches ○ 1,5-2-2,5-3-4-5-6-8-10 mm	96/SC9	M33
6 screwdrivers for Torx® head screws ● T8-T10-T15-T20-T25-T30	1227TX	M204MH
3 screwdrivers for slotted head screws ● 3x75 - 5,5x150 - 6,5x150 mm	1221	M180MH
3 screwdrivers for cross head Phillips® screws ● PH0x60-PH1x80-PH2x100 mm	1222	M180MH
8 offset hexagon key wrenches ○ 2-2,5-3-4-5-6-7-8 mm	96T	M50
1 1/2" wobble extension bar 125 mm	920AN/125	M83
1 1/2" wobble extension bar 250 mm	920AN/250	M83
1 1/2" drive universal joint	920/25	M83
1 1/2" drive sliding T-handle	920/42	M83
1 1/2" drive reversible ratchet	920/55	M83
19 1/2" square drive hexagon sockets ○ 10÷24 - 26 - 27 - 30 - 32 mm	920A	M83
1 heavy-duty diagonal cutting nippers 160 mm	1084	M137
1 combination pliers bright chrome-plated = 180 mm	1150	M137
1 extra-long needle nose pliers ● 160 mm	1166	M137
1 slip joint pliers, slip-proof PVC coated handles 250 mm	1048N	M153
1 self - locking pliers 240 mm	1052	M153
2 flat chisels, ribbed type 100 - 200 mm	35	M234
1 engineer's hammer 300 g	1370	M234
1 soft face hammer Ø 35 mm	1390	M234
1 circlip pliers straight, internal ○ 180 mm	1032	M145
1 circlip pliers bent, internal ○ 170 mm	1034	M145
1 circlip pliers straight, external ● 175 mm	1036	M145
1 circlip pliers bent, external ● 175 mm	1038	M145



M05

M33

M204MH M180MH



M50

M83



M137

M153

M234

M145

ONLINE
CONFIGURATOR

Create your own roller cab with your
favourite tools and accessories

M01

4,5 kg 024500001



22

£ 441.00
£ 249.00

42 6-7-8-9-10-11-12-13-14-15-16-17-18
19-20-21-22-24-27-30-32-36 mm

M25

5,1 kg 024500025



40

£ 789.00
£ 390.00

42 6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22-24-27 mm
90 6x7-8x9-10x11-12x13-14x15-16x17-18x19 mm
123Q1/4
123Q3/8
123Q1/2
142 8-9-10-11-12-13-14-15-16-17-18-19 mm

M60MH

1,9 kg 024500072



23

£ 434.00
£ 199.00

○ 96T 2-2,5-3-4-5-6-7-8-10 mm
○ 97BTX/SC8 T9-T10-T15-T20-T25-T27-T30-T40 mm
○ 944MH 5-6-7-8-10-13 mm

NEW

M63

3,4 kg 024500063




8

£ 342.00
£ 197.00

○ 952 7-8-10-12-13-14-17-19 mm

M69

1,8 kg 024500069




9

£ 294.00
£ 165.00

○ 951 2,5-3-4-5-6-8-10-12-14 mm

M100MH

6,7 kg 024500109



98

£ 1,198.00
£ 569.00

895/1 - 895/3 - 895/6
○ 900 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
○ 900L 5-6-7-8-9-10-11-12-13 mm
○ 900ME 3-4-5-6-7 mm
● 900LP 0,8x4-1x5,5-1,2x6,5-1,2x8 mm
● 900PH PH1-PH2-PH3-PH4
○ 900TX T10-T15-T20-T25-T27-T30-T40
900/20 50 mm - 900/20L 100 mm
900/21 150 mm
900/25
900BG/31
900/42
● 900/55

○ 920A 8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm
920/15 - 920/25
920AN/125 125 mm
920AN/250 250 mm
920/42
● 920/55
● 920FTX 10-12-14-16-18-20-22-24 mm
○ 920AL 10-12-13-14-15-16-17-18-19-21-22 mm

1/4" 12"

NEW

M105MH

7,7 kg 024500114



116

£ 1,300.00
£ 615.00

○ 900 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
○ 900L 5-6-7-8-9-10-11-12-13 mm
○ 96BPC/SC9 1,5-2-2,5-3-4-5-6-8-10 mm
895/1 - 895/3 - 895/6
○ 900ME 3-4-5-6-7 mm
● 900LP 0,8x4-1x5,5-1,2x6,5-1,2x8 mm
● 900PH PH1-PH2-PH3-PH4
○ 900TX T10-T15-T20-T25-T27-T30-T40
900/16 □ 1/4 - ■ 3/8
900/... 50-100-150 mm
900/25 - 900BG/31 - 900/42
● 900/55
○ 910A 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm
910/15 □ 3/8 - ■ 1/4

910/16 □ 3/8 - ■ 1/2
910/21 125 mm
910/22 250 mm
910/25 - 910/42
● 910/55
○ 920A 8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm
□ 1/2 - ■ 3/8
920/15
920/25
920AN 125 - 250 mm
920/42
● 920/55
○ 956E 16-17,8-20,8 mm

1/4" 3/8" 12"

NEW

M120

6,9 kg

024500120



75

~~£ 1,275.00~~
£ 615.00

12"

○ 920A 10-11-12-13-14-15-16-17-18-19-20-21-22-24-26-27-30-32 mm

920AN/125 125 mm

920AN/250 250 mm

920/25 - 920/42

○ 920AL 10-12-13-14-15-16-17-18-19-22-24-27-30-32 mm

○ 920FTX 10-12-14-16-18-20-22-24 mm

○ 920/55

○ 920PE

5-5L-6-6L-7-7L-8-8L-10-10L-

12-12L-14-14L

○ 920TX

T20-T25-T27-T30-T40-T45-T50-T55-T60-T20L-T25L-T27L-T30L-T40L-T45L-T50L

M125

7,9 kg

024500872



68

~~£ 1,250.00~~
£ 569.00

3/8" 12"

910AL 8-9-10-11-12-13-14-15-16-17-19-21-22 mm

920FTX E12-E14-E16-E18-E20-E22-E24

920PE 5-6-6L-7-8-8L-10-10L-12-12L mm

920TX T20-T25-T27-T30-T30L-T40-T40L-T45-T50-T50L-T55-T60-T60L

920XZN 5-6-6L-8-8L-10-10L-12L mm

920AL 10-12-13-14-15-16-17-18-19-21-22-23-24-27-30-32 mm

1692/5 5 m

M129

3,4 kg

024500147



13

~~£ 464.00~~
£ 255.00

○ 1032 180 mm

○ 1034 170 mm

● 1036 175 mm

● 1038 175 mm

1048N 250 mm

1052 240 mm

1082BM 160 mm

1098 220 mm

1122 250 mm

1128BMX 147 mm

1150BM 180 mm

1166BM 160 mm

1168BM 160 mm

NEW

M161

3 kg

024500161



15

~~£ 540.00~~
£ 279.00

1128MQ 145 mm

1048MQ 250 mm

1082MQ 160 mm

1150MQ 180 mm

1162MQ 160 mm

1164MQ 160 mm

1272MQ PH0x60-PH1x80-PH2x100-PH3x150 mm

1274MQ 2,5x75-3x100-4x100-5,5x125 mm

1777MQ/U

M166MH

2,9 kg

024500881



49

~~£ 440.00~~
£ 219.00

● ○ ⊕ ⊗ ⊕ 861MIX/A31

1048N 250 mm

1082BM 160 mm

1150BM 180 mm

1162BM 160 mm

● 1221 3x75 - 4x100 - 5,5x100 - 6,5x150 - 8x150 mm

● 1221N 6,5x30 mm

● 1222 4,5x80 - 6x100 - 8x150 mm

● 1222N 6x30 mm


● 1227TX T20-T25-T27-T30

NEW

M195MH

3,4 kg

024500196



25

~~£ 363.00~~
£ 197.00

● 1253 3,5x100 mm

● 1221 2,5x50 - 3x75 - 4x100 - 5,5x125 - 6,5x150 - 8x200 mm

● 1222 PH0x60 - PH1x80 - PH2x100 - PH3x150 mm

● 1222N PH1x30 mm

● 1227TX T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45

● 1221N 4x30 mm

NEW

M213

1,8 kg

024500213



25

~~£ 217.00~~
£ 126.00

● 1201E 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm

● 1201EN 4x30 mm

● 1202E PH0x60-PH1x80-PH2x100-PH3x150 mm

● 1202EN PH1x30 mm

● 1207E/TX T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45

● 1253 3,5x100 mm

M230

3,2 kg

024500230



25

~~£ 414.00~~
£ 235.00

■ 1719BMA/Q 200 mm

▲ 1719BMA/T 200 mm

■ 1719BMA/P 200 mm

■ 1719BMA/M 200 mm

● 1719BMA/R 200 mm

1771 170 mm

30 Ø 2-3-4 mm

31 Ø 2-3-4-5-6-8 mm

32 Ø 4 mm

34 150 mm

35 200-250 mm

36 125 mm





1370 500 g

1390 Ø 35 mm

1692 3 m

1712TF

1737NX

T01 024240001 1 2,7 kg £ 269.00 £ 157.00  17 42 6-7-8-10-11-12-13-14-16-17-18-19-21-22-24-27-30 mm	T05 024240005 1 1,5 kg £ 203.50 £ 120.00  16 42 6-7-8-10-11-12-13-14-16-17-18-19-21-22-24-27-30 mm	T06 024240006 1 2,1 kg £ 145.00 £ 85.00  5 42 22-24-27-30-32 mm	T31 024240031 1 3 kg £ 219.00 £ 128.00  27 31 Ø 2-3-4-5-6 mm 32 Ø 4 mm 55 6x7-8x9-10x11-12x13-14x15-16x17-18x19 20x22-21x23-24x26-27x29-30x32 mm ○ 96N/SC9 1,5÷10 mm
T45 024240045 1 1,3 kg £ 308.00 £ 180.00  12 142 8-9-10-11-12-13-14-15-16-17-18-19 mm	T50 024240050 1 1,3 kg £ 172.50 £ 101.00  11 ○ 96T 2-2,5-3-3,5-4-4,5-5-6-7-8-10 mm	T63 024240063 1 3,8 kg £ 333.00 £ 194.00  8 ○ 952 7-8-10-12-13-14-17-19 mm	T68 024240068 1 590 g £ 141.50 £ 81.50  6 ○ 951 2,5-3-4-5-6-8 mm
T80 024240080 1 4,1 kg £ 410.00 £ 194.00  29 12" ○ 920A 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-30-32 mm ○ 920ME 5-6-8-10-12 mm 920/21 125 mm 920/22 255 mm 920/25 - 920/42 305 mm ⊕ 920/55	T91MH 024240098 1 560 g £ 229.50 £ 99.00  25 14" ○ 900 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm ○ 900ME 2,5-3-4-5-6-8 mm 900/20 50 mm 900/21 150 mm 900/25 - 900BG/31 - 900/42 115 mm ⊕ 900/55 NEW	T92 024240092 1 1,5 kg £ 252.00 £ 106.00  22 38" ○ 910A 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm 910/21 125 mm 910/42 210 mm 910/22 250 mm ⊕ 910/55 910/25	T137 024240137 1 750 g £ 113.50 £ 66.00  3 ⊕ 1084BM 160 mm ⊕ 1150BM 180 mm ⊕ 1166BM 160 mm
T145 024240145 1 640 g £ 127.50 £ 75.00  4 ○ 1032 180 mm ○ 1034 170 mm ● 1036 175 mm ● 1038 175 mm	T167MH 024240182 1 1,3 kg £ 148.50 £ 87.00  11 ⊕ 1221 3x75-3x100-4x100-4x150-5,5x100-5,5x150-6,5x150-8x150-10x200 mm ⊕ 1221N 4x30 - 6,5x30 mm NEW	T234 024240234 1 1,3 kg £ 98.00 £ 57.50  4 35 100-200 mm 1370 300 g 1390 ø 35 mm	T236 024240236 1 870 g £ 96.50 £ 57.00  5 ■ 1719BMA/Q 200 mm ▲ 1719BMA/T 200 mm ■ 1719BMA/P 200 mm ▶ 1719BMA/M 200 mm ● 1719BMA/R 200 mm

C56BLP

11,4 kg

056000005

Multi-purpose folding workbench

- Worktop (820x630 mm) made from polypropylene, with graduation in millimetres and inches
- Handle for easy transportation
- Lower shelf for objects
- Telescopic aluminium legs (550-820 mm)
- Can be used as a stand
- Non-slip feet

FIXED ACCESSORIES INCLUDED



ONLY 11,4 kg!

READY FOR USE IN JUST A FEW SECONDS, EASY TO CARRY AND STORE IN SMALL SPACES



C56PL O

18,5 kg

056000021

Folding workbench lightweight reliable

- Lightweight, easy to carry.
- Worktop (800x500mm) made of galvanized sheet iron, for use on one side, protected by an anti-oil and anti-petrol rubber cover.
- Handle with rubber cover, for easy transportation
- An additional sturdy, reliable worktop, always within reach

£ 367.00
£ 205.00




ONLY 18,5 kg

C51

21 kg

Trolley

- 3 tops covered in antislip ribbed rubber
- Two fixing options for central worktop
- Four castors Ø 100 mm: 2 fixed and 2 steering (1 with brake)



Ral 2011 051000001 Ral 7016 051000002 Ral 3000 051000003

£ 304.00
£ 169.00

C48M

Electric platform cart, with panels

- Motorized platform, with 24V - 400W motor with 2x12V 42Ah battery supply and Curtis control card
- Loading floor made from sturdy steel, coated with non-slip rubber, with round tubular panels preventing objects from falling during transport
- The panels can be removed, to cater to individual transportation requirements
- Fitted with 2 pneumatic traction wheels (Ø 260 mm) and 2 swivelling rubber wheels (Ø 150mm), electromagnetic brake and differential gear
- Supplied with an external battery charger, 220V/50Hz - V/A 24/12



140 kg 048000230
£ 2,920.00
£ 1,609.00

1100 mm
630 mm
1280 mm


FUNCTIONAL SPECIFICATIONS

- Carrying capacity: **400 kg**
- Driving speed: **4-6 km/h** (adjustable)
 - Battery life: **4 hours**
 - Maximum permitted slope with a full load: **6%**
 - Maximum permitted slope with 100 kg load: **18%**

TECHNICAL SPECIFICATIONS

- Overall dimensions: 1280x630x1100h mm
- Useful dimensions of loading platform with panels: 1180x580 mm
- Useful dimensions of loading platform without panels: 1260x620 mm
- Height of loading platform from floor: 320 mm
- Height of battery compartment from floor: 65 mm
- Weight with batteries: 140 kg

SAFETY DEVICES:

- Electronic brake
- Buzzer
- Anti-crushing guard
- Battery charge indicator
- Curtis control cart

C48P

11 kg 048000030

Folding tool trolley

- Loading platform made of reinforced polypropylene (PP), with non-slip coating and TPV inserts for corner protection
- Retractable handle for quick, compact storage
- Four non-marking castors, Ø 125 mm: 2 fixed and 2 steering with brakes
- Maximum capacity: 300 kg.
- Loading platform working width: 705 mm
- Loading platform depth: 480 mm
- Loading platform height: 200 mm

£ 273.00
£ 155.00



300 kg


3069

69,5 kg 030690000

Manual pallet truck
Features:

- 2 steering wheels, 200x50 mm, made of PU
- Double front rollers, 80x70 mm, made of PU
- Pallet access entry and exit rollers
- Depth stop notch
- Lowering speed control valve
- Safety overload valve
- **3-position operating lever**

Technical data:

- Maximum capacity: 2500 kg
- Overall length: 1550 mm
- Fork length: 1150 mm
- Fork width: 540 mm
- Individual fork width: 160 mm
- Lever height: 1230 mm
- Max. lifting height: 115 mm
- Pallet storage corridor: 800x1200 lengthwise: 1805 mm
- Turning radius: 1347 mm

£ 770.00
£ 339.00



1150 mm

2500 kg

C41H

21 kg

Two-module tool trolley

- Sheet metal frame and plastic tops, synonymous with remarkable sturdiness and reduced weight
- 2 detachable modules:
 - 1 upper tool box,
 - 1 module with 2 drawers 95 mm in height,
 - 1 pull-out case made of plastic, 66 mm high,
 - and 1 drawer 295 mm in height
- Oversized castors (160 mm), built into frame for easy transport - for example, on steps
- Side centralized lock for closing drawers of lower module
- Drawers with ball bearing slides and double closing hook
- Telescopic aluminium handle
- Small tool holder built into upper tool box
- Lower drawer with double ball bearing slide



C41H O
RAL 2011



C41H W
RAL 9016



C41H Y
RAL 1023



C41H R
RAL 3000



C41H B
RAL 5002



C41H G
RAL 7016



C41H N
RAL 9005

~~£ 606.00~~
£ 329.00

- 041000002
- 041000021
- 041000012
- 041000008
- 041000006
- 041000010
- 041000005

Five-section cantilever tool box, made from sheet metal, empty

C20

4,3 kg 021200001

450x200x210 mm

~~£ 82.00~~
£ 45.50

C20L

5,7 kg 021200002

550x200x210 mm

~~£ 90.50~~
£ 51.00



CP15

2 kg 021150201

Tool box, made from plastic, removable tote-tray and tool trays, empty

~~£ 50.50~~
£ 27.50

- 1 tool tray built into cover
- 2 removable tool trays with adjustable partitions
- 1 interior tote-tray with adjustable partitions
- Carrying capacity: 30 kg

445x240x250 mm



CP17

2,1 kg 021170500

Tool box, made of stainless steel and plastic, removable tote-tray, empty

~~£ 93.50~~
£ 52.90

500x200x220 mm



Tool trunk, made of sheet metal, empty



C22B-O

13 kg 022000150

720x320x310 mm

~~£ 234.00~~
£ 133.00

C22BM-O

20 kg 022000160

850x360x350 mm

~~£ 268.00~~
£ 155.00

C22BL-O

26 kg 022000170

1010x410x400 mm

~~£ 359.00~~
£ 205.00

2080/V12

1,8 kg

020800000

Organizer tool case with 12 removable tote-trays

~~£ 62.00~~
£ 34.90

Removable, folding clear tote-trays, for immediate recognition of contents



300x330x145 mm



2028/VV

4,7 kg

020280010

Tool case, made of polypropylene, empty

~~£ 240.00~~
£ 133.00

- 2 tool panels
- Interior bottom with removable partitions
- Double combination lock



480x190x400 mm



2031/TV

5,2 kg

020310200

Tool trolley made from thick polypropylene, aluminium profile, empty

~~£ 396.00~~
£ 225.00

- 3 tool panels
- Telescopic handle
- Ball bearing castors
- Interior bottom with removable partitions



475x235x385 mm


NEW

CSM

1,9 kg

021050050

Technical fabric tool rucksack, empty

~~£ 91.00~~
£ 52.00

- Large front compartment with zip closure, complete with:
 - 4 exterior rows of elastic bands
 - 6 interior tool pockets
- Two convenient side pockets with zip closure, badge holder and elastic tool band
- Central padded handle
- Adjustable reinforced shoulder straps
- Ergonomic padded back
- Plastic-reinforced, water-resistant base

Rucksack interior:

- 3 rows of elastic tool bands
- 10 differently sized tool pockets



370x210x510 mm

NEW

CS

2,8 kg

021050000

Rucksack, empty

~~£ 160.00~~
£ 92.00

- Removable interior tool panel
- Six exterior pockets and two interior pockets
- Waterproof plastic base
- Double safety strap for fixing rucksack to shoulders
- Ergonomic padded back



400x200x500 mm

C6T

4,9 kg

021060010

Rucksack with castors, empty

~~£ 227.00~~
£ 132.00

- Telescopic handle for easy transport
- Built-in castors with practical dustproof cover for use as a rucksack
- Two removable tool panels
- Interior PC pocket and five exterior pockets
- Waterproof plastic base



360x200x480 mm

CBA
5,9 kg
021080400
Technical fabric tool trolley, empty
~~£ 179.00~~
£ 103.00

- Semi-rigid frame
- Telescopic carrying handle
- 4 pivoting castors
- Double padded handle
- Convenient semi-rigid front compartment
- Large lower compartment with 5 tool pockets and elastic tool bands
- 33 interior tool pockets
- 6 interior rows and 6 side rows of elastic tool bands
- Plastic interior pocket with zip closure

455x270x480 mm
NEW

Technical fabric tool box, empty

- Hard frame
- Double bottom
- Tilting handle for easier access to tools
- Elastic tool bands and interior and exterior pockets
- Cover
- Tool tray included in double bottom
- Can be used with trolley C8 (sold separately)


C10S
2,9 kg
021100001
~~£ 127.50~~
£ 74.00
420x220x250 mm
C10
3,3 kg
021100000
~~£ 162.00~~
£ 93.50
520x220x250 mm
C3
917 g
021030000
Mini tool bag, made from technical fabric, empty
~~£ 66.00~~
£ 38.00

- 1 exterior front pocket with zip closure
- 2 side pockets with tote trays
- 1 convenient rear pocket with strap closure
- 1 removable interior tool panel
- Complete with shoulder strap
- USB interface for charging mobile devices

230x110x320 mm

C11
1,8 kg
021110000
Technical fabric tool box, empty

- Hard water resistant plastic base
- Elastic tool bands and interior and exterior tool pockets
- Document holders built into double bottom of cover

~~£ 94.50~~
£ 56.00
410x230x250 mm

2005MMT
500 g
020050070
Tool pouch with belt, empty
~~£ 48.00~~
£ 28.50

- Large front compartment accommodating a convenient roll-up wallet with tool pockets and elastic tool bands
- Two large storage pockets, including one with strap closure
- Interior front pocket with zip closure
- Double pouch closure, with strap and buckle
- Breathable belt with stretch band and two storage pockets


250x160x100 mm
NEW
2001/BZ27 VU
3,9 kg
020010157
Folding tool case with assortment of 27 tools, for universal use
~~£ 286.00~~
£ 164.00

27

380x290x60 mm
Quantity/Description

- | | | |
|---|---|---------|
| 1 | electrician's scissors, straight blades | Beta N. |
| 1 | combination pliers $\approx$ 180 mm | 1128BMX |
| 6 | combination wrenches 7-8-10-13-17-19 mm | 1150 |
| 3 | screwdriver for slotted head screws $\bullet$ 3x75 - 4x100 - 5,5x150 mm | 42 |
| 3 | screwdriver for cross head Phillips [®] screws | 1201E |
| | $\oplus$ PH0x60 - PH1x80 - PH2x100 mm | 1202E |
| 9 | offset hexagon key wrenches $\circ$ 1,5-2-2,5-3-4-5-6-8-10 mm | 96/SC9 |
| 1 | engineer's hammer 300 g | 1370 |
| 1 | slip joint pliers boxed joints 250 mm | 1048N |
| 1 | measuring tape 5 m | 1692/5 |
| 1 | snap - off blade utility knife 18 mm | 1771 |

BETA'S ICONIC WRENCH

42

A stylish, slim shape enhanced by a slender profile, lighter to the touch.



The strength, resilience and ergonomic design of the Beta wrench reach even higher values, to provide users with the best possible tool.

The manufacturing process is carried out in our factories in Sovico and Sulmona, on the basis of state-of-the-art automation technology and the best trained workers



POWERFUL

Torque values more than doubled compared to the requirements to be satisfied under ISO 1711.

STRENGTH

Remarkable strength: in case of improper use, the wrench buckles, without breaking suddenly and dangerously.

ERGONOMIC

The offset ring has a 15 degree angle to protect the hand. The shape is obtained from a die; it is not bent later.



42/SP15

Set of 15 combination wrenches

- Supplied with a comfortable, practical holder



000421078

~~£ 192.50~~
£ 106.00

6-7-8-9-10-11-12-13-
14-15-16-17-19-22-24 mm



42/S26

Set of 26 combination wrenches

000421070

~~£ 444.00~~
£ 249.00

6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-
22-23-24-25-26-27-28-29-30-32 mm



55/B12N

Set of 12 double open end wrenches in roll-up wallet made of durable polyester

000550164

~~£ 148.50~~
£ 87.00

6x7-8x9-10x11-12x13
14x15-16x17-18x19
20x22-21x23-24x26
25x28-30x32 mm



141/B9

Set of 9 ratcheting combination wrenches, straight series, in cloth wallet

001410069

~~£ 190.50~~
£ 87.00

8-10-11-12-13-14-15-17-19 mm



NEW**NEW SUPPORTS,
MORE COMPACT****42/SC8**Set of 8 combination wrenches
with compact support

8-10-12-13-14-15-17-19 mm



000421086

~~£ 102.50~~
£ 59.90**42/SC12**Set of 12 combination wrenches
with compact support

7-8-10-11-12-13-14-15-16-17-18-19 mm



000421090

~~£ 157.00~~
£ 87.50**142SN/SC8**Set of 8 swivel end ratcheting
combination wrenches,
with compact support

8-10-12-13-14-15-17-19 mm



001420258

~~£ 239.00~~
£ 138.00**142/SC8**Set of 8 reversible ratcheting
combination wrenches,
with compact support


8-10-12-13-14-15-17-19 mm



001420086

~~£ 200.00~~
£ 113.00**NEW****192/52**Set of 2 reversible ratcheting
offset bi-hex ring wrenches

001920070

~~£ 65.50~~
£ 38.00**8 SIZES IN 2 WRENCHES****186 8-32**Self-locking wrench
with automatic take-up device
for hexagons, 8 to 32 mmIdeal for hexagon, Spline, square and Torx® head
screws, including damaged screws

001860008

~~£ 49.00~~
£ 28.50**L 260 mm**

 SPLINE®
12 sides

Square

Torx®


Hexagonal

 Rounded bolt
70%

THE ADJUSTABLE WRENCHES WITH SCALES

111

Beta 111 allow differently sized nuts and bolts to be tightened and loosened through the sliding jaws, which can be adjusted through the central rolls.



- Special heat treatment for excellent **wear resistance**.
- Based on the new ergonomic properties, weight has been **reduced by 20%**

1 Head angled at 15°, allowing hardly accessible spaces to be reached, as is the case with our iconic combination wrenches, "42"

2 Double laser marking in mm/inches

3 Compact head with completely open jaw

4 Hole on handle for hanging wrench



111CM

Wide opening adjustable wrenches, **CHROME-PLATED**, short series

- Right-hand rotation of pin



	L mm	L "	A max mm		£
111CM 220	220	8	38	001110722	£ 47.00 £ 27.50
111CM 270	270	10	46	001110727	£ 60.00 £ 33.50

111E

Adjustable wrenches with scales, **CHROME-PLATED**

- Right-hand rotation of pin



	L mm	L "	A max mm		£
111E 150	150	6	24	001110115	£ 26.50 £ 15.00
111E 200	200	8	29	001110120	£ 32.00 £ 18.90
111E 250	250	10	34	001110125	£ 38.50 £ 22.90
111E 300	300	12	40	001110130	£ 51.50 £ 30.00

111E/D3

Set of 3 adjustable wrenches with scales, **CHROME-PLATED**

001110163

~~£ 97.50~~
£ 52.00



111ER

Adjustable wrenches with scales, **phosphated**

- Reversible jaw for optimal hold
- Double laser marking in mm/inches



RIGHT-HAND ROTATION

	L mm	L "	A max mm		£
111ER 200	200	8	29	001110520	£ 33.50 £ 18.90
111ER 250	250	10	34	001110525	£ 41.50 £ 22.90
111ER 300	300	12	40	001110530	£ 53.50 £ 30.00

96/SC9

Set of 9 offset hexagon key wrenches



000960374

£ 21.20
£ 11.50



COMPACT

Ø mm	L mm
1,5	45
2	50
2,5	57
3	64
4	72
5	83
6	94
8	105
10	119

96BPC/SC9

Set of 9 ball head offset hexagon key wrenches



000960354

£ 44.00
£ 22.50



Ø mm	L mm
1,5	79
2	84
2,5	89
3	99
4	108
5	126
6	148
8	168
10	187

97BTX/SC8

Set of 8 ball head offset key wrenches, long model, for Torx® head screws



000970164

£ 77.00
£ 42.50



Ø mm	L mm
T9	62
T10	71
T15	81
T20	92
T25	94
T27	105
T30	114
T40	129


97BTXL/SC8

Set of 8 ball head offset key wrenches, long model, for Torx® head screws



000970364

£ 89.00
£ 47.90



Ø mm	L mm
T9	80
T10	86
T15	100
T20	110
T25	126
T27	140
T30	160
T40	176

EXTRA LONG
VERSION +25%

97BRTL/SC8

Set of 8 ball head offset key wrenches, long model, for Tamper Resistant Torx® head screws



000970464

£ 93.00
£ 43.50



Ø mm	L mm
T9	80
T10	86
T15	100
T20	110
T25	126
T27	140
T30	160
T40	176

EXTRA LONG
VERSION +25%


96LBP/SC9

Set of 9 ball head offset hexagon key wrenches



000961354

£ 51.00
£ 27.90



Ø mm	L mm
1,5	90
2	100
2,5	112
3	127
4	144
5	163
6	184
8	204
10	230

EXTRA LONG
VERSION +30%


96BP-HO/SC9

Set of 9 ball head offset hexagon key wrenches, with screw holding system



000961254

£ 47.50
£ 22.90



Ø mm	L mm
1,5	79
2	84
2,5	89
3	99
4	100
5	126
6	148
8	168
10	187


96BPA/SC9

Set of 9 ball head offset hexagon key wrenches, 110°, extra-short side model



000961974

£ 48.50
£ 25.50




Ø mm	L mm
1,5	71
2	86
2,5	96
3	104
4	116
5	132
6	155
8	176
10	200

EXTRA
SHORT VERSION

96T/55P

Set of 5 offset hexagon key wrenches with handles



○ 2,5-3-4-5-6 mm



97TTX/56

Set of 6 ball head offset key wrenches for Torx® head screws with handles



○ T10-T15-T20
T25-T30-T40



951 THE ORIGINAL ONE


When this wrench was launched, back in 1980, it was a revolution. Designed to work on high-resistance screws, it is the name for quick handling, accurate fit and flexible use. The hexagon T handle can be adjusted as required. The hexagon ends are designed to transmit the maximum possible torque to the screw. The rod length allows remarkable torques to be effortlessly applied to the screws. Ongoing production improvements have translated, for example, into sandblasted finishes and sharp-edged hexagon ends which allow a better fit onto any screws, including damaged ones. Laser marking results in a sturdier rod.

952 THE RELIABLE ONE

Reliable, precise pre-positioning is the secret for the success of this wrench. The articulated joint maintains its function over the years, no adjustment being required. Socket rotation angle: 50°. Can be used at 90° in fixed position. Sliding T-handle, can be stopped in the required position throughout its length. Triple size marking on head.

951/56

Set of 6 T-handle wrenches with three hexagon male ends



○ 2,5-3-4-5-6-8 mm



952/D7

Set of 7 T-handle wrenches with swivelling hexagon sockets



○ 7-8-10-12-13-14-17 mm



950/D6

Set of 6 T-handle hexagon socket wrenches

○ 7-8-10-13-17-19 mm



COLOR CODE

96BP-CL/SC9

Set of 9 ball head offset key wrenches, coloured



000961619

~~£ 52.50~~
£ 29.00



EXTRA LONG
VERSION **+30%**



Ø mm	L mm
1,5	91
2	102
2,5	113
3	128
4	143
5	163
6	185
8	206
10	231


97BTX-C/SC8

Set of 8 coloured ball head offset key wrenches, for Torx® head screws



000971658

~~£ 85.00~~
£ 47.50



Ø mm	L mm
T9	80
T10	86
T15	90
T20	95
T25	100
T27	105
T30	114
T40	124

860/C38P

1 reversible ratchet bit holder with articulated handle, 27 bits, 8 hexagon sockets and 2 accessories

- 860LP 0,6x4,5-0,8x5,5-1,0x5,5-1,2x6,5 mm
- 860PE 2-2,5-3-4(x2)-5(x2)mm
- 860PH PH1(x2)-PH2(x2)-PH3
- 860TX T10-T15-T20-T25-T30-T40
- 860PZ PZ1(x2)-PZ2(x2)-PZ3
- 900 5-5,5-6-7-8-9-10-13 mm
- 892/0 1/4 1/4
- 892/3 1/4 1/4
- 855P 240 mm



270x120x45 mm



008600878

~~£ 191.50~~
£ 95.50

**860/C27**

25 bits, 1 connector and 1 reversible ratchet in plastic case



008600880

~~£ 91.00~~
£ 51.50

- 860LP 0,5x3-1,0x5,5-1,2x6,5 mm
- 860PE 2-2,5-3-4-5-6 mm
- 860PH PH1-PH2(x2)-PH3
- 860TX T6-T8-T10-T15-T20-T25-T30-T40
- 860PZ PZ1-PZ2(2x)-PZ3
- 860/55 100 mm
- 892/0 1/4 1/4

**1257LPH/58**

Set of 8 micro-screwdrivers for slotted head screws and Phillips® screws in hard case



012570210

~~£ 68.50~~
£ 38.50

- 1257PH PH00-PH0-PH1
- 1257LP 0,4x2-0,4x2,5-0,5x3
- 0,6x3,5-0,8x4 mm



180x120x50 mm

1203E/D5

Set of 5 screwdrivers



1201E 3,5x100-5,5x150-6,5x150 mm
1202E PH1x80-PH2x100 mm



012031001

~~£ 31.00~~
£ 17.90

1203E/D10N

Set of 10 screwdrivers



1201E 2,5x50-3x75-4x100-5,5x150-6,5x150 mm
1202E PH0x60-PH1x80-PH2x100 mm
1201EN 4x30 mm
1202EN PH1x30 mm



012031019

~~£ 55.50~~
£ 31.90

1203E/D8P

Set of 8 screwdrivers



1201E 2,5x50-3x75-4x100-5,5x100-6,5x150 mm
1202E PH0x60-PH1x80-PH2x100 mm



012031018

~~£ 43.50~~
£ 25.50

1207E/TX-D7

Set of 7 screwdrivers



1207E/TX T6-T8-T10-T15-T20-T25-T30



012071207

~~£ 56.00~~
£ 31.90

Beta **evox**
**THE EVOLUTION OF
THE SCREWDRIVER!**

Beta **evox-E**

- UP TO 1,000 SCREW FASTENINGS WITH ONE CHARGING CYCLE
- Maximum torque in electric mode: 1.2 Nm
- Speed: 250 rpm
- Outstanding static resistance; up to 12 Nm (manual tightening)
- Front LEDs for improved visibility of working area
- Built-in buttons for reversing direction of rotation, sealed onto handle.



1210E/GE 1/4

Evox-E electric screwdriver



012100701

~~£ 171.50~~
£ 96.50



1211E/GE

Evox-E electric screwdriver



012110701

~~£ 182.50~~
£ 106.00




1000 V

1243/D7

Set of 7 screwdrivers with steel heads



1241 5,5x100-6,5x125-8x150-10x200 mm
1242 PH1x100-PH2x100-PH3x150 mm



012430017

~~£ 103.00~~
£ 58.50

1295/C14

Impact screwdriver with 14 insets and 1 socket holder

15x



012950108

~~£ 165.00~~
£ 91.00

	866LP	1,2x6,5-1,6x10 mm
	866PH	PH2 - PH3
	866PZ	PZ2 - PZ3
	866PE	5-6 mm
	866TX	T27-T30-T40-T45-T50-T55
	895/6	1/2 - 5/16
	1295	1/2

170x100x35 mm

NEW**Beta**
Morphos**THE SCREWDRIVER THAT ADAPTS
TO THE SHAPE OF YOUR HAND****① HANDLE**

The handle relies on an **innovative three-material frame**: the polypropylene body ensures firmness, whereas an **inner ultrasoft TPR layer**, placed at the points of contact with the palm, is **subject to controlled deformation**, in order to adapt to the hand and **provide improved transmission and comfort**.

② Triangular section for **reduced rolling on worktop**

③ Relief texture for **improved grip** – for example, under the toughest work conditions

④ Immediate blade identification on head

⑤ Black phosphated tip for more accurate coupling with the screw and improved wear resistance

**+30%****TORQUE**

In-house laboratory tests have shown the ability to transmit **MORE THAN 30% ADDITIONAL TORQUE** COMPARED TO THE PREVIOUS MODELS.

**REDUCED EFFORT AND
HIGHER PERFORMANCE
IN EACH APPLICATION****1223/D5**

Set of 5 screwdrivers



1221 ● 3,5x100-5,5x150-6,5x150 mm
1222 ● PH1x80 - PH2x100 mm

012230001

~~£ 50.00~~
£ 28.50

1223/D10N

Set of 10 screwdrivers



1221 ● 2,5x50-3x75-4x100-5,5x150
6,5x150 mm
1221N ● 4x30 mm
1222 ● PH0x60 - PH1x80 - PH2x100
1222N ● PH1x80

012230019

~~£ 86.50~~
£ 50.50

1223/D6

Set of 6 screwdrivers



1222 ● PH1x80 - PH2x100
1224 ● 2,5x60-x3x100-x4x100-5x125 mm

012230006

~~£ 51.00~~
£ 30.00

1223/D8P

Set of 8 screwdrivers



1221 ● 2,5x50-3x75-4x100-
5,5x100-6,5x150 mm
1222 ● PH0x60 - PH1x80 - PH2x100

012230018

~~£ 69.00~~
£ 39.50

1227TX/D7

Set of 7 screwdrivers



1207E/TX ● T5-T6-T8-T10-T15-T20-T25

012270207

~~£ 88.50~~
£ 51.00



1/4 Set of 10 bits with magnetic bit holder, in pocket case

861MIX/A10



008610800

- 861LP 0,5x3-1x5,5-1,2x6,5 mm
- 861PH PH1-PH2(x2)-PH3
- 861PZ PZ1-PZ2-PZ3
- 882M1 $\bigcirc$ 1/4 $\bullet$ 1/4

~~£ 30.50~~
£ 9.50

861PE/A10



008610820

- 861PE 2-2,5-3(x2)-4(x2)
5(x2)-6-8 mm
- 882M1 $\bigcirc$ 1/4 $\bullet$ 1/4

~~£ 32.00~~
£ 9.50

861PHZ/A10



008610810

- 861PH PH1-PH2(x3)-PH3
- 861PZ PZ1-PZ2(x3)-PZ3
- 882M1 $\bigcirc$ 1/4 $\bullet$ 1/4

~~£ 30.50~~
£ 9.50

861TX/A10



008610870

- 861TX T7-T8-T9-T10-T15
T20-T25-T27-T30-T40
- 882M1 $\bigcirc$ 1/4 $\bullet$ 1/4

~~£ 33.50~~
£ 9.50



862F/A7



008620950

Set of 7 magnetic bits,
hexagon sockets,
in plastic case

- $\bigcirc$ 5,5-6-7-8-10-12-13 mm

~~£ 52.00~~
£ 30.00



862XP/A16



008620960

Set of 16 impact bits
in pocket-size case

- PH2(x2)-PH3
- PZ2(x2)-PZ3
- T20-T25(x2)-T30(x2)-T40(x2)
- $\bigcirc$ 4-5-6 mm

~~£ 69.00~~
£ 36.00



861/C100

008616998

Case with 98 bits
and 2 bit holders

- For manual, electric and
pneumatic screwdrivers



~~£ 98.50~~
£ 45.00



155x117x37 mm

861LP	3-4-4,5-5,5(x3)-6,5(x2)-8(x2) mm
861PH	PH0(x2)-PH1(x3)-PH2(x3)-PH3(x2)-PH4
861PZ	PZ1(x3)-PZ2(x3)-PZ3(x2)-PZ4
861PE	2-2,5(x2)-3(x2)-4(x2)-5(x2)-6(x2)-8-10 mm
861TX	T6-T7-T8-T9-T10(x2)-T15-T20(x2)-T25(x2)-T27-T30(x2)-T40(x2)
861RTX	T6-T7-T8-T10-T15-T20-T25-T27-T30-T40
861XZN	M5-M6-M8
861TQS	0-1-2-3-4-5-6-8-10
861TRW	1-2-3-4-5-6
861SP	4-6-8-10-12
861SQ	0-1(x2)-2(x2)-3

1256/C36-2

012560100

Bi-material microscrewdriver
with 36 interchangeable
4-mm bits and magnetic extension



~~£ 70.50~~
£ 41.00

1256TX	$\bigcirc$	T3-T4-T5-T6-T7-T8-T9-T10-T15
1256RTX	$\oplus$	T6-T7-T8-T9-T10
1256LP	$\bullet$	0,8-1,2-1,5-1,8-2-2,5-3-3,5-4 mm
1256PE	$\bigcirc$	0,7-0,9-1,3-1,5-2 mm
1256PH	$\oplus$	PH000-PH00-PH0-PH1
1256PZ	$\oplus$	PZ000-PZ00-PZ0-PZ1
1256/30		



130x60x35 mm

920AL/SB11

009200644

Socket wrench set with
1/2" female drive, long type
hexagon sockets, chrome-plated



~~£ 222.00~~
£ 119.00

- $\bigcirc$ 10-12-13-14-15-16-17-18-19-21-22 mm



920ME/SB7

009200519

Set of 7 hand-held socket drivers
male hexagon sockets with 1/2"
female drive, chrome-plated



~~£ 135.00~~
£ 72.90



○ 5-6-8-10-12-14-17 mm

920B/SB13

009200140

Set of 13 bi-hex hand sockets
1/2" female drive, bi-hex mouth,
chrome-plated



~~£ 113.50~~
£ 63.50

○ 10-11-12-13-14-15-16-17-18-19-20-21-22 mm



900/C39...

1/4" Assortment of 11 sockets,
21 bits and 7 accessories,
in plastic case


39x

150x97x53 mm


	900/20	1/4"	50 mm
	900/20L	1/4"	100 mm
	900/25	1/4"	
	900BG/31C	1/4"	129 mm
	892/0	■ 1/4 - ● 1/4	
	895/1	○ 1/4 - □ 1/4	
	861LP	●	0,6x4,5-1,2x6,5-1,2x8 mm
	861PH	⊕	PH1-PH2-PH3
	861PZ	⊕	PZ1-PZ2-PZ3
	861PE	○	2,5-3-4-5-6 mm
	861RTX	⊕	T10-T15-T20-T25-T27-T30-T40
	900/55Z	⊕	126 mm

900/C39U

009001947

~~£ 208.00~~
£ 115.00

GEAR LOCK SOCKETS



900U (x11)

○ 5-5,5-6-7-8-9-10-11-12-13-14 mm

“ 13/64-7/32-1/4-9/32-5/16-11/32-3/8-7/16-15/32-1/2-9/16

⊕ E7-E8-E10-E12-E14-E16-E18

○ M6-M8-M10-M12-M14-M16-M18

900/C39N

009000947

~~£ 206.50~~
£ 116.00

HEXAGON SOCKETS



900 (x11)

○ 5-5,5-6-7-8-9-10-11-12-13-14 mm

867/C52

2,1 kg

008670901

Set of 52 hexagon bits,
10 mm and 2 accessories



~~£ 139.50~~
£ 77.50


52x

250x170x70 mm

	867PE	○	4-5-6-7-8-10-12 mm
	867PE/L	○	4-5-6-7-8-10-12 mm
	867XZN	○	M5-M6-M8-M10-M12
	867XZN/L	○	M5-M6-M8-M10-M12
	867TX	⊕	T20-T25-T30-T40-T45-T50-T55
	867TX/L	⊕	T20-T25-T30-T40-T45-T50-T55
	867RTX	⊕	T20-T25-T30-T40-T45-T50-T55
	867RTX/L	⊕	T20-T25-T30-T40-T45-T50-T55
	867/1	○ 10 mm - □ 3/8"	
	867/2	○ 10 mm - □ 1/2"	

900/C11

1,2 kg

009000971

Assortment of 11 hexagon
sockets, 20 bits
and 8 accessories,
in metal case



~~£ 225.50~~
£ 130.00


39x

270x120x45 mm

	861LP	●	0,5x3-0,8x5,5-1x5,5-1,2x6,5 mm
	861PE	○	3-4-5-6-8 mm
	861PH	⊕	PH0-PH1-PH2-PH3
	861TX	⊕	T8-T10-T15-T20-T25-T30-T40
	895/1	○ 1/4" - □ 1/4"	
	900	○	5-5,5-6-7-8-9-10-11-12-13-14 mm
	900/16	□ 1/4 - ■ 3/8"	
	900/20		50 mm
	900/21		150 mm
	900/25		
	900/42		
	900BG/31		177 mm
	900/55	⊕	

902A/C22

3,5 kg
009020807

**Assortment of 22 hexagon sockets
and 6 accessories, in metal case**

1/4"		900	5-5,5-6-7-8-9-10-11-12-13 mm
		900/20	50 mm
		900/25	
1/2"		900/55	
		920A	10-13-14-15-17-18-19-22-24 27-30-32 mm
		920/21	125 mm
		920/25	
		920/55	



420x185x60 mm

~~£ 361.00~~
£ 205.00

910A/C16

2,4 kg
009100936

**Assortment of 16 hexagon sockets
and 5 accessories, in metal case**

	910A	6-7-8-9-10-11-12-13-14-15-16-17- 18-19-21-22 mm
	910/21	125 mm
	910/22	250 mm
	910/25	
	910/42	210 mm
	910/55	

3/8"


335x145x60 mm

~~£ 263.00~~
£ 151.00

920A/C17M

5 kg
009200924

**Assortment of 17 hexagon sockets
and 5 accessories, in metal case**

	920A	10-11-12-13-14-15-16-17-18-19- 20-21-22-24-27-30-32 mm
	920/21	125 mm
	920/22	255 mm
	920/25	
	920/42	305 mm
	920/55	

1/2"


420x185x60 mm

~~£ 322.00~~
£ 185.00

**SOFT
MODULE
SYSTEM**

928A/C12

13 kg
009280955

**Assortment of 12 hexagon hand sockets
and 5 accessories, in metal case**

	928A	22-24-27-30-32-34-36-38-41- 46-50-55 mm
	928/21	200 mm
	928/22	380 mm
	928/25	
	928/42	450 mm
	928/55	

3/4"


530x220x80 mm

~~£ 855.00~~
£ 485.00

BETA'S RANGE OF RATCHETS

BETA'S RANGE OF RATCHETS HAS BEEN CHANGED AND EXPANDED:
CHOOSE THE MODEL THAT SUITS YOUR NEEDS BEST!



Ratchet with up to **72 teeth: take-up angle of 5°** for jobs in small spaces. 17-tooth serration, including 11 always in grip.



Minimum head size for easier access. Phosphated square drive.




One-handed reversal.



Hand pressure on the ratchet head does not cause any accidental reversal or release of the socket.

The versions with 1/2" and 3/4" square drives rely on approximately 6% weight reduction, for optimal handling and increased ease of use, without affecting sturdiness or performance.

STRAIGHT LEVER




	L mm	Ø mm	A mm	■	Teeth		£
900/55	127	25	29	1/4"	40	009001155	£ 47.00 £ 26.50
910/55	207	31	33	3/8"	72	009101155	£ 50.50 £ 28.50
920/55	271	40	41	1/2"	72	009201155	£ 61.50 £ 33.90
928/55	504	58	59	3/4"	72	009281155	£ 161.50 £ 93.00

- 1 Straight lever:** the pressing process originates from a semi-finished product with a round cross-section, specially designed to minimise inner tension, thus resulting in optimal performance
- 2** Slim, ergonomic bi-material handle
- 3** Hanging hole on handle



BENT LEVER



	L mm	Ø mm	A mm	■	Teeth		£
900E/55	125	26	25	1/4"	40	009001255	£ 47.00 £ 26.50
910E/55	204	31	33	3/8"	72	009101255	£ 50.50 £ 28.50
920E/55	267	40	41	1/2"	72	009201255	£ 61.50 £ 33.90

EASY ACCESS TO SMALL SPACES

- 1 Bent lever** with raised handle compared to worktop, for increased comfort and ease of use in small spaces.
- 2** Slim, ergonomic bi-material handle
- 3** Hanging hole on handle

TORQUE WRENCH **ZERO-RESET** THAT DOES NOT REQUIRE RELEASING TENSION



Even if tension is not released, the number of cycles, durability and tightening accuracy as required by reference standards are guaranteed.

The Zero-Reset torque wrench was entirely designed and developed in-house and is manufactured at Beta Utensili's factories in Italy, using 100% Italian-made parts.

ZERO-RESET TECHNOLOGY:

Based on higher-performance materials and improved heat treatment of both the spring and the component parts of the adjustment system, the wrench no longer requires releasing tension after use.

EASY SETTINGS:

The graduated vernier scale allows minimum interval fractions to be set up (in tenths of Nm).

IMPROVED VISIBILITY:

Double graduation in Nm for clearer, simpler torque visibility.



666

ZERO-RESET click-type torque wrenches with reversible ratchets, for right-hand tightening, torque accuracy: $\pm 3\%$

UNI EN ISO 6789

1/4" 3/8" 1/2"



	Nm	■	▤	L (mm)	g		£
666/2	5÷25	1/4"	0,05	273	395	006660702	£ 286.00 £ 160.00
666/2X	5÷25	3/8"	0,05	273	405	006660703	£ 286.00 £ 160.00
666/5	10÷50	3/8"	0,25	342	680	006660705	£ 261.00 £ 147.00
666/10	20÷100	3/8"	0,25	385	760	006660710	£ 262.00 £ 148.00
666/10X	20÷100	1/2"	0,25	385	770	006660711	£ 267.00 £ 151.00
666/20	40÷200	1/2"	0,5	471	1020	006660720	£ 285.00 £ 158.00
666/30	60÷300	1/2"	1	600	1270	006660730	£ 323.00 £ 180.00

667

ZERO-RESET click-type torque wrenches with push-through ratchets, for right-/left-hand tightening, torque accuracy: $\pm 3\%$

UNI EN ISO 6789

1/2" 3/4"



	Nm	■	▤	L (mm)	g		£
667/20	40÷200	1/2"	0,5	471	1035	006670720	£ 288.00 £ 157.00
667/30	60÷300	1/2"	1	600	1285	006670730	£ 312.00 £ 171.00
667/40	80÷400	3/4"	1	710	2220	006670740	£ 758.00 £ 419.00

605E

Click-type torque wrenches with reversible ratchets for right-hand and left-hand tightening torque accuracy: $\pm 6\%$



1/4"

UNI EN ISO 6789

	Nm	kgfm	lbf.in	■	L (mm)	▤	g		£
605E/5	1÷5	0,1÷0,5	11÷47	1/4"	190	0,05	180	006050105	£ 234.50 £ 132.00
605E/10	2÷10	0,2÷1,0	22÷93	1/4"	190	0,1	180	006050110	£ 245.00 £ 138.00

666/C2

ZERO-RESET click-type torque wrenches, in bi-material case, 14 pieces, with sockets and extension bars

≡ 335x145x60 mm



1,6 kg

006661002

1/4"

~~£ 398.00~~
£ 219.00

	⊗	666/2	5÷25 Nm
	○	900	4÷13 mm
		900/...	50-100 mm
		900/16	
		895/1	

666/C5

ZERO-RESET click-type torque wrenches, in bi-material case, 16 pieces, with sockets and extension bars

≡ 420x185x60 mm



3 kg

006661005

3/8"

~~£ 438.00~~
£ 249.00

	⊗	666/5	10÷50 Nm
	○	910A	8÷19 mm
		910/21 - 910/22	125-250 mm
		910/15	
		910/16	
		895/3	

666/C10X

ZERO-RESET click-type torque wrenches, in bi-material case, 15 pieces, with sockets and extension bars

≡ 420x185x60 mm



3,5 kg

006661011

1/2"

~~£ 435.00~~
£ 249.00

	⊗	666/10X	20÷100 Nm
	○	920A	10÷22 mm
		920/20-920/21	75-125 mm
		920/15	

666/C20

ZERO-RESET click-type torque wrenches, in metal case, 16 pieces, with sockets and extension bars

≡ 510x180x45 mm



4,5 kg

006661020

1/2"

~~£ 485.00~~
£ 269.00

	⊗	666/20	40÷200 Nm
	○	920A	13÷27 mm
		920/20-920/21 920/22	75-125-255 mm
		920/15	

666/C30

ZERO-RESET click-type torque wrenches, in metal case, 18 pieces, with sockets and extension bars

≡ 620x180x45 mm



6,3 kg

006661030

1/2"

~~£ 571.00~~
£ 315.00

	⊗	666/30	60÷300 Nm
	○	920A	13÷32 mm
		920/20-920/21 920/22	75-125-255 mm
		920/16	

599DGT-AW

Electronic torque wrench, torque and angle readout, with reversible ratchet and wireless data transmission, right-hand (accuracy: $\pm 2\%$) and left-hand (accuracy: $\pm 3\%$) tightening

UNI EN ISO 6789

1/4" 3/8" 1/2" 

- Tightening types: torque, angle, torque + angle
- Dual measurement mode: peak hold and track
- Light indicators, an intermittent sound and tactile feedback inform user that preset torque or angle has been reached
- Last 999 peak torque and/or angle readings can be stored and displayed
- 9 "Preset" modes can be saved and preset
- Key safety lockout
- Wrench can be associated with a certain user via software
- Tightening data traceability. Software allows date and time, tool serial number, set tightening value and reached value to be stored and associated with user ID

- Nonslip bi-material handle
- Wrench + software in 9 languages
- Included: 3 AA - 1.5V batteries, wireless USB key and software USB key
- **Bi-directional wireless data transmission, from wrench to software and vice versa, in mass a posteriori or in real time**
- **Customized data processing software with immediate, easy-to-read OK/NG result and real time display of charts**



TORQUE + ANGLE

	Nm	kgfm	lbf.ft	■	L (mm)		g		£
599DGT-AW/30	6÷30	0,6÷3	4,5÷22	1/4"	410	0,1	800	005990702	£ 1,185.00 £ 625.00
599DGT-AW/135	27÷135	2,7÷13,5	20÷100	3/8"	445	1,0	1000	005990713	£ 1,122.00 £ 635.00
599DGT-AW/340	68÷340	6,8÷34	50÷250	1/2"	615	1,0	1500	005990734	£ 1,195.00 £ 655.00



605DGT/2

Electronic torque wrench with reversible ratchet for right-/left-hand tightening torque accuracy $\pm 3\%$ (right-hand) $\pm 4\%$ (left-hand)

- Dual measurement mode: peak hold and track
- Power supply: 1 1.5V AAA battery (included)



 175 g  006050302

1/4" ~~£ 281.00~~ **£ 157.00**



Nm	Kgfm	lbf.in	■	L (mm)	
4÷20	0,4÷2	35÷177	1/4"	210	0,01

UNI EN ISO 6789 

677/C



UNI EN ISO 6789 **3/4"**

Break-back torque wrenches with push-through ratchets, for right-hand and left-hand tightening, torque accuracy: $\pm 4\%$ in case

The break-back torque wrench, Beta 677/C, is particularly suitable for heavy-duty use at high torques.



The break-back mechanism informs the user that the set torque has been reached through **the bending of the wrench at the joint by approximately 20°.**



	Nm	kgfm	lbf.ft	■	L (mm)		kg		£
677/C600	120÷600	12÷60	100÷450	3/4"	1059	10	6,0	006770607	£ 1,144.00 £ 649.00
677/C800	200÷800	20÷80	150÷600	3/4"	1319	10	6,7	006770612	£ 1,191.00 £ 669.00
677/C1000	300÷1000	30÷100	200÷750	3/4"	1554	20	7,4	006770616	£ 1,265.00 £ 710.00

584

Slip-torque screwdriver,
for right-hand tightening,
torque accuracy: $\pm 6\%$

UNI EN ISO 6789



	Nm	gfm	⌀	mm	g		£
584/1	0,2÷1	20÷100	1/4"	0,01	266	005840201	£ 316.00 £ 176.00
584/5	1÷5	100÷500	1/4"	0,1	346	005840206	£ 316.00 £ 176.00
584/10	5÷10	500÷1000	1/4"	0,1	349	005840210	£ 331.00 £ 188.00



584/1
584/5
584/10



NEW

584/C31

1,3 kg

005840931

Assortment of 1 torque
screwdriver, 8 hi-torque
hexagon sockets,
20 bits and 2 accessories

1/4"
1/4"

~~£ 428.00~~
£ 239.00



31x

584/5	1÷5 Nm
900	4-5-5,5-6-7-8-9-10 mm
860LP	0,6x4,5-1x5,5-1,2x6,5 mm
860PH	PH1 - PH2 (x2) - PH3
860PE	2-2,5-3-4-5 mm
860TX	T9-T10-T15-T20-T25-T27-T30-T40
882P/80	80 mm
892/0	● 1/4 ■ 1/4

270x120x45 mm

NEW

581/5

1/4"
1/4"

005810006

Slip-torque screwdriver,
ungraduated,
for right-hand tightening,
torque accuracy: $\pm 6\%$
(to set torque values, use item 680)

~~£ 281.00~~
£ 160.00



Nm	gfm	⌀	UNI EN ISO 6789
1÷5	100÷500	1/4"	

NEW

680/350

2,6 kg

006800035

Electronic digital torque meter
For testing calibration

~~£ 2,826.00~~
£ 1,609.00

- For testing calibration of screwdrivers and torque wrenches, clockwise/anticlockwise operation
- Accuracy: $\pm 1\%$ of read value
- Colour LCD display, 4 digits
- 3 units of measurement: Nm - lbf.ft. - lbf.in
- Operating modes: Click, Dial, Track
- Enables setting of 15 different control parameters
- With USB/Micro-USB cable for PC connection and data transmission
- Power supply with EU, UK, US & AU adaptors
- Software for issuing TEST REPORTS



CE

1/2"

Nm
10÷350

560/C4+

5 kg

005600042

Torque multiplier for right/left-hand
and accessories ratio 5:1
with reaction foot
for intensive use

~~£ 1,795.00~~
£ 969.00



Nm	Kgfm	lbf.ft	⌀	■
2700	270	2000	3/4"	1"

310x275x120 mm

1150HPC

**Heavy duty universal pliers
with cutting edges made of sintered steel**

- The decentralized pin allows the fulcrum to be closer to the cutting point, thereby resulting in an improved lever effect.
- Perfect alignment of the nose and the thin profile allow the pliers to be used in very small areas.
- The body of the pliers is made of a reliable molybdenum steel which has been heat treated in order to be flexible and resistant so as to guarantee a safe grip in any moment.

PATENTED



**ABSOLUTELY GROUNDBREAKING
REMARKABLE CUTTING
CAPACITY**

Shearing stress - static test =	-73%
Average life of cutting edges = (test ISO 5744)	+127%
Hardness of M2 steel cutting edges =	65HRC



011500618
~~£ 67.00~~
£ 36.50

1169BM/D3

**Set of 1 combination pliers,
1 long needle nose pliers
and 1 diagonal cutting nippers**

011690133
~~£ 100.50~~
£ 57.00



1169/D3

**Set of 1 combination pliers,
1 long needle nose pliers
and 1 diagonal cutting nippers**

011690053
~~£ 80.50~~
£ 46.50



1169N/D4

**Set of 1 heavy-duty combination pliers,
1 long needle nose pliers,
1 cutting nippers, chrome-plated,
and 1 slip joint pliers
with boxed joints,
phosphated**

011690024
~~£ 114.50~~
£ 65.90



1048VN

**Slip joint pliers, boxed joints,
with orange lacquered finish**



	L mm	A Max mm	L1 mm	S mm	g		£
1048VN 175	175	36	31	11	189	010480111	£ 27.00 £ 15.50
1048VN 250	250	46	38	13	354	010480116	£ 31.00 £ 17.50
1048VN 300	300	60	44	14,8	554	010480121	£ 45.00 £ 26.00

THE SLIP JOINT PLIERS WITH EXCLUSIVE JAW ADJUSTMENT AND AUTOMATIC LOCKING SYSTEM

1047N



DIN ISO 8976

- 1** Tapered head for easier access to small areas
- 2** Induction hardened teeth for increased durability. Tooth geometry and angle designed for effective, safe hold.
- 3** Adjustable up to 23 positions in the 250-mm-long size
- 4** Ease of handling and comfort, based on the triangular section of the handles, for an enlarged contact surface and reduced applied work effort
- 5** Nonslip PVC coated handles

PATENTED MECHANISM FOR JAW ADJUSTMENT AND AUTOMATIC LOCKING



The exclusive push button system allows the pliers to be opened, closed and used with one hand.


1047N

	L mm	A Max mm	L1 mm	S mm	g		£
1047N 180	180	34	30	6	216	010470018	£ 51.00 £ 28.50
1047N 250	250	42	37	8	394	010470024	£ 55.00 £ 30.00
1047N 300	300	52	43	9	524	010470030	£ 66.00 £ 37.50

1048N

Slip joint pliers, slip-proof PVC coated handles

- Triangular section grip for a more comfortable contact surface
- Tapered head allowing access to small spaces
- Case-hardened nail for improved wear resistance
- Phosphated finish
- Made from chrome-vanadium steel



DIN ISO 8976



	L mm	A Max mm	L1 mm	S mm	g		£
1048N 175	175	36	31	11	189	010480910	£ 32.00 £ 18.50
1048N 250	250	46	38	13	354	010480915	£ 34.00 £ 19.90
1048N 300	300	60	44	14,8	554	010480920	£ 50.50 £ 28.90
1048N 400	400	96	81	19	1180	010480940	£ 79.00 £ 45.50

1047N/D3

010470053

Set of 3 slip joint pliers

~~£ 172.50~~
£ 90.50

SAVE £ 5.50

compared to purchases of loose products

1048N/D3

010480923

Set of 3 slip joint pliers


~~£ 116.50~~
£ 62.50

SAVE £ 4.80


compared to purchases of loose products

1052

Adjustable self-locking pliers,
concave jaws



	L mm	Ø Max mm	g		£
1052/140	140	22	175	010520014	£ 27.50 £ 15.90
1052/190	190	36	360	010520019	£ 31.00 £ 17.50
1052/240	240	42	590	010520024	£ 33.00 £ 19.50
1052/300	300	55	900	010520030	£ 55.00 £ 31.90



Set of 4 professional circlip pliers
for internal and external circlips

- Complete set for inner and outer rings
- Robust design for professional use
- Maximum reliability and high performance



NEW NEW ASSORTMENT

1031/S4 1,3

	L	Ø tips	Ø mm
1032	140 mm	1,3 mm	12÷25 mm
1034	130 mm	1,3 mm	12÷25 mm
1036	140 mm	1,3 mm	10÷25 mm
1038	135 mm	1,3 mm	10÷25 mm

010310001

~~£ 109.00~~
£ 58.90

1031/S4

	L	Ø tips	Ø mm
1032	180 mm	1,9 mm	19÷60 mm
1034	170 mm	1,9 mm	19÷60 mm
1036	175 mm	1,9 mm	19÷60 mm
1038	175 mm	1,9 mm	19÷60 mm

010310000

~~£ 115.00~~
£ 64.50

1199ESD/D3

Set of 1 flat, long nose pliers,
1 diagonal axial cutting nippers
and 1 semi-flush cutting nippers,
ESD



011990003

~~£ 118.50~~
£ 67.00



32AU

Automatic centre punches

- Strength of impact can be adjusted through knurled part, up to 50 kg
- Centre punching operations can be performed with one hand.



L 150 mm

000320160

~~£ 55.50~~
£ 32.50

31/B6N

Set of 6 pin punches
in roll-up wallet
made of durable
polyester

Ø 2-3-4-5-6-8 mm



000310024

~~£ 68.50~~
£ 38.50

NEW

NEW CONSTRUCTION WORKER'S PINCERS FOR CLEAN, ACCURATE TWISTS AND CUTS

ISO 9242 DIN 5242

Beta's new construction worker's pincers, 1098N and 1098NPL, are the name for **handy, convenient, functional tools**, essential for every professional's daily work on tying wires and other metal materials. Based on simple shapes, they provide reliability and sturdiness, **even under the toughest working conditions**.

Induction hardened cutting edges for increased strength and durability, and **improved cutting performance**.

Ergonomic handles, designed to **twist and cut wires in one step**.

Sturdy pin designed for **easier opening**.



- Maximized lever effect
- Phosphated finish



1098N

Construction worker's pincers

	L mm	L1 mm		£
1098N 190	190	10	010980019	£ 23.20 £ 13.00
1098N 220	220	11	010980022	£ 26.50 £ 14.50
1098N 250	250	8	010980025	£ 31.00 £ 17.50
1098N 280	280	9	010980028	£ 34.00 £ 19.50

1098NPL

Construction worker's pincers
with PVC coated handles



	L mm	L1 mm		£
1098NPL 220	220	9	010980122	£ 26.50 £ 15.50
1098NPL 250	250	10	010980125	£ 32.00 £ 17.90
1098NPL 280	280	11	010980128	£ 35.00 £ 20.00

Mechanic's hammers

1370

g		£
300	013700053	£ 15.90 £ 9.50
500	013700055	£ 19.40 £ 11.00
800	013700058	£ 25.50 £ 14.50
1000	013700060	£ 30.00 £ 17.50
1500	013700065	£ 34.50 £ 20.00
2000	013700070	£ 41.00 £ 23.90



UNI 7778 DIN 1041
HICKORY

1370T

g		£
300	013700630	£ 23.70 £ 13.90
500	013700650	£ 26.00 £ 15.00
800	013700680	£ 27.50 £ 15.90
1000	013700700	£ 34.50 £ 20.00
1500	013700750	£ 41.00 £ 23.50



1390

Soft face hammers, wooden shaft



UNI 7784

	Ø mm		£
1390/22	22	013900022	£ 19.40 £ 11.00
1390/28	28	013900028	£ 24.10 £ 14.00
1390/35	35	013900035	£ 32.50 £ 19.00
1390/45	45	013900045	£ 52.00 £ 30.00
1390/60	60	013900060	£ 88.00 £ 51.50

412/SP25

Set of 25 twist drills, HSS, with cylindrical shanks



Ø 1÷13 x 0,5 mm
R ≤ 800 N/mm²
HV ≈ 750÷820
DIN 338



110x190x55 mm




004120425

~~£ 191.00~~
£ 110.00



415CO/SP19

Set of 19 twist drills with cylindrical shanks, HSS-Co 5%, entirely ground glossy finishing



Ø 1÷10 x 0,5 mm
R ≤ 1200 N/mm²
HV ~ 800÷860
DIN 338



115x170x40 mm



004150421

~~£ 99.50~~
£ 57.00



416/SP19

Set of 19 drills, HSS, specially ground with double penetration cone



Ø 1÷10 x 0,5 mm



115x170x40 mm



004160419

~~£ 133.50~~
£ 75.50



416G/SP25

Set of 25 drills with cylindrical shanks, made from HSS, AISI M2, with step tip geometry

HIGHER CUTTING CAPACITY



Ø 1÷13 x 0,5 mm
R ≤ 900 N/mm²
HV ~ 820÷850



110x190x55 mm



004160525

~~£ 378.00~~
£ 219.00



425ES/SP3

Set of 3 stepped drills, with cylindrical shanks, sliding step geometry, made from HSS-G



Ø 4÷12 ;
4÷20 ;
4÷30 mm
R ≤ 900 N/mm²
HV 800



98x158x18 mm




004250800

~~£ 232.00~~
£ 135.00



436

Reversible ratcheting tap wrenches



	□ mm	L mm		£
436/1	2÷5 M3÷M8	85	004360002	£ 29.50 £ 16.90
436/2	4,6÷8 M5÷M12	110	004360004	£ 37.50 £ 20.50

437U/09

Assortment for repairing damaged threads in metal case

370x230x55 mm



2 kg

004370550

~~£ 351.00~~
£ 199.00

	437U/E-M...	M5X0,8 (x25) - M6X1,0 (x25) - M8X1,25 (x25) - M10X1,5 (X25) - M12X1,75 (X10)
	437U/PM	M5-M6-M8-M10-M12

450/C21

Assortment of holesaws and accessories for industrial use in metal case

420x280x60 mm

Co8%



21x

7 kg

004500315

~~£ 732.00~~
£ 385.00

	450	Ø 19-22-29-35-38-44-51-57-64-76-83-92-95-105-114 mm
	450AL	/1 - /2
	450PA	/1 - /2
	450PR	
	450AD	

446/C110

Assortment of 105 chrome-steel taps and dies, metric thread, and 5 accessories for car repair jobs, in wooden case

500x337x60 mm

435/0 444/1 436/1
435/3 444/2



8,1 kg

004460060


~~£ 900.00~~
£ 485.00

430 M mm	433 M mm	440/440A M mm	441/441A M mm
2x0,4	6x0,75 - 7x0,75	2x0,4	6x0,75 - 7x0,75
3x0,5	8x0,75 - 8x1	3x0,5	8x0,75 - 8x1
4x0,7	9x0,75 - 9x1	4x0,7	9x0,75 - 9x1
5x0,8	10x0,75 - 10x1	5x0,8	10x0,75 - 10x1
6x1	10x1,25 - 11x0,75	6x1	10x1,25 - 11x0,75
7x1	11x1 - 11x1,25	7x1	11x1 - 11x1,25
8x1,25	12x0,75 - 12x1	8x1,25	12x0,75 - 12x1
9x1,25	12x1,25 - 12x1,5	9x1,25	12x1,25 - 12x1,5
10x1,5	14x1 - 14x1,25	10x1,5	14x1 - 14x1,25
11x1,5	14x1,5 - 16x1	11x1,5	14x1,5 - 16x1
12x1,75	16x1,5 - 18x1,5	12x1,75	16x1,5 - 18x1,5
14x2		14x2	
16x2		16x2	


1599F

Parallel bench vices, forged

Fully steel cast.
Milled and hardened jaw surface.
Front opening. High clamping depth.



	L mm	BxH mm	Ø mm	A max mm		£
1599F/100	100	92x46	11	125	015990100	£ 336.00 £ 194.00
1599F/125	125	108x54	13	150	015990125	£ 429.00 £ 239.00
1599F/150	150	125x62	13	200	015990150	£ 604.00 £ 339.00
1599F/175	175	140x70	15	220	015990175	£ 823.00 £ 465.00



1956 115-750W

Angle grinder for discs Ø 115 mm

Powerful motor (750 W)

- Extremely lightweight (weighs no more than 1.8 kg)
- Free speed: 11,000 rpm

019560011

~~£ 81.00~~
£ 42.50

4m



Ideal for cutting, grinding and roughing jobs

- Protection against accidental activation
- Additional handle that can be mounted on both sides
- Spindle lock device for quick disc changes
 - Lock-on/off slide switch
- Tool-less disc cover (quick release)
 - Service wrench included
- Voltage: 220-240 V / 50 Hz
- Tool spindle thread: M14

1956 125-1400W

Angle grinder for discs Ø 115 /125 mm

Powerful motor (1400 W)

- Anti-vibration handle
- Free speed: 3,000 - 10,000 rpm

019560125

~~£ 157.00~~
£ 94.00

4m



VARIABLE SPEED

1972/K12V-10

Ultracompact drill, 12V

- Supplied in a hard case with 2 lithium ion batteries (2 Ah) and quick charger (50 min)
- Double mechanical speed with steel gears and 20-position clutch
- Torque up to 30 Nm and 1300 rpm (400 rpm in 1st gear); drills diameters up to 10 mm in steel and 20 mm in wood
- 2Ah batteries and charge indicator on drill body
- Ergonomic nonslip handle
- Front LED
- 10-mm autochuck
- Belt clip (right/left side)
- Selector switch, screwing-unscrewing-locking modes (for transportation)

2,3 kg

019720112

~~£ 261.00~~
£ 93.50



316x254x96 mm



3-YEAR WARRANTY



Ultracompact:

no more than 170 mm in length

Ultralightweight: no more than 1.1 kg, with battery, and perfectly balanced

1972/K20V+SMER

20V kit of impact drill + BMC grinder machine body

Kit contents:

- 1972/K20V-13BMC
Brushless 20V impact drill, 80 Nm, 13-mm auto-chuck, dual speed.

Supplied in a hard case with 2 batteries (4 Ah) and quick charger.

- 1986/20V-125BMC

Brushless 20V angle grinder with slide switch, disc diameter 115/125 mm, protection against accidental restart, tool-less disc cover, additional handle.

Supplied in a hard case, without batteries and charger, machine body only.

019720024

~~£ 802.00~~
£ 299.00



490x370x125 mm



SAVE £ 86.00
compared to purchases of loose products

NEW

**GET 6 PACKS (300 PCS.)
AT THE PROMO PRICE!**

Ø 115 mm - STEEL



A36S THIN CUTTING DISCS
Flat centre

~~£ 511.00~~
£ 280.00
(£ 0.93 each)

INCLUDED IN THE PRICE

Beta grinder
1956 115-750W
with a net worth of **£ 42.50**

750W



	Diameter	Thickness	N° of pcs.	
300 AB000010115+750W	115	1,0	300 pcs.	110010300
300 AB000010117+750W	115	1,2	300 pcs.	110010302
300 AB000010119+750W	115	1,6	300 pcs.	110010301

Ø 125 mm - INOX AND STEEL



A46U THIN CUTTING DISCS
Flat centre

~~£ 752.00~~
£ 410.00
(£ 1.37 each)

INCLUDED IN THE PRICE

Beta grinder
1956 125-1400W
with a net worth of **£ 94.00**

VARIABLE SPEED

1400W



	Diameter	Thickness	N° of pcs.	
300 AB000330125+1400W	125	1,0	300 pcs.	110330320
300 AB000330126+1400W	125	1,2	300 pcs.	110330322
300 AB000330128+1400W	125	1,6	300 pcs.	110330321

332

Mini pipe cutter for copper and light alloy pipes



	L mm	Ø mm / "		£
332	59	3÷16 1/8"÷5/8"	003320001	£ 24.10 £ 13.90
332/2	63	3÷28 1/8"÷1"1/8"	003320003	£ 27.00 £ 15.50

376

Pipe wrenches, Swedish pattern, 90° flat jaws



	L mm	Ø "	Ø mm		£
376 320	320	1" gas	34	003760032	£ 50.50 £ 28.90
376 410	410	1 1/2" gas	49	003760041	£ 66.00 £ 38.00
376 550	550	2" gas	60	003760055	£ 103.00 £ 57.50
376 630	630	3" gas	90	003760063	£ 188.00 £ 106.00

1750KG10

10 kg 017500100

Lever-operated grease gun, 10 kg, with high-pressure hose, 2 m

~~£ 199.00~~
£ 114.00

- Complete with swivel fitting, to avoid choking hose
- Die-cast aluminium pump body with check valve

3 different pressure levels available:
- 4 g at 275 bar
- 7 g at 206 bar
- 9 g at 137 bar



342

Ratchet-type shears for plastic pipes

003420030

~~£ 53.50~~
£ 31.00



363

Heavy duty pipe wrenches made from light alloy



	L mm	Ø "	Ø mm		£
363 350	350	2" gas	60	003630035	£ 69.00 £ 39.50
363 450	450	2 1/2" gas	76	003630045	£ 93.00 £ 53.50
363 600	600	3" gas	90	003630060	£ 156.50 £ 91.00
363 900	900	5" gas	140	003630090	£ 293.00 £ 170.00
363 1200	1200	6" gas	165	003630120	£ 311.00 £ 181.00

345SB

003450010

Deburrer with revolving replacement blade

~~£ 24.10~~
£ 13.90

- For copper, light alloy and PVC pipes.
- Supplied with 2 blades



1750

017500500

Lever operated grease guns, 500 cc

~~£ 44.00~~
£ 25.50





	1740B 280						1740B 330						1741						1741U					
Ø mm	2,4	3,2	4	4,8	5	6,4	2,4	3,2	4	4,8	5	6,4	2,4	3,2	4	4,8	5	6,4	2,4	3,2	4	4,8	5	6,4
ALUMINIUM	•	•	•	•	X	X	•	•	•	•	•	•	•	•	•	•	•	X	•	•	•	X	X	X
STEEL	•	•	•	•	X	X	•	•	•	•	•	•	•	•	•	•	X	X	•	•	•	X	X	X
INOX	•	•	•	•	X	X	•	•	•	•	•	•	•	•	•	X	X	X	•	•	•	X	X	X

1740B

Compact heavy-duty riveting pliers

- Ultracompact, extremely sturdy
- Safety nail container included



**3 JAWS:
IMPROVED
RIVET GRIP**

	L mm	g		£
1740B 280	280	650	017400280	£ 76.50 £ 44.00
1740B 330	330	1000	017400330	£ 88.50 £ 51.50

1741

Riveting pliers
with 4 interchangeable nozzles



017410003
~~£ 38.00~~
£ 21.50

1741U

Ultra compact riveting pliers
with adjustable force
with 4 interchangeable nozzles

017410450

~~£ 47.50~~
£ 27.00



**COMPACT
AND LIGHTWEIGHT**



**3 JAWS:
IMPROVED
RIVET GRIP**

1742N/C4

Riveting pliers 1742N in case,
supplied with 4 steel
threaded pins

	M	Ø mm	n.
1742R-A/M3	3	5	100
1742R-A/M4	4	6	100
1742R-A/M5	5	7	100
1742R-A/M6	6	9	100



415x155x60 mm



2,9 kg

017420006

~~£ 299.00~~
£ 165.00

WIRELESS RECHARGEABLE (📶)



	LUMEN	BATTERY	CHARGING TIME	BATTERY LIFE	IP/IK
1833XSW	80 - 250 (LED SMD)	3,7V 700 mAh, 2.59 Wh Li-ion	2h 1839BRW or cable	2 - 8h	IP54; IK07
1833MW	5 - 30 - 400 - 1000 (LED SMD)	3,7V 2.600 mAh, 9.62 Wh Li-ion	6h 1839BRW 4h cable	2- 200h	IP68; IK07
1836AW	30 - 200 - 400 (Main light LED COB) 400 (spot LED COB)	3.7 V, 1500 mAh, 5.55 Wh Li-ion	2,5h 1839BRW or cable	Main light: 4-18h Spot: 4h	IP65; IK07
1836BW	225 - 250 - 500 (Main light + spot 500 lumen LED SMD) 20 (Red light LED SMD)	3.6V, 3000 mAh Li-ion	6h 1839BRW 4,5h cable	Main light + spot : 2.5h Main light: 4h Spot: 4h Red light: 18h	IP65; IK06

1833XSW

LED inspection torch, wireless rechargeable

- Magnets on base and back
- Belt clip
- USB cable included



018330011
~~£ 48.00~~
£ 27.90



1833MW

High-brightness LED torch, wireless rechargeable

- Four brightness settings
- Magnet on back
- USB cable included



018330013
~~£ 88.00~~
£ 50.50



1836AW

Rechargeable wireless LED headlamp, dual brightness

- Dual light emission
- USB cable included



018360051
~~£ 72.00~~
£ 42.00



1836BW

Rechargeable LED headlamp, with red light and contactless ON/OFF sensor, wireless

- Contactless ON/OFF sensor
- USB cable included
- Battery level indicator



018360201
~~£ 93.50~~
£ 52.00



NEW

WIRELESS RECHARGEABLE ((o))

	LUMEN	BATTERY	CHARGING TIME	BATTERY LIFE	IP/IK
1838/13LED-W	430 (frontal LED SMD) 90 (spot LED SMD)	3,6V, 6.000 mAh Li-Ion	10,5h 1839BRW 5h cable	Main light + spot : 4h Main light: 5h Spot: 10h	IP65; IK07
1838SW	250 - 500 - 1000 (frontal LED COB) 200 (spot LED SMD)	3.6V 3.350 mAh Li-ion	6,5h 1839BRW 4,5h cable	Main light: 2-8h Spot: 7h	IP65; IK07
1838POCKET	160 - 400 - 800 (Main light LED COB) 250 (spot LED SMD)	3.7V 2.600 mAh Li-ion	4,5h 1839BRW 4h cable	Main light: 3-9h Spot: 4,5h	IP65; IK07

1838/13LED-W

018380112

Rechargeable high-brightness LED lamp, wireless

- Dual light emission
- Supplied with USB-C cable
- Battery level indicator
- Swinging hook
- 1 magnet on base
- 2 side magnets

**NEW**~~£ 141.00~~
£ 80.50**1838POCKET**

018380080

Articulated pocket LED spotlight, with dual light beam and wireless charging

- Dual light emission
- Lighting angle:
 - main light: 160°
 - spot light: 18°
- Can be rotated 210°
- Nonslip rubber body
- Magnetic base
- Supplied with a USB cable

~~£ 69.00~~
£ 39.50**1838SW**

018380142

Rechargeable, articulated LED inspection lamp and wireless charging

- Dual light emission
- Base can be rotated 180°
- Nonslip rubber body
- Double swinging hook
- Magnets on base and back
- USB cable included

~~£ 98.00~~
£ 56.00**1839BRW**

018390002

Wireless charging base, compatible with 1833XSW, 1833MW, 1836AW, 1836BW, 1838/13LED-W, 1838SW, 1838POCKET inspection lamps

- Two charging positions with magnetic connection, for simultaneous use
- With pull-out support for wireless mobile phone charging
- Charging status LED indicator
- Max. input: 10W x2
- Input: AC 100-240V 50/60Hz
- Output: DC 12V 1.5A
DC 9V 2A
DC 5V 3A
- USB-C port
- IP20
- IK07



- Can be hung on wall through:
3 strong magnets on back
2 screw holes



KIT WIRELESS (📶)

Wireless technology means one of the latest innovations in the work lighting industry and provides a convenient, modern solution to every professional's requirements.

1839W/P1

Kit of wireless lamps 1833MW, 1836AW, with compatible charging base 1839BRW

- High-brightness LED torch **1833MW**, wireless rechargeable
- LED headlamp, wireless rechargeable, with dual light emission **1836AW**
- Wireless charging base **1839BRW** compatible with kit lamps

018390800

~~£ 253.00~~
£ 125.00

018390805

~~£ 260.00~~
£ 131.00

1839W/P2

Kit of wireless lamps 1838SW, 1838POCKET, with compatible charging base 1839BRW

- Rechargeable, articulated LED inspection lamp **1838SW**, wireless rechargeable
- Articulated pocket LED lamp **1838POCKET**, adjustable, with dual light beam, wireless rechargeable
- Wireless charging base **1839BRW** compatible with kit lamps



**SAVE UP TO
£ 21.50**
compared to purchases
of loose products



1838FLASHPRO

Rechargeable, ultracompact spotlight, designed to provide the best solution for each use

- **3 light intensities:**
LED SMD 1200 - 1000 - 800 lumens
- Rechargeable battery: Li-Ion, 3.6V, 10.000 mAh
- Can be charged via power supply with USB-C port
- Supplied with USB-C cable and power supply
- Battery level indicator
- Charging time: 7,45 h
- Swinging hook
- Battery life: 1200 lumens: 8.5 h
1000 lumens: 9.5 h
800 lumens: 11.5 h
- IP65; IK07



018380301

~~£ 217.50~~
£ 122.00



NEW

1838AM


Rechargeable LED inspection lamp

- **Double light emission:**
front: LED COB, 60-700 lumens, can be adjusted with potentiometer
spot (head): LED SMD, 120 lumens, ON-OFF switch
- Rechargeable 3.6V 2600mAh Li-ion battery
- With USB-C port
- Supplied with 100-240V / 50-60Hz charger
- Charging time: 4h
- Battery life: front: 2.5-16h
spot (head): 10h
- 3-LED battery level indicator
- Magnetic base (with neodymium magnet), can be rotated 90°
- Swivel base hook
- IP54; IK07
- Articulated, can be rotated 180° (± 90° compared to axis)



018380400

~~£ 109.00~~
£ 59.90



1838SLIM

Rechargeable, articulated slim 3-LED inspection lamp

• **Triple light emission:**

- front: 100/200 lumens
- back: 180 lumens
- spot (head): 80 lumens

- Magnetic base
- Charging time: 2.5 h
- Battery life: 2-4 h/ spot 3 h
- IP54; IK07
- L 307 mm



1833S/USB

Rechargeable high-brightness LED torch, made of anodized aluminium, 500 lumens

• **Adjustable focus**

• **4 brightness settings:**

- 500-250-100 lumens, intermittent
- Rechargeable battery: Li-Ion 3.7 V, 1800 mAh
- Charging time: 3 h
- Battery life: 500 lumens: 1 h
220 lumens: 2 h
100 lumens: 5 h
intermittent: 2 h

- Lighting range: 100 m
- IP66; IK07
- Battery level indicator
- USB-C cable included
- With lace, for convenient, safe transportation



1838CLAMP

Rechargeable clamp spotlight with adjustable light beam and 4 light intensities

• **4 light intensities:**

- 1600 lm - Ultra high mode
- 700 lm - High mode
- 300 lm - Low mode
- 100 lm - Eco mode
- Rechargeable battery: Li-Ion 3.7 V, 5200 mAh
- Can be charged with USB-C cable (included)
- Can be rotated 360°
- Charging time: 4h

- Battery life: 3h - Ultra high mode
5h - High mode
8.5h - Low mode
24h - Eco mode
- 3-LED battery level indicator
- With built-in clamp, can be easily clamped everywhere
- 1 magnet on back
- IP65; IK07



1838F

Rechargeable magnetic LED lamp with flexible head and double light emission

• **Double light emission:**

- main: LED COB 50 - 500 lumens
- spot (head): LED SMD, 120 lumens
- Rechargeable battery: Li-Ion 3.7 V, 2600 mAh
- Charge with USB-C port
- USB-C cable included
- Charging time: 4h
- Battery life: - main: 2h
- spot: 9.5h
- Magnet on base
- Hook can be bent at 90°
- 3-LED battery level indicator
- IP54; IK07



1838COMPACT

Rechargeable, compact LED lamp

• **Dual light emission:** main and spot


- 3 light intensities: main COB LED 300 - 120 lumens
spot SMD LED 150 lumens
- Rechargeable battery: Li-Ion 3.7 V, 1500 mAh
- Charging time: 2.5h
- Battery life: - main: 7/3.5h
- spot: 6h
- Belt clip/pocket
- IP65; IK07
- USB-C cable included



1708

Metric feeler gauges

	S mm	S "		£
1708/8	0,05÷0,5	0,002÷0,020	017080008	£ 6.80 £ 3.90
1708/13	0,05÷1,0	0,002÷0,035	017080013	£ 7.70 £ 4.50
1708/20	0,05÷1,0	0,002÷0,040	017080020	£ 12.50 £ 7.50




- Steel blades with rounded ends
- Locking screw
- mm/inch thicknesses

1650

Sliding gauge made from hardened stainless steel

- Reading to 0.05 mm
- Spring locking



	A Max mm	L mm	B mm	G mm		£
1650/150	150	235	40	0,05-1/128	016500001	£ 62.50 £ 36.50
1650/200	200	290	49	0,05-1/128	016500002	£ 83.00 £ 47.90


DIN 862
UNI EN ISO 13385-1



1651DGTB


Digital vernier, reading to 0.01 mm

- Screw slider locking
- Mm/inch conversion
- Zero setting at any position
- Square depth rod up to 300 mm
- In hard plastic case



DIN 862
UNI EN ISO 13385-1

	A Max mm	L mm	B mm	G mm		£
1651DGTB 150	150	235	40	0,01-0,0005	016510211	£ 106.50 £ 61.50
1651DGTB 200	200	285	50	0,01-0,0005	016510212	£ 138.50 £ 79.90
1651DGTB 300	300	400	60	0,01-0,0005	016510213	£ 180.50 £ 105.00



1695XS

Pocket spirit level with magnetic V-shaped base made from profiled aluminium 2 unbreakable vials accuracy: 1mm/m

- Ideal for pipes and round sections in general
- Complete with clip



016950250
~~£ 13.30~~
£ 7.90

1687/S4

Set of 4 engineer's precision scribers, with handles



016870150
~~£ 26.50~~
£ 14.00

1692

Measuring tapes,
shock-resistant bi-material ABS casings,
steel tapes, precision class II



	L m	S mm		£
1692/2	2	16	016920052	£ 8.05 £ 4.90
1692/3	3	16	016920053	£ 10.10 £ 5.50
1692/5	5	19	016920055	£ 14.30 £ 8.00
1692/8	8	25	016920058	£ 20.60 £ 11.50

1693 20

Laser distance meter,
20 m

Measurements:

- Single distance measurement
- Continuous measurement or minimal measurement

- Auto off feature
- Battery life: up to 4,000 measurements

Technical data:

- Measurement range: 0.05 ÷ 20m (0.2ft ÷ 66ft)
- Scale selection: m, in, ft
- Measurement accuracy: ±1.5 mm (± 0.06 in)
- Laser class: 2
- Battery life: AAA 2 x 1.5V



016930020

~~£ 127.00~~
£ 69.50

20 m

IP54



1693M 80

Laser distance meter,
multipurpose, 80 m

Measurements:

- Single distance measurement
- Continuous measurement or minimal measurement

Functions:

- Addition/subtraction
- Area measurement
- Volume measurement
- Indirect measurement (Pythagorean measurement)
- Tilt measurement
- Auto off feature
- Soft cloth case (included)
- Battery life: up to 4,000 measurements

Technical data:

- Measurement range: 0.05 ÷ 80 m (0.2 in ÷ 229ft)
- Scale selection: m, in, ft
- Measurement accuracy: ±1.5 mm (± 0.06 in)
- Laser class: 2
- Max. storage: 99 units
- Batteries: AAA 2 x 1.5V



80 m

016930080

~~£ 216.00~~
£ 126.00

IP54



1696T

Spirit levels with magnetic
base, made from profiled
aluminium, with three
unbreakable vials

- V-profiled base
- Precision: 0.5 mm/m
- Complete with vertical reading window



	L mm	H mm	S mm		£
1696T 600	600	66	28	016960506	£ 78.00 £ 44.00
1696T 800	800	66	28	016960508	£ 86.50 £ 48.90
1696T 1000	1000	66	28	016960510	£ 91.50 £ 51.50
1696T 1200	1200	66	28	016960512	£ 114.00 £ 64.50



1760/IR500

Digital infrared thermometer with dual laser aiming system

017600350

~~£ 165.00~~
£ 93.00



TECHNICAL DATA

Temperature range: $-50 \div 500\text{ °C}$ ($-22 \div +932\text{ °F}$)
Display resolution: 0.1 °C (0.1 °F)
Emissivity: $0.1 \div 1$ adjustable
Accuracy: $-50\text{ °C} \div +20\text{ °C}$ ($\pm 3\text{ °C}$);
 $20 \div 500\text{ °C}$ ($\pm 2\%$ or 2 °C)
Optical resolution (D:S): 12:1
Auto power off: approx. 10 seconds
Operating temperature: $0\text{ °C} \div 50\text{ °C}$
Storage temperature: $-20\text{ °C} \div 60\text{ °C}$
Power supply: 1 9V battery

1760PA/AC-DC

Amperometric clamp and digital multimeter

017600000

~~£ 343.00~~
£ 194.00



1000 A



SPECIFICATIONS

DC voltage: $0.1\text{ mV} \div 600\text{ V}$
AC voltage: $0.1\text{ mV} \div 600\text{ V}$
AC current: $0.01\text{ A} \div 1000\text{ A}$
DC current: $0.01\text{ A} \div 1000\text{ A}$
Resistance: $0.1\text{ }\Omega \div 40\text{ M}\Omega$
Capacity: $0.001\text{ nF} \div 40\text{ }\mu\text{F}$
Frequency: $0.001\text{ kHz} \div 4\text{ kHz}$
Temperature: $-40\text{ °C} \div 1000\text{ °C}$
 $-40\text{ °F} \div 1832\text{ °F}$

1760/RMS

Industrial digital multimeter accurate and sturdy, in a 6-mm co-moulded shell, with antislip, shockproof outrubber part

017600020

~~£ 308.00~~
£ 176.00



- Protection up to 1000V
- Tested for accidental falls up to 2 m
- Protected inlets
- Autoranging
- Large direct reading display, backlit, blue
- K type temperature probe (included)
- Self-power down
- Rubber terminal base for enhanced operating comfort
- Double insulated terminals, 1000V, 1 m long
- Supplied in a soft case
- CAT IV 600V/ CAT III 1000V
- Actual effective value TRUE RMS



Measuring range

AC/DC voltage: $110\text{ mV} - 600\text{ V} \pm 0.8\%$
AC/DC current: $110\text{ }\mu\text{A} - 10\text{ A} \pm 1.5\%$
Resistance: $110\text{ }\Omega - 40\text{ M}\Omega \pm 1.2\%$
Capacity: $11\text{ nF} - 40\text{ mF} \pm 5\%$
Frequency: $110\text{ Hz} - 110\text{ MHz} \pm 1.2\%$
Temperature: $-32\text{ °C} - +1000\text{ °C} \pm 3\%$
Diode test: $3\text{ V DC} \pm 10\%$ rdg
Continuity test: $<30\text{ }\Omega$

Base accuracy

$\pm 2\%$ rdg
 $\pm 2\%$ rdg
 $\pm 2.5\%$ rdg
 $\pm 10\%$ rdg (up to 11 mF)
 $\pm 1.5\%$ rdg
 $\pm 5\%$ rdg

1760S

Compact digital multimeter

017600022

~~£ 88.50~~
£ 51.50



- IP40 protection
- Autoranging
- Large direct reading display, backlit, blue
- Self-power down
- Low battery indication
- Supplied in a soft case
- CAT III 600V
- TRUE RMS (actual effective value)



Measurable parameters:

DC voltage: $200\text{ mV}/20/200/600\text{ V}$
AC voltage: $100/600\text{ V}$
DC current: $200\text{ mA}/10\text{ A}$
AC current: $0.01/10\text{ A}$
Resistance: $200\text{ }\Omega - 2/20/200\text{ k}\Omega - 2\text{ M}\Omega$
Diode test: $0.4 \div 0.7$
Power supply: 2 1.5V batteries, type AAA

1608

Crimping pliers for insulated terminals, with pressure regulator

016080001

~~£ 125.50~~
£ 72.00

$0.5 \div 6\text{ mm}^2$



1606T

Crimping pliers for tubular terminals, 4-sided crimping

016060005

~~£ 325.00~~
£ 171.00

$0.1 \div 10\text{ mm}^2$



16091/C6


016090300

**Crimping pliers
with 6 interchangeable dies**

6in1

**ADJUSTABLE,
WITH QUICK-RELEASE
MECHANISM**

~~£ 203.50~~
£ 119.00

**6 different types of dies:**

- for pre-insulated ring, ferrule and quick male terminals, 0,5÷6 mm²
- for non-insulated terminals, 0,5÷10 mm²
- for non-insulated female and male terminals, 0,5÷6 mm²
- for pre-insulated tubular terminals, 0,5÷4 mm²
- for pre-insulated tubular terminals, 6÷16 mm²
- for non-insulated terminals, type D-SUB

NEW**1149F**

011490010

**Front wire stripping
pliers with cutting blade,
self-adjusting**

- Self-adjustment to wire diameters
- Adjustable stripping length
- Insulating cutting pressure adjustment
- Built-in cutting device



~~£ 18.20~~
£ 10.90

1609B

4,2 kg

016090101

**Mechanical
crimping pliers**

~~£ 333.00~~
£ 188.00

- For noninsulated copper terminals, 10÷120 mm²
- Antislip rubber handle
- Internal "H" section pin for unparalleled punch smoothness
- Made from burnished steel

10÷120 mm²

**1128 X-PRO**

BM1325

**Electrician's scissors
short blades with microteeth,
wire stripping groove**

- Stainless steel blades
- Wire stripping groove
- Microteeth on one side

~~£ 42.50~~
£ 24.00

BM GROUP

**NEW****1128 X-PRO EVO**

BM1330

**Electrician's scissors
short blades with microteeth,
wire stripping groove**

- Stainless steel blades
- Wire stripping groove
- Microteeth on one side

~~£ 38.00~~
£ 21.50

BM GROUP

**NEW**

1778MT

MULTIPURPOSE TOOL COMPLETE WITH BITS AND SHEATH



1778MT

Multi-tools complete with bits and sheath

9 tools for a total of 22 functions:

- Combination pliers
- Large blade
- Corrugated blade
- Hacksaw frame
- File
- Tin/Bottle opener
- Scissors
- Bit holder
- Screwdriver for cross head Phillips® screws

SUITABLE FOR EVERY SITUATION!



11 bits + socket + tweezers



Ruler 100mm/4"



017780055

~~£ 102.50~~
£ 56.90



Easy pull-out of tools



Tool unlock buttons

1726N

Coated hacksaw frame, blade attachment system in handle

- Bi-material coated aluminium alloy handle
- Blade compartment
- Blade can be tilted up to 55° and 90°, with built-in attachment system




017260040

~~£ 37.00~~
£ 21.90

1729MF

Multi-purpose saw

- 24 TPI metal blade
- 6 TPI plasterboard blade
- double 11 TPI plastic and 16 TPI wood blade



017290500

~~£ 24.50~~
£ 14.00

1772M

Safety utility knife with retractable blade, supplied with 4 blades

- Blade retracts through an automatic spring mechanism
- Die-cast alloy body
- Staple remover built into handle



017720040

~~£ 19.30~~
£ 11.00

1771BM

Utility knife, 18 mm, 6 spare blades

- Nonslip bi-material handle
- Automatic blade loading
- Blade locking nut for maximum blade stability under stress conditions
- Nonreturn safety slider
- Automatic blade loading



017710050

~~£ 21.20~~
£ 12.50

1778SOS

Car service knife with window breaking hammer and seat belt cutter features, in case

- With clip and fabric wallet with loop
- Anodized aluminium handle
- Safety blade lock



017780080

~~£ 34.00~~
£ 18.90

1128FXS

Electrician's scissors, straight stainless steel blades, with microteeth, cable cutting groove and crimping pliers for tube terminals

- Articulated belt hook case
- Bimaterial handles
- Anti-loose pin



011280095

~~£ 39.50~~
£ 22.90

1128BAX

Double-acting electricians' scissors, with milling profiles in DLC-coated stainless steel

- High blade surface hardness (resistance to abrasion and wear)
- Low coefficient of friction (smoothness and anti-adherence)
- With articulated plastic case



011280088

~~£ 34.50~~
£ 19.50



Profile mill:
designed to enlarge
holes on plastic,
from 13 to 21 mm.

**1128BSX**

Electrician's scissors with graduated milling profiles with case

- Designed to enlarge holes on plastic junction boxes and choke corrugated pipes
- Jointed belt case
- Bimaterial handles
- Anti-loosening pin



011280061

~~£ 32.00~~
£ 18.00

**PATENTED****PATENTED**

**+HARDNESS
-COEFFICIENT
OF FRICTION**



Profile and mill:
designed to enlarge
holes on plastic,
from 13 to 25 mm.

1128BMX

Electrician's scissors, straight stainless steel blades, with microteeth

- Straight stainless steel blades
- Wire cutting groove
- Microteeth on one side



011280051

~~£ 18.40~~
£ 10.90

**1600Q 10**

Eight-way wrench, with articulated joint

Square 5 / 6-7 / 8-9 mm
Triangle 5-6-7 / 8-9 / 10 mm
Alette 3-5 mm
Hexagon 1/4"
Male drive 1/4"



016000010

~~£ 38.00~~
£ 22.50



125 mm




1134S

011340030

Ratcheting cable cutter

- Burnished, with nonslip PVC handles
- Reduction gear allows high force to be applied with one hand.

~~£ 146.50~~
£ 85.00



L mm	mm	mm ²
255	32	400



NEW

1134B

011340050

Ratcheting cable cutter

- Burnished, with nonslip PVC handles
- Reduction gear allows high force to be applied with one hand.

~~£ 203.50~~
£ 119.00



L mm	mm	mm ²
275	53	500



NEW

NEW

THE IDEAL KIT FOR ELECTRICIANS

1233MQF/D4-FX

Set of 4 slim screwdrivers with electrician's scissors item 1128FX

• 1233MQF/D4

Set of 4 slim screwdrivers
1234MQF/LP 4x100-5,5x125 mm
1232MQF PH1x75-PH2x100 mm

• 1128FX

Electrician's scissors, straight stainless steel blades, with microteeth, cable cutting groove and crimping pliers for tube terminals



012330905

~~£ 86.00~~
£ 46.50




1000 V
EN 60900



1233MQF/D6**Set of 6 slim screwdrivers**

1234MQF/LP 3x100-4x100-5,5x125 mm
 1232MQF PH0x60-PH1x75-PH2x100 mm



1 Precision zone with anti-roll hexagonal section.

2 Circular speed zone with textured grip.

3 Controlled grip zone with triangular palm grip to enable maximum force to be applied.

EN 60900



1000 V

012330606

£ 74.50
£ 40.90

NEW**1273MQ/D6****Set of 6 screwdrivers**

1274MQ 3x100-4x100-5,5x125 mm
 1272MQ PH0x60-PH1x80-PH2x100 mm



EN 60900



1000 V

012730851

£ 72.50
£ 42.00

1128MQ

Electrician's scissors,
 stainless steel blades,
 with microteeth



1000 V

IEC 60900



011280101

£ 52.00
£ 30.00

1169MQ/D2

Assortment of insulated
 combination pliers and insulated
 diagonal cutting nippers



1000 V

EN 60900



011690152

£ 104.50
£ 57.50

920MQ/C16

Set of 9 hexagon sockets,
 3 socket drivers for hexagon screws
 and 4 accessories, in metal case

	920MQ/A	8-10-12-13-14-17-19-22-24 mm
	920MQ/21	135 mm
	920MQ/22	264 mm
	920MQ/55A	
	920MQ/T	
	920MQ/PE	5-6-8 mm

12"



16x

5,2 kg

009200917

£ 967.00
£ 485.00

1000 V

IEC 60900



420x280x60 mm

INOX TOOLS CAN BE AUTOCLAVE STERILIZED AT 121°

CO4TSS/7

Mobile roller cab with seven drawers, made entirely of stainless steel

- 7 drawers (570 x 410 mm) with ball bearing slides;
- 6 drawers, 83 mm high;
- 1 drawer, 170 mm high;
- 4 castors Ø 125 mm 2 fixed and 2 steering (two with brakes);
- Front centralized lock;
- Frame made entirely of stainless steel AISI 304
- Castors, supports, ball bearings, drawer interiors and guides made of stainless steel
- Drawer handles made of aluminium





63 kg

024003077

~~£ 2,750.00~~
£ 1,489.00

n°		Max
6	83 mm	25 kg
1	170 mm	30 kg



C20TSS

Five-section cantilever tool box, made of AISI 304 stainless steel

It can be used in critical environments - that is, in areas where the minimum contamination level is not permitted - resistant to rust and the main acids, and can be autoclave sterilized at 121°.



450x200x210 mm

4 kg

021203001

~~£ 389.00~~
£ 166.00

42INOX/SC8

Set of 8 combination wrenches made of stainless steel, with compact support

8-10-11-12-13
14-15-17-19 mm



NEW

000420388

~~£ 185.00~~
£ 109.00

96TINOX/58

Set of 8 offset hexagon key wrenches, with high torque handles, made of stainless steel

○ 2,5-3-4-5-6-7-8-10 mm



8x

000961954

~~£ 151.00~~
£ 78.90

1203INOX/D8

Set of 8 screwdrivers made of stainless steel

1201INOX-E ① 2,5x50-3x75-4x100-5,5x150-6,5x150 mm
1202INOX-E ② PH0x60-PH1x80-PH2x100 mm



Beta *evox*

NEW

012030408

~~£ 110.00~~
£ 46.50

9710

LUBRIBETA

**7-in-1 multipurpose
unlocking lubricant**

1. Unlocking;
 2. Lubricating;
 3. Detergent, degreasing;
 4. Rust protective;
 5. Deoxidizing, for electrical contacts;
 6. Waterproof;
 7. Antifreezing
- Silicone-free.



		£
9710 (1)	097100040	£ 9.30 £ 5.90
9710 (2)	097101040	

9752

ZINC 98%

Clear zinc

Highly covering, it is ideal for galvanizing iron parts.
Highly adhesive, it forms an elastic film of very light colour, similar to hot galvanizing.
Particularly resistant to oxidation, abrasion and weather.
Can be overpainted. Does not drip.



		£
9752 (1)	097520040	£ 8.50 £ 5.50
9752 (2)	097521040	

9841R

RED SEAL

**Red acetic-reticulation
silicone sealant,**

- Withstands temperatures
- The convenient dispenser allows easy (one-coated), accurate, uniform spreading of the product.

Ideal for oven doors, plates, heating systems, outlets, thermostats, pumps, heating pipes, engine parts that are not subject to high pressure and applications that require resistant to high temperatures.

**WITHSTANDS
TEMPERATURES
UP TO 300 °C**



9841N

BLACK SEAL

**Black acetic-reticulation
silicone sealant**

- Withstands temperatures
- The convenient dispenser allows easy (one-coated), accurate, uniform spreading of the product

Ideal for oil sumps, oil pumps, housings, gearboxes, engine parts that are not subject to high pressure and applications that require resistance to high temperatures

**WITHSTANDS
TEMPERATURES
UP TO 240 °C**



1749AC

**High thrust gun
for chemical binders**



1749A

**Bonding gun, professional model
aluminium tube**



REELS

Each reel is fitted with a 180° swivel wall-mount bracket and an additional bracket for quick connection and disconnection from the wall-mount support.



1842 15-H05/LED

018420821

Automatic cable reel with LED inspection lamp, 100-240Vac

- With 230/12V safety transformer
- H05VV-F 2x1.0 mm² cable
- Coiled cable length: 15 m
- Length of cable out of drum: 1 m
- Rack mechanism can be disabled to keep cable pulled

~~£ 344.00~~
£ 171.00



15 m

S

1845 15-H07

018450367

Automatic cable reel, with 3Gx2.5 mm² cable (H07RN-F)

- 3Gx2.5 mm² cable
- With thermal protection switch
- Max. power (rolled up): 2000W (230V-20°C)
- Max. power (unrolled): 3000W (230V-20°C)
- Coiled cable length: 15 m
- Length of cable out of drum: 1 m
- Rack mechanism can be disabled to keep cable pulled

~~£ 462.00~~
£ 229.00



15 m

M

1844 15-H05

Automatic cable reel, with 3Gx1.5 mm² cable

- 3Gx1.5 mm² cable
- With thermal protection switch
- Max. power (rolled up): 1500W (230V-20°C)
- Max. power (unrolled): 2500W (230V-20°C)
- Coiled cable length: 15 m
- Length of cable out of drum: 1 m
- Rack mechanism can be disabled to keep cable pulled

15 m S

1844 15-H05

Automatic cable reel, with cable



1844 15-H05/3SCK

Automatic cable reel, and SCHUKO type socket and plug



		£
1844 15-H05	018440315	£ 224.50 £ 113.00
1844 15-H05/3SCK	018440319	£ 232.00 £ 122.00

1844 15-H05/SCK-K1

018440901

Automatic cable reel with SCHUKO socket

- 3Gx1.5 mm² cable
- With thermal protection switch
- Cable length out of drum: 1 m
- Supplied with 1.5-m-long incoming cable and SCHUKO plug
- Rack mechanism can be disengaged to keep cable pulled
- Max. power (rolled up): 1500W (230V-20 °C)
- Max. power (unrolled): 2500W (230V-20 °C)

S



15 m



~~£ 315.00~~
£ 146.00

INCLUDED IN THE PRICE

Beta grinder 1956 115-750W
with a net worth of **£ 42.50**



NEW



1900

Automatic hose reel, shockproof plastic body, for air or water

- Max. Operating pressure: 15 bar
- Braided polyurethane hose
- Polypropylene frame
- Device for automatically fixing hose at required length
- Rack mechanism can be disabled to keep hose pulled
- Operating temperature range: -5 °C / +50 °C



		Diameter	Ø GAS BSP	L m		£
1900S 8X10	S	Ø 8x12 mm	1/4"	10	019000080	£ 173.00 £ 75.90
1900M 8X15	M	Ø 8x12 mm	1/4"	15	019000085	£ 236.50 £ 103.00
1900M 10X15	M	Ø 10x14 mm	3/8"	15	019000115	£ 247.00 £ 113.00
1900M 12X15	M	Ø 12x16 mm	1/2"	15	019000125	£ 322.00 £ 151.00

SUITABLE FOR POWERFUL IMPACT WRENCHES

3 FITTINGS
FOR WATER
PIPES



THE IDEAL COMBO FOR WORKSHOPS

1900M 10X15/K1

Kit with automatic hose reel + impact wrench, 1/2", 1927C

Kit contents:

1900M 10X15
Automatic spring hose reel
with 10x14 mm cable

1927C

Reversible impact wrench

- 1/2" square drive
- max. torque: 950 Nm
- air inlet: 1/4" GAS
- operating pressure: 6.2 bar
- mean air consumption: 125 l/min

*Connection fittings to be purchased separately
(1916GFE 3/8" and 1917M 1/4")



1/2"



019000901

~~£ 476.00~~
£ 180.00



SAVE £ 58.00
compared to purchases of loose products

NEW

1547/C6

Dummy ball bearing extractors

Bearings:

1547/1
6011-6014, 6206-6211, 6303-6308,
6403-6405

1547/2
6004-6010, 6200-6205, 6300-6304

- Quick, safe extraction



420x185x60 mm

3 kg

015470006

~~£ 294.00~~
£ 164.00



1545/C5M

Puller 1542/1 with 5 extractors 1544


2,4 kg

015450011

~~£ 569.00~~
£ 319.00



265x180x45 mm



	A mm	C mm
1544/1	9+12	0.80
1544/2	13+17	1.15
1544/3	16+21	1.70
1544/4	20+25	1.65
1544/5	25+30	2.00



1430/55

Set of 5 tapered extractors for broken screws and studs, made from hardened steel in case

014300105

~~£ 26.50~~
£ 15.50

M3÷M18
1430/1-1430/2-1430/3
1430/4-1430/5




110x150x40 mm

1500N

Universal pullers with 2 sliding legs

- Special leg design, for automatic leg locking under loading conditions
- For both external and internal use
- Legs can be moved along crosspiece.

	A min+max mm	L mm	L1 mm	● mm	A1 mm		£
1500N/0	18÷65	70	100	15	110	015000600	£ 78.00 £ 44.50
1500N/1	23÷70	100	130	17	130	015000601	£ 81.00 £ 46.90
1500N/2	23÷100	100	130	17	160	015000602	£ 88.00 £ 50.90
1500N/3	35÷140	150	190	20	230	015000603	£ 146.50 £ 85.00
1500N/4	35÷190	150	190	20	280	015000604	£ 158.00 £ 90.50
1500N/5	43÷250	205	295	27	360	015000605	£ 304.00 £ 171.00
1500N/6	43÷320	205	295	27	430	015000606	£ 329.00 £ 188.00



1852R1750/N

5 kg

018520176

Portable induction heater,
in plastic case

- Heats and loosens bolts, hubs and bearings without using flames.
- Allows any type of ferromagnetic metal to be heated.

Technical data:

- Input voltage: 230V AC, 50/60 Hz
- Input current: max. 7,5A
- Power: max. 1.75 kW

Benefits

- 1 Time saving: quick, extremely accurate heating
- 2 Fire safety: does not produce flames, maximum operator safety
- 3 Functional: can be used with one hand, and coils can be easily interchanged

Fields of Application:

- Automotive industry
- Industrial maintenance
- Aviation industry
- Naval industry
- Petrochemical industry

NEW COIL ADDED TO THE CASE

with a gross value of £ 115.00



480x370x130 mm

~~£ 1,525.00~~
£ 849.00



One contact coil	
Two front attachable coils, Ø 19 and 26 mm, for loosening nuts	
One flat coil for heating surfaces	
One flexible coil, 800 mm long	

NEW

1852RL3700

11,5 kg

018520370

Portable induction heater, 3.7 kW,
with coolant

The liquid-cooled portable induction heater is the ideal solution for the quick, efficient heating of ferromagnetic and conductive materials. The 2-m-long inductor results in remarkable versatility, catering to different work requirements.

Benefits:

- Time-saving: quick, extremely accurate heating
- Fire safety: does not produce flames, maximum operator safety
- Functional: can be used with one hand, and coils can be easily interchanged.

Technical data:

- Input voltage: U1 230 V 50/60 Hz
- Input current: I1 16 A
- Max. power: P2max 2400 W



240 mm
200 mm
440 mm



~~£ 5,470.00~~
£ 2,459.00

Fields of application:

- Automotive
- Garages/vehicle repair
- Railway and naval industry
- Heating and piping installation
- General maintenance

1870I

Solid and fluid vacuum cleaner, 20 l,
stainless steel drum

Standard accessories Ø 36 mm:

- 1 corrugated hose with ergonomic handle and vent
- 2 hard extension tubes
- 1 multiuse brush for floors and fluids
- 1 flat nozzle
- 1 paper bag

Filtering systems:

- 1 surface air filter cartridge 1900 cm² - 12 µm nom.
- 1 anti-foam filter PPI 45/PPI 30



~~£ 273.00~~
£ 137.00

Technical specifications:

- Single-stage by-pass motor
- Voltage: 220/240 V
- Frequency: 50/60 Hz
- Max. power: 1200 W
- Airflow rate: 58 l/sec.
- Max. suction pressure: 190 mbar
- Max. drum capacity: 20 l, made of stainless steel
- Acoustic emissions: <70 dB(A)
- Cable length: 5 m

Ultrasonic cleaning tank

- Ultrasonic cleaning relies on fluid heating to effectively clean spare parts and metal pieces in general (injectors, carburettors, valves etc.)
- Digital display for adjusting temperature and cleaning time
- For general cleaning, just use water at a temperature of 50÷60 °C
- For more accurate cleaning, add non-foaming detergent solutions specific for ultrasonic tanks
- The degassing function makes it quicker to release air throughout the volume of the tank, thus resulting in more effective ultrasound action.

	1895N 6	1895N 15	1895N 30	1895 157
Tank capacity	6 l	15 l	30 l	157 l
Drain tap	✓	✓	✓	✓
Power	180 W	360 W	600 W	2160 W
Heating power	300 W	500 W	500 W	5000 W
Temperature range	80°C max	80°C max	80°C max	30÷110 °C
Cleaning time range	0-99 minutes	0-99 minutes	0-99 minutes	0-59 minutes
Frequency	40 kHz	40 kHz	40 kHz	40 kHz
Power supply	220-240V	220-240V	220-240V	220-380V
Dimensions	330x180x310 mm	350x325x320 mm	530x330x380 mm	840x640x750 mm
Tank size	280x135x100 mm	295x270x100 mm	460x260x140 mm	260x650x465 mm

- **Cleaning functions:**
 - triple function – 'soft', 'normal', 'degas' (1895N 6-15-30)
 - 'standard' and 'sweep' functions (1895 157)
- **Tanks supplied with:**
 - plastic beakers and smallwares cleaning baskets, fluid drain tap and hose, support plate (1895N 6-15-30)



1895N



157 l



1895 157

018950357



£ 7,360.00
£ 3,905.00

NEW

961N

Electronic videoscope with flexible, rotating probe

- TFT LCD 5" screen
- Supports SD cards
- Video and image recording
- 4 LEDs
- Power supply via USB port (built-in battery)
- Rotating probe
- High resolution





009610030

£ 467.00
£ 269.00

1889N

Steel handling and storage base for 2 200-l barrels

- Easy to carry with a fork lift truck or a pallet jack
- Support cannot be placed under any part
- Completely hot painted with epoxy powder, for high resistance to chemicals
- Tank capacity: 235 l




018890220

£ 832.00
£ 339.00

3027N HYDRAULIC PRESS WITH MOVING PISTON



Hydraulic bench press with moving piston



	kg		£
3027N 10	100	030270101	£ 1,990.00 £ 979.00
3027N 20	130	030270102	£ 2,750.00 £ 1,269.00
3027N 30	230	030270103	£ 4,820.00 £ 2,245.00
3027N 50	350	030270105	£ 6,730.00 £ 3,405.00
3027N 100	1100	030270110	£ 20,730.00 £ 9,740.00

	3027N 10	3027N 20	3027N 30	3027N 50	3027N 100
Maximum capacity	10 t	20 t	30 t	50 t	100 t
Single speed pump	✓	✓	✓	✓	X
Moving piston	✓	✓	✓	✓	✓
Hydraulic safety in case of overloading	✓	✓	✓	✓	✓
Gauge	✓	✓	✓	✓	✓
Set of V-shaped prisms	✓	✓	✓	✓	✓
Hoist	X	X	✓	✓	✓

3025N 1,0

99 kg 030250110

Folding hydraulic crane with dual effect pump

- Maximum capacity: 1 t
- 4 loading positions: 300-600-800-1000 kg
- With load limiting valve and chrome-plated stand
- Controlled descent speed
- Nylon wheels
- Maximum height: 2420 mm



~~£ 2,255.00~~
£ 1,130.00



3025N/PF

030250111

Barrel handling pliers

- Sturdy supporting pins for reliable performance over time
- Long jaws for secure, firm hold on several different types of barrels

~~£ 493.00~~
£ 279.00




Lifting web slings



8150


PURPLE 1T
two layers with reinforced eyes
high-tenacity polyester
(PES) belt EN 1492-1



	L m	H mm		£
8150 1-T1	1	30	081500010	£ 5.70 £ 3.90
8150 2-T1	2	30	081500020	£ 8.05 £ 4.90
8150 3-T1	3	30	081500030	£ 10.20 £ 6.50
8150 4-T1	4	30	081500040	£ 13.20 £ 8.50

8153


GREEN 2T
two layers with reinforced eyes
high-tenacity polyester
(PES) belt EN 1492-1



	L m	H mm		£
8153 1-T2	1	60	081530010	£ 8.95 £ 5.90
8153 2-T2	2	60	081530020	£ 13.90 £ 8.50
8153 3-T2	3	60	081530030	£ 18.80 £ 11.00
8153 4-T2	4	60	081530040	£ 23.20 £ 14.50

8156

YELLOW 3T
two layers with reinforced eyes
high-tenacity polyester
(PES) belt EN 1492-1



	L m	H mm		£
8156 2-T3	2	90	081560020	£ 20.70 £ 12.50
8156 3-T3	3	90	081560030	£ 29.00 £ 18.00
8156 4-T3	4	90	081560040	£ 35.50 £ 21.90
8156 6-T3	6	90	081560060	£ 50.50 £ 30.00

8181 6/B4

Bag with set of 4 ratchet
tie-downs 8181, 6 m
high-tenacity polyester belt
(PES), single hooks



L m	LC kg
6	1000

081810916

~~£ 71.00~~
£ 38.00



EN 12195-2

8182 8,5/B2

Bag with set of 2 ratchet
tie-downs 8182, 8.5 m
high-tenacity polyester belt
(PES) single hooks



L m	LC kg
8,5	2000

081821885

~~£ 62.50~~
£ 33.00



EN 12195-2

8188R 3,6/S2

Ratchet tie down,
with automatic retractable belt



L m	± mm	LC daN	STF daN
3,6	25	350	80

081881036

~~£ 46.00~~
£ 24.00

EN 12195-2

**QUICK RELEASE,
AUTOMATIC WINDING:**
THE BELT IS ALWAYS PROTECTED
AND READY FOR USE

NEW

LIFTING CHAIN SLINGS



- Safety factor: 4
- Chain sling identification tag

- Declaration of Conformity
- Technical product specifications

2 LEGS



WLL ton	L m	Ø	Grade	CLEVIS hook	CLEVIS hook £	SELF-LOCK hook	SELF-LOCK hook £
1,6	1	6	G8	080970001	£ 149.00 £ 70.90	080970201	£ 183.50 £ 87.50
1,6	2	6	G8	080970002	£ 178.00 £ 84.50	080970202	£ 212.50 £ 101.00
1,6	3	6	G8	080970003	£ 221.00 £ 105.00	080970203	£ 256.00 £ 123.00
1,6	4	6	G8	080970004	£ 262.00 £ 125.00	080970204	£ 304.00 £ 145.00
2	1	6	G10	080971001	£ 179.00 £ 93.00	080971201	£ 220.00 £ 114.00
2	2	6	G10	080971002	£ 213.00 £ 111.00	080971202	£ 255.00 £ 132.00
2	3	6	G10	080971003	£ 265.00 £ 138.00	080971203	£ 308.00 £ 160.00
2	4	6	G10	080971004	£ 314.00 £ 163.00	080971204	£ 365.00 £ 188.00
3,5	1	8	G10	080971041	£ 232.00 £ 121.00	080971241	£ 286.00 £ 150.00
3,5	2	8	G10	080971042	£ 300.00 £ 157.00	080971242	£ 353.00 £ 184.00
3,5	3	8	G10	080971043	£ 378.00 £ 194.00	080971243	£ 433.00 £ 219.00
3,5	4	8	G10	080971044	£ 444.00 £ 229.00	080971244	£ 499.00 £ 255.00
4,25	1	10	G8	080970051	£ 298.00 £ 142.00	080970251	£ 363.00 £ 171.00
4,25	2	10	G8	080970052	£ 379.00 £ 180.00	080970252	£ 445.00 £ 215.00
4,25	3	10	G8	080970053	£ 458.00 £ 219.00	080970253	£ 523.00 £ 249.00
4,25	4	10	G8	080970054	£ 539.00 £ 259.00	080970254	£ 605.00 £ 299.00

The images are for reference only: please see data in the table.

4 LEGS



WLL ton	L m	Ø	Grade	CLEVIS hook	CLEVIS hook £	SELF-LOCK hook	SELF-LOCK hook £
2,36	1	6	G8	080980001	£ 306.00 £ 148.00	080980201	£ 377.00 £ 180.00
2,36	2	6	G8	080980002	£ 377.00 £ 180.00	080980202	£ 461.00 £ 219.00
2,36	3	6	G8	080980003	£ 446.00 £ 215.00	080980203	£ 516.00 £ 249.00
2,36	4	6	G8	080980004	£ 519.00 £ 249.00	080980204	£ 603.00 £ 289.00
3	1	6	G10	080981001	£ 368.00 £ 188.00	080981201	£ 451.00 £ 229.00
3	2	6	G10	080981002	£ 451.00 £ 229.00	080981202	£ 552.00 £ 279.00
3	3	6	G10	080981003	£ 536.00 £ 275.00	080981203	£ 618.00 £ 320.00
3	4	6	G10	080981004	£ 622.00 £ 319.00	080981204	£ 722.00 £ 375.00
4,25	1	8	G8	080980041	£ 401.00 £ 194.00	080980241	£ 513.00 £ 245.00
4,25	2	8	G8	080980042	£ 508.00 £ 239.00	080980242	£ 599.00 £ 289.00
4,25	3	8	G8	080980043	£ 617.00 £ 295.00	080980243	£ 709.00 £ 339.00
4,25	4	8	G8	080980044	£ 756.00 £ 359.00	080980244	£ 847.00 £ 400.00
5,3	1	8	G10	080981041	£ 482.00 £ 249.00	080981241	£ 616.00 £ 315.00
5,3	2	8	G10	080981042	£ 609.00 £ 315.00	080981242	£ 718.00 £ 375.00
5,3	3	8	G10	080981043	£ 740.00 £ 385.00	080981243	£ 851.00 £ 439.00
5,3	4	8	G10	080981044	£ 907.00 £ 469.00	080981244	£ 1,016.00 £ 529.00

The images are for reference only: please see data in the table.

8143

Hand chain blocks

- Professional model, complies with EN13157 standard, made of first-rate materials
- Designed to lift heavy loads quickly and safely



TUV CERTIFICATION EN 13157

	WLL t	L m	kg		£
8143 0,5T	0,5	3	9,2	081430005	£ 200.00 £ 120.00
8143 1T	1	3	11,7	081430010	£ 235.50 £ 141.00
8143 2T	2	3	19,5	081430020	£ 342.00 £ 205.00
8143 3T	3	3	19,5	081430030	£ 442.00 £ 249.00

8146

Lever hoists

- Professional model, complies with EN13157 standard, easy to install and use
- Automatic brake with double pawl system for optimized safety
- Swivel hook with safety latch

AVAILABLE CERTIFICATES

- CE Declaration of Conformity
- Test report UNI EN10204 type 2.2
- Manufacturer's Certificate



8146

LIGHTWEIGHT AND PORTABLE



8146C

TUV CERTIFICATION EN 13157

	WLL t	L m	kg		£
8146 0,75T	0,75	1,5	6,7	081460008	£ 244.00 £ 145.00
8146 1,5T	1,50	1,5	11,2	081460015	£ 347.00 £ 210.00

8146C

Lever hoist, compact

	WLL t	L m	kg		£
8146C 0,25T	0,25	1,5	2,5	081460002	£ 224.50 £ 134.00



8145VX

Hand chain block, compact

Technical data:

- Safety factor: 4
- Serial identification tag

Available certificates:

- Manufacturer's Certificate
- CE Declaration of Conformity
- Test Report UNI EN10204 type 2.2
- Technical Product Specifications

**HIGH STRENGTH
MINIMAL WEIGHT**



TUV CERTIFICATION * 8145VX 500 kg EN 13157

	WLL kg	L m	kg		£
8145VX 125	125	3	2,5	081450001	£ 279.00 £ 147.00
8145VX 500	500	3	4,5	081450005	£ 327.00 £ 171.00



NEW

8149B

Block chain bag to accommodate item 8143 (sold separately)

	8143 t	8143 L m
8149B 12x35	0,5	3/6
	1	3/6
	1,5	3/6
	2	3/6
8149B 14,5x45	3	3
	3	6
	5	3/6
	10	3



	FxC mm		£
8149B 12X35	120x350	081490612	£ 33.00 £ 17.00
8149B 14,5X45	145x450	081490614	£ 39.50 £ 20.50

NEW

8147S

Push trolleys for manual beam clamps

Suitable for fixing and horizontal moving of hoists on structural beams, e.g. INP, IPB, IPE, HEA, HEB, by creating a secure anchor point.

TECHNICAL DATA:

- Safety factor: 4
- Identification tag

AVAILABLE CERTIFICATES:

- Manufacturer's Certificate
- CE Declaration of Conformity
- Test report UNI EN10204 type 2.2
- Technical product specifications

	WLL t	L Min÷Max mm	ø F mm		£
8147S 0,5T	0,5	50÷220	25	081470005	£ 161.00 £ 96.50
8147S 1T	1	58÷220	30	081470010	£ 206.00 £ 124.00
8147S 2T	2	66÷220	40	081470020	£ 262.00 £ 157.00




8148

Manual rope winch, aluminium alloy body, complete with operating lever, rope and hook



EN 13155



- Safety factor: 4:1
- Identification plate with serial number and batch number

AVAILABLE CERTIFICATES

- CE Declaration of Conformity
- Test report UNI EN10204 type 2.2
- Manufacturer's Certificate

	WLL t	L m	A mm	ø f mm		£
8148 0,8X20M	0,8	20	426	8,3	081480008	£ 359.00 £ 209.00
8148 1,6X20M	1,6	20	545	11	081480016	£ 562.00 £ 329.00
8148 3,2X20M	3,2	20	660	16	081480032	£ 926.00 £ 555.00

8135

Steel plate lifting clamps with articulated lifting eyes

TECHNICAL DATA


- Safety factor: 3
- Serial number identification plate

AVAILABLE CERTIFICATES

- Manufacturer's Certificate
- CE Declaration of Conformity
- Test report UNI EN10204 type 2.2
- Technical product specifications



EN 13155



	max WLL t	A mm	kg		£
8135 0,75T	0,75	0-15	2	081350005	£ 124.00 £ 74.00
8135 1,0T	1,0	0-20	5	081350010	£ 167.00 £ 101.00
8135 2,0T	2,0	0-25	8	081350020	£ 248.50 £ 149.00
8135 3,0T	3,0	0-30	15	081350032	£ 422.00 £ 249.00
8135 5,0T	5,0	0-50	23	081350050	£ 593.00 £ 355.00

max WLL (t)	Dimensions mm						
	B	C	D	E	F	G	H
0,75	205	125	10	27	105	35	40
1,0	290	170	12	48	145	45	56
2,0	375	205	17	67	175	56	56
3,0	425	237	20	75	215	60	78
5,0	480	262	20	80	232	65	90

1927P

2 kg


019270008

12" Reversible impact wrench

- Double hammer impulse device
- Lightweight and well-balanced for enhanced ease of use
- Reversible lever
- Three power adjustable screwing positions
- Exhaust through handle
- Vibration-damping handle



£ 439.00
£ 188.00



Free speed	rpm	7.500
Impulse device		Double hammer
Max. torque	Nm	1750
Bolt capacity	Cl 8.8	M24●36 mm
Bolt capacity	Cl 12.9	M20●30 mm
Air inlet	GAS	1/4"
Operating pressure	bar	6.2
Internal hose size (Ø)	mm	10
Mean air consumption	l/min	290

**SUPER POWERFUL
1750 Nm**



1927P/K3

4 kg

019270118

Reversible impact wrench, supplied with 3 impact sockets, in plastic case

£ 574.00
£ 205.00

720LC 17-19-21 mm

12"



350x305x86 mm

1927XM

1,3 kg

019270030

12" Compact reversible impact wrench


- Single hammer impulse device
- Amazingly compact and powerful
- One-hand reverse button
- Three power adjustable screwing positions
- Exhaust through handle
- Balancing hook



£ 273.00
£ 144.00

SUPER COMPACT

Free speed	rpm	10.000
Impulse device		Single hammer
Max. torque	Nm	770
Bolt capacity	Cl 8.8	M22●34 mm
Bolt capacity	Cl 12.9	M18●27 mm
Air inlet	GAS	1/4"
Operating pressure	bar	6.2
Internal hose size (Ø)	mm	10
Mean air consumption	l/min	122



1927XM/K5

2,8 kg

019270129

Assortment of 1 compact reversible impact wrench and 5 impact sockets, in plastic case

£ 336.00
£ 171.00

720 17-19-21-22-24 mm

12"



307x206x86 mm

1927C

2,4 kg


019270006

12" Reversible impact wrench, made from composite material

- Double hammer impulse device
- Lightweight and well-balanced, for enhanced ease of use
- Reverse control lever
- Three power adjustable screwing positions
- Exhaust through handle
- Vibration-damping handle



£ 228.50
£ 125.00



Free speed	rpm	9.000
Impulse device		Double hammer
Max. torque	Nm	950
Bolt capacity	Cl 8.8	M22●34 mm
Bolt capacity	Cl 12.9	M18●27 mm
Air inlet	GAS	1/4"
Operating pressure	bar	6.2
Internal hose size (Ø)	mm	10
Mean air consumption	l/min	125

OIL
LESS

THE REVOLUTIONARY IMPACT WRENCH THAT DOES NOT REQUIRE LUBRICATION



The impact wrench, 19270LS, fully designed, developed and engineered by Beta Utensili, relies on the OIL-LESS system, a brand-new innovation in the pneumatic tool industry: it allows the impact wrench to operate without having to be periodically lubricated with oil, thus ensuring increased durability and high performance.

ENGINEERED by
Beta



The painstakingly studied assembly, micrometer alignment of the interior parts and use of innovative first-rate materials result in a reduced number of failures, for lubrication-free lifetime use.

19270LS

2,5 kg

019270010

12" OIL-LESS reversible impact wrench, body made from aluminium alloy

~~£ 711.00~~
£ 379.00

- No lubrication required
- Double hammer impulse device



PATENT PENDING

The OIL-LESS impact wrench stands out for high torque transmission – that is, 1750 Nm –, which makes it ideal for any application.

1 Balanced and powerful, with unparalleled service life

2 Three power adjustable screwing positions

3 Vibration free handle

4 Exhaust through handle

**4 TIMES THE USEFUL
LIFE OF A TRADITIONAL
IMPACT WRENCH**



4x
LIFE
CYCLES


Free speed	8.000 rpm
Max. torque	1.750 Nm
Bolt capacity	Cl 8.8 M24●36 mm
Bolt capacity	Cl 12.9 M20●30 mm
Air inlet	1/4" GAS
Operating pressure	6,2 bar
Internal hose size (Ø)	10 mm
Mean air consumption	198 l/min
Weight	2,5 kg

Based on these hallmarks, the OIL-LESS impact wrench can boast an excellent cost/benefit ratio, thus translating into savings in the long run.

1927E

1/2" Reversible impact wrench, made from composite material

- Double hammer impulse device
- Reverse control knob
- Three power adjustable screwing positions
- Exhaust through handle
- Vibration-damping handle



2,4 kg 019270005




£ 136.50
£ 75.50

Free speed	rpm	7.000
Impulse device		Double hammer
Max. torque	Nm	750
Bolt capacity	Cl 8.8	M22●36 mm
Bolt capacity	Cl 12.9	M18●30 mm
Air inlet	GAS	1/4"
Operating pressure	bar	6,2
Internal hose size (Ø)	mm	10
Mean air consumption	l/min	140

1928P/K1

3/4" Reversible impact wrench, made from composite material

- Double hammer impulse device
- Lightweight and well-balanced for enhanced ease of use
- Reversible lever
- Three power adjustable screwing positions
- Exhaust through handle
- Vibration-damping handle



2100 Nm
ULTRA COMPACT AND POWERFUL



INCLUDED IN THE PRICE

10 impact sockets
for hexagon screws **Beta 728/C10**
with a net worth of **£ 188.00**



728 17-19-22-24-27-30-32-36-41-46 mm

Free speed	rpm	5.000
Impulse device		Double hammer
Max. torque	Nm	2100
Bolt capacity	Cl 8.8	M30●46 mm
Bolt capacity	Cl 12.9	M27●41 mm
Air inlet	GAS	3/8"
Operating pressure	bar	6,2
Internal hose size (Ø)	mm	10
Mean air consumption	l/min	221

NEW


1928XM

3/4" Compact reversible impact wrench

- Double hammer impulse device
- Amazingly compact and powerful
- One-hand reverse button
- Three power adjustable screwing positions
- Exhaust through handle



1600 Nm
ULTRA COMPACT AND POWERFUL



2,9 kg 019280030



£ 583.00
£ 329.00

Free speed	rpm	4.800
Impulse device		Double hammer
Max. torque	Nm	1600
Bolt capacity	Cl 8.8	M27●41 mm
Bolt capacity	Cl 12.9	M24●36 mm
Air inlet	GAS	3/8"
Operating pressure	bar	6,2
Internal hose size (Ø)	mm	10
Mean air consumption	l/min	175



1930PA


9,6 kg

019300032

1" Reversible impact wrench

- Double hammer impulse device
- Auxiliary handle
- Reversible lever
- Three power adjustable screwing/unscrewing positions
- Exhaust through handle

£ 1,260.00
£ 680.00



Free speed	rpm	3.500
Impulse device		Double hammer
Max. torque	Nm	2445
Bolt capacity	CI 8.8	M36●55 mm
Bolt capacity	CI 12.9	M30●46 mm
Air inlet	GAS	1/2"
Operating pressure	bar	6,2
Internal hose size (Ø)	mm	13
Mean air consumption	l/min	350

1922P3

1,5 kg

019220013

1/2" Reversible air impact ratchets

- Double rocking dog impulse device
- Easy tightening: The impact mechanism system eliminates wrist twisting at end of screwing and shortens operating time
- Compact and powerful: maximum torque is significantly higher than maximum torque as achieved with a conventional ratchet
- Ergonomic rubber handle

£ 426.00
£ 239.00



136 Nm HIGH TORQUE WITHOUT AFFECTING WRIST

Free speed	rpm	600
Maximum torque	Nm	136
Bolt capacity	CI 8.8	M12●18 mm
Bolt capacity	CI 12.9	M10●16 mm
Air inlet	GAS	1/4"
Operating pressure	bar	6,2
Internal hose size (Ø)	mm	10
Mean air consumption	l/min	113

720/C24

007200904

1/2" Set of 24 impact sockets



£ 411.00
£ 199.00



720	10-12-13-14-15-16-17-18 19-21-22-24-27-30-32 mm
720L	13-17-19-21-22-24 mm
720LC	17-19-21 mm

720ME/C8

007200525

1/2" Set of 8 impact socket drivers for hexagon screws



£ 151.00
£ 87.00

5-6-8-10-12
14-17-19 mm



270x120x45 mm



720LC/C3

007200653

1/2" Set of 3 impact sockets for wheel nuts, with polymeric inserts



£ 39.00
£ 22.90

17-19-21 mm



148x132x44 mm



720/C12

007200912

1/2" Set of 12 impact sockets



£ 192.00
£ 106.00

10-11-12-13-14-17-19
22-24-27-30-32 mm

195x80x55 mm



1933

380 g 019330001


Die grinder

- Collect chuck, Ø 3 mm and 6 mm

£143.00
£ 80.50



Free speed	rpm	25.000
Chuck capacity	mm	3-6
Power	kW	0,20
Air inlet	GAS	1/4"
Operating pressure	bar	6,2
Internal hose size (Ø)	mm	10
Mean air consumption	l/min	230



1933IH

800 g 019330006

High-power die grinder

- Collect chuck, Ø 3 mm and 6 mm

£218.50
£ 126.00



Free speed	rpm	20.000
Chuck capacity	mm	3-6
Power	kW	0,75
Air inlet	GAS	1/4"
Operating pressure	bar	6,2
Internal hose size (Ø)	mm	10
Mean air consumption	l/min	370



1933L

670 g 019330015

High-power angle grinder

- Collect chuck, Ø 3 mm and 6 mm

£183.00
£ 102.00



Free speed	rpm	25.000
Chuck capacity	mm	3-6
Power	kW	0,20
Air inlet	GAS	1/4"
Operating pressure	bar	6,2
Internal hose size (Ø)	mm	10
Mean air consumption	l/min	370



1944N

2,7 kg 019440002

Needle scaler

- Suitable for removing rust, paint and welding slags from metal surfaces
- Exhaust through handle
- Fitted with 19 needles (Ø 3 mm)

£475.00
£ 219.00




Strokes per minute	3800
Stroke length	33 mm
N°. of needles	19 (Ø 3 mm)
Air inlet	1/4" GAS
Working pressure	6,2 bar
Internal hose size (Ø)	10 mm
Mean air consumption	85 l/min

1936

Angle grinder

- Extremely compact and handy
- Air governor for automatically controlling top speed
- Right-hand/left-hand auxiliary handle
- Spindle lock button
- Accessory for quickly changing discs
- Safety cap can be quickly adjusted in nine different positions through quick release
- Rear exhaust




		kg	£
1936/4A	019360024	1,8	£ 444.00 £ 249.00
1936/5A	019360025	1,9	£ 444.00 £ 249.00

		1936/4A	1936/5A
Free speed	rpm	11.000	10.000
Grinding disc size	mm	115	125
Power	kW	0,66	0,66
Spindle thread	M	14	14
Air inlet	GAS	1/4"	1/4"
Working pressure	bar	6,2	6,2
Internal hose size (Ø)	mm	10	10
Mean air consumption	l/min	390	390

1946

Air riveter

- Lightweight, well-balanced and easy to use
- Supplied with interchangeable nozzles, 2.4 - 3.2 - 4.0 - 4.8 mm long, a safety nail container and a balancing hook



Material/Riveter	2,4	3,2	4	4,8
Copper	✓	✓	✓	✓
Aluminium	✓	✓	✓	✓
Steel	✓	✓	✓	
Stainless steel	✓	✓	✓	

Traction power	8.000 N
Stroke length	14 mm
Maximum rivet capacity	Ø aluminium 4,8 mm
Air inlet	1/4" GAS
Operating pressure	6,2 bar
Internal hose size (Ø)	6 mm
Mean air consumption	1,2 l/cycles



1,5 kg

019460001



£ 208.50
£ 115.00



1946C 7,8

Automatic air suction riveter

- For use with 4.8 - 5.6 - 6.4 - 7.8 mm long steel, stainless steel, aluminium and copper rivets
- Pointed cone-shaped spout
- Powerful and handy, with handle made of composite material
- Complete with safety nail container and oil gun

Material/Riveter	4,8	5,6	6,4	7,8
Copper	✓	✓	✓	✓
Aluminium	✓	✓	✓	✓
Steel	✓	✓	✓	✓
Stainless steel	✓	✓	✓	✓

Traction power	16.900 N
Stroke length	22,5 mm
Maximum rivet capacity	Ø aluminium 7,8 mm
Air inlet	1/4" GAS
Operating pressure	6,2 bar
Internal hose size (Ø)	10 mm
Mean air consumption	4,9 l/cycles




1,8 kg

019460008



£ 986.00
£ 485.00



1949F2

Progressive blow gun

- Made from hard-wearing, shockproof, scratchproof, thermally insulated composite plastic material
- Special valve and lever allow circuit to be progressively opened, thus optimizing air flow
- Tip with safety plastic cone for safe handling when not in use



Brass threaded insert	GAS	1/4"
Operating pressure	bar	4-8
Maximum operating pressure	bar	12
Operating temperature	°C	-20+70

Ø 1/4"
GAS BSP

019490028

£ 17.50
£ 9.90

1948

Engraving pen

- Its tungsten carbide bit allows such materials as steel, stainless steel, aluminium, glass, stone and ceramic to be marked



Strokes per minute	3.500 + 3.800
Maximum hardness	60 HRC
Air inlet	1/4" GAS
Working pressure	6,2 bar
Mean air consumption	50 l/min
Weight	150 g

019480001

£ 323.00
£ 160.00



RENEGADE

THE SAFETY FOOTWEAR RANGE



Renegade has been designed to provide uncompromising safety and style.

The range, which comprises 6 models in unique colours and materials, perfectly suits those interested in standing out in any working environment. Renegade relies on a design inspired by latest generation sports shoes, superior cushioning and remarkable support to provide comfort all day long.

**BASED ON A BOLD,
UNCONVENTIONAL STYLE,
Renegade is an ideal
pick for modern
professionals**

1 INNOVATIVE DESIGN

2 HIGHLY BREATHABLE

**3 EVA OUTSOLE WITH DURABLE
NITRILE RUBBER TREAD
WIDE FIT**

4 THE WIDE BODY
The wide body – 11 –
ensures smooth,
comfortable walks,
without compressing the foot.

5 QUICK LACING SYSTEM
Model 7340VA is Beta's first shoe
fitted with a quick lacing system.

6 METAL FREE
composite fibre
penetration-proof insole



**RENEGADE MATCHES PROTECTION WITH
A CAPTIVATING, MODERN APPEARANCE**



7340VA

**RENEGADE mesh fabric shoe,
highly breathable,
with ATOP lacing**

495 g

~~£ 170.00~~
£ 93.50

S1PS FO SR HRO

Sizes available: from 37 to 48
from 073400**537** to 073400**548**

RENEGADE



7340G

495 g

RENEGADE mesh fabric shoe, highly breathable, with traditional lacing

~~£ 138.00~~
£ 78.90



S1PS FO SR HRO

Sizes available: from 37 to 48
from 073400**637** to 073400**648**

7341V

495 g

RENEGADE woven fabric, hard-wearing and breathable, green details, with traditional lacing

~~£ 145.50~~
£ 80.50



S1PS FO SR HRO

Sizes available: from 37 to 48
from 073410**537** to 073410**548**

7341Y

495 g

RENEGADE woven fabric shoe, hard-wearing and breathable, yellow details, with traditional lacing

~~£ 145.50~~
£ 80.50



S1PS FO SR HRO

Sizes available: from 37 to 48
from 073410**637** to 073410**648**

7342N

500 g

RENEGADE microfibre shoe, water-repellent, with traditional lacing

~~£ 154.50~~
£ 87.50



S3S FO SR HRO

Sizes available: from 37 to 48
from 073420**537** to 073420**548**



7343N

510 g

RENEGADE microfibre ankle shoe, water-repellent, with traditional lacing

~~£ 168.00~~
£ 93.50

S3S FO SR HRO

Sizes available: from 37 to 48
from 073430**537** to 073430**548**

FitEvolution

SEVEN UNIQUELY DESIGNED MODELS, AVAILABLE IN SEVERAL COLOURS
AND MATERIALS TO SATISFY THE MOST DEMANDING USERS' REQUIREMENTS



THE PATENTED SYSTEM BETA **FIT4YOU** TO CUSTOMIZE COMFORT IN THEIR SAFETY FOOTWEAR

After several years of painstaking studying and designing, we developed the patented system, FIT 4 YOU. This state-of-the-art penetration-proof insole pressing process allows three different ETPU inserts – each with different densities – to be combined, to provide three levels of comfort, thus satisfying every user's requirements.

ETPU is the core of the FIT 4 YOU system, ensuring a cushioning effect and energy return. Based on three provided inserts varying in density and colour, it allows both softness and support to be customized in the shoe, according to weight, height and personal requirements. This groundbreaking technology ensures optimal comfort while moving as well as during static breaks, thereby resulting in reduced joint stress and fatigue.



* Subject to availability

THE PATENTED SYSTEM, FIT 4 YOU, IS BASED ON 3 PROVIDED ETPU INSERTS,
varying in density and colour, to allow the user to customize the shoe
according to weight, height and personal usage requirements.



- Composite toe cap
- Composite fibre penetration-proof insole
- 3 ETPU inserts, with 3 different densities, for a customized shoe
- Heel stability support and traditional lacing.
- Dual-density polyurethane outsole

7272V

550 g

FitEvolution woven fabric shoe,
hard-wearing and highly breathable

£147.00
£ 82.50

S1 PS FO SR ESD

Sizes available: from 37 to 48
from 072720137 to 072720148

FitEvolution



* Subject to availability

7270Y

550 g

FitEvolution mesh fabric shoe,
highly breathable

~~£ 147.00~~
£ 82.50



S1 PS FO SR ESD

Sizes available: from 37 to 48
from 072700137 to 072700148

7271V

550 g

FitEvolution suede shoe, perforated

~~£ 147.00~~
£ 82.50



S1 PS FO SR ESD

Sizes available: from 37 to 48
from 072710137 to 072710148

7273G

590 g

FitEvolution nubuck shoe,
water-repellent

~~£ 151.00~~
£ 84.50



S3 S FO SR ESD

Sizes available: from 37 to 48
from 072730137 to 072730148

7274G

650 g

FitEvolution nubuck ankle shoe,
water-repellent

~~£ 156.00~~
£ 87.50



S3 S FO SR ESD

Sizes available: from 37 to 48
from 072740237 to 072740248

7275N

590 g

FitEvolution nubuck shoe,
microfibre shoe, water-repellent

~~£ 151.00~~
£ 84.50



S3 S FO SR ESD

Sizes available: from 37 to 48
from 072750237 to 072750248

7276N

650 g

FitEvolution microfibre ankle shoe,
water-repellent

~~£ 156.00~~
£ 87.50



S3 S FO SR ESD

Sizes available: from 37 to 48
from 072760237 to 072760248

Beta
O-Gravity



- EVA outsole with durable nitrile rubber tread
- Heel stability support
- EVA midsole

- Composite fibre penetration-proof insole
- Composite toe cap

7352B

450 g

O-Gravity mesh fabric shoe, highly breathable, with TPU inserts

- Stretch slip-on collar

~~£ 131.00~~
£ 74.00

EN ISO
20345:2022
+ A1:2024



S1PL FO SR HRO

Sizes available: from 38 to 48
from 073520138 to 073520148

7352G

450 g

O-Gravity ultralightweight mesh fabric shoe, highly breathable

- Traditional lacing

~~£ 136.00~~
£ 76.50

EN ISO
20345:2022
+ A1:2024



S1P HRO SRC ESD



Sizes available: from 38 to 48
from 073520338 to 073520348

7354N

460 g

O-Gravity lightweight mesh fabric shoe, waterproof

- Stretch slip-on collar

~~£ 135.50~~
£ 76.50

EN ISO
20345:2022
+ A1:2024



S3L FO SR HRO

Sizes available: from 38 to 48
from 073540038 to 073540048

7372B

450 g

O-Gravity woven fabric shoe, ultralightweight, hard-wearing and ultrabreathable

- Traditional lacing

~~£ 138.50~~
£ 77.50

EN ISO
20345
2011



S1P HRO SRC



Sizes available: from 38 to 46
from 073720038 to 073720046

7356G

460 g

O-Gravity shoe, ultralightweight, made of water-repellent microfibre

- Stretch slip-on collar

~~£ 139.50~~
£ 78.90

EN ISO
20345:2022
+ A1:2024



S3L FO SR HRO

Sizes available: from 38 to 48
from 073560038 to 073560048

7357G

480 g

O-Gravity ankle shoe, ultralightweight, made of water-repellent microfibre

- Traditional lacing

~~£ 155.00~~
£ 85.90

EN ISO
20345:2022
+ A1:2024



S3L FO SR HRO

Sizes available: from 38 to 48
from 073570038 to 073570048

ACTIVE



- Composite toe cap
- Composite fibre penetration-proof insole

7316NG

510 g

Mesh and suede shoe,
highly breathable,
with heel stability support

~~£ 83.50~~
£ 46.90

EN ISO
20345:2022
+ A1:2024



S1PL FO SR ESD



Sizes available: from 35 to 48
from 073160635 to 073160648

7317NA

550 g

Suede shoe, perforated,
with microfibre reinforcement
in heel area

~~£ 71.50~~
£ 41.90

EN ISO
20345:2022
+ A1:2024



S1PL FO SR

Sizes available: from 35 to 48
from 073170135 to 073170148

7320NA

550 g

Nubuck shoe, water-repellent,
with anti-abrasion reinforcement
in toe cap area

~~£ 75.00~~
£ 43.50

EN ISO
20345:2022
+ A1:2024



S3L FO SR

Sizes available: from 35 to 48
from 073200535 to 073200548

7321NA

570 g

Nubuck shoe, water-repellent,
with quick opening system
and anti-abrasion reinforcement
in toe cap area

~~£ 77.50~~
£ 45.50

EN ISO
20345:2022
+ A1:2024



**QUICK OPENING
SYSTEM**

S3L FO SR

Sizes available: from 35 to 48
from 073210535 to 073210548

7322SA

570 g

Fabric shoe, highly resistant
to abrasion

~~£ 81.00~~
£ 47.50

EN ISO
20345:2022
+ A1:2024



S3L FO SR

Sizes available: from 35 to 48
from 073220435 to 073220448

7323SA

580 g

Fabric ankle shoe, highly resistant
to abrasion, with quick opening system
and heel stability support

~~£ 84.00~~
£ 46.90

EN ISO
20345:2022
+ A1:2024



**QUICK OPENING
SYSTEM**

S3L FO SR RS

Sizes available: from 35 to 48
from 073230435 to 073230448

BASIC



- Steel toe cap
- Steel penetration proof insole

7241NC

Leather safety shoe, water-repellent

~~£ 43.00~~
£ 24.00



S3 FO SR

Sizes available: from 35 to 48
from 072411**635** to 072411**648**

7243NC

Leather ankle shoe, water-repellent, with quick opening system

~~£ 44.00~~
£ 25.50



QUICK OPENING SYSTEM

S3 FO SR RS

Sizes available: from 35 to 48
from 072431**635** to 072431**648**

7246NB

Suede shoe, perforated

~~£ 41.50~~
£ 23.00



S1P FO SR

Sizes available: from 35 to 48
from 072461**635** to 072461**648**

7248NB

Suede ankle shoe

~~£ 44.00~~
£ 25.00



QUICK OPENING SYSTEM

S1P FO SR RS

Sizes available: from 35 to 48
from 072481**635** to 072481**648**

7245NB

Leather ankle shoe, water-repellent, with quick opening system and front protection with strap closure

~~£ 48.00~~
£ 27.50



QUICK OPENING SYSTEM

S3 FO SR RS

Sizes available: from 35 to 48
from 072451**635** to 072451**648**

HEAVY DUTY



7293HM

Greased full-grain leather shoe with high-performance VIBRAM® rubber tread

~~£ 180.00~~
£ 95.50



S3 HRO HI SRC



Sizes available: from 39 to 48
from 072930**639** to 072930**648**

NEW**BASIC PLUS**EN ISO
20345:2022
+ A1: 2024

- Composite toe cap
- Composite fibre penetration proof insole

7202BP

Leather shoe, smooth-finished,
water-repellent

~~£ 53.50~~
£ 31.50

**S3S FO SR**

Sizes available: from 35 to 48
from 072020**635** to 072020**648**

7203BP

Leather ankle shoe, smooth-finished,
water-repellent, with quick
opening system

~~£ 59.50~~
£ 34.90

**QUICK OPENING
SYSTEM****S3S FO SR RS**

Sizes available: from 35 to 48
from 072030**635** to 072030**648**

7200BP

Suede shoe with highly breathable
mesh inserts

~~£ 52.00~~
£ 30.00

**S1PS FO SR**

Sizes available: from 35 to 48
from 072000**635** to 072000**648**

7204BP

Leather ankle shoe,
smooth-finished, water-repellent,
with quick opening system

~~£ 75.00~~
£ 44.50

**QUICK OPENING
SYSTEM**

Front protection
and strap closure.
Hard-wearing rubber outsole.

S3S FO SR HRO RS

Sizes available: from 35 to 48
from 072040**635** to 072040**648**

7294HM

Water-repellent greased full-grain leather
ankle shoes with high-performance
VIBRAM® rubber tread

~~£ 190.50~~
£ 105.00

**S3 HRO HI SRC**

Sizes available: from 39 to 48
from 072940**639** to 072940**648**

7294HMC

Greased full-grain leather ankle shoe,
water-repellent, with high-performance
VIBRAM® rubber tread

~~£ 212.50~~
£ 115.00



With Tepor membrane,
waterproof, windproof,
highly breathable

**S3 HRO HI CI WR SRC**

Sizes available: from 39 to 48
from 072940**739** to 072940**748**

TOP LINE

HIGH PERFORMANCE



7569NG

3-in-1 jacket, with outer jacket and removable inner vest:



~~£ 160.00~~
£ 90.50

- **Outer shell** in 100% polyester with waterproof, windproof, breathable TPU membrane (resistance to water columns up to 8,000 mm - breathability 3,000 mvp)
- **Inner vest** in 100% nylon and 100% polyester padding, 100 g/m², with detachable hood
- **Black with anthracite grey inserts**



	XS	S	M	L	XL	2XL	3XL
	075690000	075690001	075690002	075690003	075690004	075690005	075690006

7560NG

4WayStretch work trousers, multipocket style

~~£ 77.50~~
£ 43.00



- 90% polyester, 10% spandex, 240 g/m²
- Knee pad pockets, reinforced pockets and leg bottoms, stretch waist
- **Anthracite grey/black**
- Slim fit



	XS 46	S 48	M 50	L 52	XL 54	2XL 56	3XL 58
	075600000	075600001	075600002	075600003	075600004	075600005	075600006



7342N
RENEGADE
81



7563N

Grid microfleece sweater, short-zipped

- 100% polyester, 180 g/m²
- Stretch sleeve bottoms and waist
- **Black**

~~£ 58.50~~
£ 28.50



	XS	S	M	L	XL	2XL	3XL
	075630000	075630001	075630002	075630003	075630004	075630005	075630006

7564N

Breathable stretch fleece jacket, multipocket style, black

- 100% polyester, 180 g/m²
- Stretch sleeve bottoms and waist
- **Black with anthracite grey inserts**

~~£ 61.50~~
£ 34.90



	XS	S	M	L	XL	2XL	3XL
	075640000	075640001	075640002	075640003	075640004	075640005	075640006

7565NG

Sweatshirt, long-zipped

- 60% cotton, 40% polyester, 280 g/m²
- Stretch sleeve bottoms and waist
- **Black with anthracite grey inserts**

~~£ 61.50~~
£ 34.90



	XS	S	M	L	XL	2XL	3XL
	075650400	075650401	075650402	075650403	075650404	075650405	075650406

7566NG


Long-zipped hoodie

- 60% cotton, 40% polyester, 280 g/m²
- Stretch sleeve bottoms and waist
- **Black with anthracite grey inserts**

~~£ 66.00~~
£ 36.90



	XS	S	M	L	XL	2XL	3XL
	075660400	075660401	075660402	075660403	075660404	075660405	075660406



THE CLOTHING LINE DESIGNED TO MAKE THE MOST OF THE OUTSTANDING PROPERTIES OF GRAPHENE

Our items, which incorporate this revolutionary material, can boast the following hallmarks:

- **ANTIBACTERIAL AND ANTI-ODOUR PROPERTIES:** they prevent the proliferation of the bacteria that contribute to bad smells;
- **LIGHTWEIGHTNESS:** since graphene is an ultra lightweight and thin material, they stand out as soft and comfortable;
- **TEMPERATURE REGULATION:** they dynamically adapt to climatic conditions, dissipating heat on hot days and retaining it on cold days;
- **BREATHABILITY:** they allow for optimal ventilation and dispersion of body humidity;
- **STRENGTH:** they are remarkably durable.

7647GG

Sleeveless softshell work jacket

~~£ 73.50~~
£ 37.90

- Outer fabric: 96% 100D polyester, 4% spandex, 280 g/m²
- Inner fabric: 100% polyester + graphene
- **Grey/Black**
- Temperature-regulating, water-repellent and breathable



	XS	S	M	L	XL	2XL	3XL
	076470010	076470011	076470012	076470013	076470014	076470015	076470016

7644GG

Stretch sweatshirt, long-sleeved

~~£ 65.50~~
£ 35.50

- 60% cotton, 40% polyester with graphene, 280 g/m²
- Temperature-regulating, breathable, easy care



	XS	S	M	L	XL	2XL	3XL
	076440010	076440011	076440012	076440013	076440014	076440015	076440016

7640GG

Stretch work trousers, multipocket style

~~£ 91.00~~
£ 47.50

- 90% nylon with graphene, 10% spandex, 250 g/m², reinforced with 600D Oxford polyester, grey
- Temperature-regulating, water-repellent and quick drying
- Slim fit



	XS 46	S 48	M 50	L 52	XL 54	2XL 56	3XL 58
	076400010	076400011	076400012	076400013	076400014	076400015	076400016



7272V
FitEvolution 82



GRAPHENE TECHNOLOGY

7679GG

Work jacket with graphene padding, 80 g/m²

- **Front and back:**
100% 75D polyester
- **Sides and sleeves:**
96% polyester, 4% spandex
- Temperature-regulating, windproof, waterproof and breathable (resistance to water columns up to 8,000 mm - breathability 5,000 mvp)
- **Grey/black**



~~£ 96.50~~
£ 51.50



	XS	S	M	L	XL	2XL	3XL
	076790010	076790011	076790012	076790013	076790014	076790015	076790016

7648GG

Softshell work jacket

- 96% polyester, 4% spandex, 310 g/m²
- Inner material: bonded fleece - 100% polyester with graphene
- With detachable hood
- Temperature-regulating, with waterproof, windproof, breathable TPU membrane (resistance to water columns up to 8,000 mm - breathability 5,000 mvp)
- **Grey/black**



~~£ 118.00~~
£ 65.50



	XS	S	M	L	XL	2XL	3XL
	076480010	076480011	076480012	076480013	076480014	076480015	076480016

7997GN

Technical stretch undershirt, long-sleeved

- 70% polyamide, 28% polyester with graphene, 2% elastane, 230 g/m²
- **Black with grey details**
- Temperature-regulating, breathable



~~£ 38.00~~
£ 20.50

	XS - S 46 - 48	M - L 50 - 52	XL - 2XL 54 - 56
	079970000	079970002	079970004

7998GN

Technical stretch underpants

- 70% polyamide, 28% polyester with graphene, 2% elastane, 230 g/m²
- **Black with grey details**
- Temperature-regulating, breathable



~~£ 38.00~~
£ 16.50

	XS - S 46 - 48	M - L 50 - 52	XL - 2XL 54 - 56
	079980000	079980002	079980004



7320NA ▶
ACTIVE 85

7750N

Work bomber jacket, multipocket style

- 100% polyester
- 100% polyester padding, 120 g/m², black

~~£ 77.50~~
£ 42.00



	XS	S	M	L	XL	2XL	3XL	4XL
	077500000	077500001	077500002	077500003	077500004	077500005	077500006	077500007

7636N

Short-zipped microfleece sweater

- 180 g/m²
black with reflex details

~~£ 25.50~~
£ 13.90



	XS	S	M	L	XL	2XL	3XL
	076360500	076360501	076360502	076360503	076360504	076360505	076360506

7850G

Cargo trousers

- 100% cotton, 240 g/m²
- Grey with fluorescent green details
- Slim Fit

~~£ 45.50~~
£ 25.50



	S 48	M 50	L 52	XL 54	2XL 56
	078500101	078500102	078500103	078500104	078500105
	3XL 58	4XL 60			
	078500106	078500107			

7528

Stretch work jeans trousers

- 98% denim cotton, 2% stretch fabric

~~£ 59.50~~
£ 32.50

Jeans



	XS 46	S 48	M 50	L 52	XL 54	2XL 56	3XL 58
	075280046	075280048	075280050	075280052	075280054	075280056	075280058

7527

Work jeans

- 70% cotton, 27% polyester and 3% stretch fabric

~~£ 53.50~~
£ 29.00

Jeans



	XS 46	S 48	M 50	L 52	XL 54	2XL 56
	075270046	075270048	075270050	075270052	075270054	075270056

7637

**Technical fleece
sweatshirt with softshell
fabric inserts**

- 100% polyester,
with inserts made from softshell fabric 100D,
with bound fleece, 270 g/m²

~~£ 81.50~~
£ 42.00



Blue

Grey

	XS	S	M	L	XL	2XL	3XL
7637G	076370000	076370001	076370002	076370003	076370004	076370005	076370006
7637B	076370100	076370101	076370102	076370103	076370104	076370105	076370106

7642G

**Crew-neck sweatshirt
with black inserts
on shoulders and
fluorescent green detail**

- 60% cotton, 40% polyester, 240 g/m²

~~£ 31.50~~
£ 17.90



	XS	S	M	L	XL	2XL	3XL
7642G	076420000	076420001	076420002	076420003	076420004	076420005	076420006

7600

**TREKKING
HEAVY**

**"Work trekking" trousers
made from stretch fabric**

- 90% nylon,
10% stretch fabric, 265 g/m²
- Reinforced fabric on knees and back,
stretch leg bottoms and drawstring
- Slim fit

~~£ 72.00~~
£ 40.90



Black

Grey

	XS 46	S 48	M 50	L 52	XL 54	2XL 56	3XL 58
7600G	076000000	076000001	076000002	076000003	076000004	076000005	076000006
7600N	076000100	076000101	076000102	076000103	076000104	076000105	076000106

7818

**Work trousers,
multipocket style,
with stretch fabric inserts**

- T/C canvas, 65% polyester,
35% cotton, 260 g/m²
- Stretch fabric inserts, 90% nylon,
10% spandex; 260 g/m²
- Knee pad pockets and leg bottoms
reinforced in polyester 300D

~~£ 70.00~~
£ 39.00



Blue

Grey

	XS 46	S 48	M 50	L 52	XL 54	2XL 56	3XL 58
7818G	078180000	078180001	078180002	078180003	078180004	078180005	078180006
7818BL	078180100	078180101	078180102	078180103	078180104	078180105	078180106



7340G
RENEGADE



7341V
RENEGADE 81

7643G

Sweatshirt, short-zipped

- 80% cotton, 20% polyester, 280 g/m²
- Anthracite/light grey

~~£ 47.50~~
£ 26.50



	XS	S	M	L	XL	2XL	3XL
	076430000	076430001	076430002	076430003	076430004	076430005	076430006

7937MG

Sleeveless work jacket

- 97% cotton, 3% stretch fabric, 220 g/m²
- Grey

~~£ 53.50~~
£ 28.90

Cotton



	XS	S	M	L	XL	2XL	3XL
	079370400	079370401	079370402	079370403	079370404	079370405	079370406

7930MG

Work trousers, multipocket style

- 97% cotton, 3% stretch fabric, 220 g/m²
- Stretch waistband
- Grey

~~£ 58.00~~
£ 31.90

Cotton

	XS 46	S 48	M 50	L 52	XL 54
	079300400	079300401	079300402	079300403	079300404
	2XL 56	3XL 58			
	079300405	079300406			



7935MG

Work overalls

- 97% cotton, 3% stretch fabric, 220 g/m²
- Grey

~~£ 102.00~~
£ 56.00

Cotton

	XS 46	S 48	M 50	L 52	XL 54
	079350400	079350401	079350402	079350403	079350404
	2XL 56	3XL 58			
	079350405	079350406			



7867G

LIGHT



Sleeveless work jacket,
lightweight in T/C twill,
180 g/m²

- 65% polyester, 35% cotton, 180 g/m²
- Grey

~~£ 47.50~~
£ 25.50



EASY CE

	XS	S	M	L	XL	2XL	3XL	4XL	5XL
	078670800	078670801	078670802	078670803	078670804	078670805	078670806	078670807	078670808

7909G



Work jacket,
in T/C canvas,
260 g/m²

- 65% polyester, 35% cotton
- Grey

~~£ 63.00~~
£ 35.90

	XS	S	M	L	XL	2XL	3XL	4XL	5XL
7909G	079090800	079090801	079090802	079090803	079090804	079090805	079090806	079090807	
7869G	078690800	078690801	078690802	078690803	078690804	078690805	078690806	078690807	078690808

7869G

LIGHT



Work jacket,
lightweight
in T/C twill, 180 g/m²

- 65% polyester, 35% cotton
- Grey

~~£ 56.00~~
£ 31.50



7900G



Work trousers,
in T/C canvas,
260 g/m²

- 65% polyester, 35% cotton
- Knee pad inserts
- Inserts and knee pads made of "Oxford" polyester/PU, 220 g/m²

~~£ 57.00~~
£ 29.90

	XS 46	S 48	M 50	L 52	XL 54	2XL 56	3XL 58	4XL 60	5XL 62
7900G	079000800	079000801	079000802	079000803	079000804	079000805	079000806	079000807	
7860B	078600700	078600701	078600702	078600703	078600704	078600705	078600706	078600707	078600708
7860G	078600800	078600801	078600802	078600803	078600804	078600805	078600806	078600807	078600808

7860

LIGHT



Work trousers,
lightweight
in T/C twill, 180 g/m²

- 65% polyester, 35% cotton
- Knee pad inserts
- Inserts and knee pads made of "Oxford" polyester/PU, 220 g/m²

~~£ 51.50~~
£ 27.50



Grey

Blue

7905G



Work overalls,
in T/C canvas,
260 g/m²

- 65% polyester, 35% cotton
- Knee pad inserts
- Inserts and knee pads made of "Oxford" polyester/PU, 220 g/m²

~~£ 89.50~~
£ 47.50

	XS 46	S 48	M 50	L 52	XL 54	2XL 56	3XL 58	4XL 60	5XL 62
7905G	079050800	079050801	079050802	079050803	079050804	079050805	079050806	079050807	
7865G	078650800	078650801	078650802	078650803	078650804	078650805	078650806	078650807	078650808

7865G

LIGHT



Work overalls,
lightweight
in T/C twill, 180 g/m²

- 65% polyester, 35% cotton
- Knee pad inserts
- Inserts and knee pads made of "Oxford" polyester/PU, 220 g/m²

~~£ 82.00~~
£ 45.50



7971B

Rain overtrousers, waterproof, made from PVC-coated polyester with thermo-taped seams, blue

- Resistance to water columns up to 2,000 mm
- With stretch waistband and adjustable press stud leg bottoms



~~£ 21.50~~
£ 13.00



EN 343

	XS 46	S 48	M 50	L 52	XL 54	2XL 56	3XL 58
	079710200	079710201	079710202	079710203	079710204	079710205	079710206

7978B

Rain jacket, waterproof, made from PVC-coated polyester, with fixed hood and thermo-taped seams, blue

- Resistance to water columns up to 2,000 mm
- With adjustable press stud sleeves



~~£ 33.50~~
£ 18.90



EN 343

	XS	S	M	L	XL	2XL	3XL
	079780200	079780201	079780202	079780203	079780204	079780205	079780206

7328

Safety boot

- Steel toe cap
- Elastic steel penetration proof insole



~~£ 37.50~~
£ 18.90



S5 SRC

EN ISO 20345 2011

7328A - Orange

Sizes available: from 38 to 47
from 073280638 to 073280647

7328N - Black

Sizes available: from 38 to 47
from 073280838 to 073280847

7984G

Work belt, 100% TPE, with chrome-plated zinc metal buckle

One size fits all;
length: 125 cm,
can be shortened;
width: 35 mm, black



~~£ 16.70~~
£ 9.90

079840525

7980L

Winter cap with LED light, rechargeable, one size fits all, black

- 100% acrylic
- LED light with three brightness settings, up to 60 lumens
- Removable, rechargeable LED light
- Light brightness: up to 60 lumens
- Charging time: 80 minutes
- Battery life: 85 ÷ 290 minutes



~~£ 13.70~~
£ 9.00

079800200

7980RN

Cuffed winter cap, one size only, black

- 100% acrylic
- Lined with 3M Thinsulate™



~~£ 11.90~~
£ 6.90

7985N

Microfleece neck warmer with string adjuster

The microfleece neck warmer is a functional, essential accessory for maximum winter protection.



~~£ 11.90~~
£ 6.90

7981N

Rainproof cap

- 100% PU-coated nylon, with water-repellent treatment, black



~~£ 20.60~~
£ 8.00

	L = Ø 58 cm	XL = Ø 60 cm
	079810158	079810160

9563U

Office armchair,
ergonomic

- Back height: 97 cm
- Seat dimensions:
50 cm x 53 cm
- Overall chair height:
133-144 cm
- Base: 35 cm (leg length)
x 49 cm (height)
- Maximum weight
capacity: **150 kg**



095630020

~~£ 537.00~~
£ 239.00

9563G

Office armchairs,
for guests

- Back height: 60 cm
- Seat dimensions:
45 cm x 51 cm
- Overall chair height:
110-120 cm
- Base: 28 cm (leg length)
x 50-60 cm (height)
- Maximum weight
capacity: **120 kg**



095630050

~~£ 258.00~~
£ 126.00

9548KB

095480110

~~£ 293.00~~
£ 165.00

Balance bike, For children
aged 2-6 years (max. 35 kg),
adjustable saddle from 32.5 to 42 cm



95210B

095210021

~~£ 36.00~~
£ 18.50

Umbrella made of nylon 210T,
diameter 100 cm



9574

Work gloves,
with stretch-elastic cuffs,
reinforced thumbs
and index fingers,
made from touchscreen
capable synthetic leather

~~£ 39.00~~
£ 18.50



		M	L	XL	2XL
9574B		095740102	095740103	095740104	095740105
9574O		095740202	095740203	095740204	095740205

NEW

NEW ADVENT CALENDAR 2026

9920 CA/26

099200224

Advent calendar
with 30 tools


~~£ 121.50~~
£ 59.90





2026 MOT2 WORLD CHAMPIONSHIP

CELESTINO VIETTI



LUCA LUNETTA



998016404



8 405480 91979 199

Beta Tools (UK) Limited | Unit D - Horton Enterprise Park
Hortonwood 50, Telford | Shropshire, TF1 7GZ
Sales: Tel. (01952) 677977

www.beta-tools.com/uk | sales@beta-tools.com